

WETENSCHAPPELIJKE PUBLICATIES 2010

Algemene Chirurgie

1. Derkx F, Maaskant-Braat AJ, van der Sangen MJ, Nieuwenhuijzen GA, van de Poll-Franse LV, Roumen RM, Voogd AC. Staging and management of axillary lymph nodes in patients with local recurrence in the breast or chest wall after a previous negative sentinel node procedure. Eur J Surg Oncol 2010;36:646-651
2. Deunk J, Poels TC, Brink M, Dekker HM, Kool DR, Blickman JG, van Vugt AB, Edwards MJ. The clinical outcome of occult pulmonary contusio non multidetector-row computed tomography in blunt trauma patients. J Trauma 2010;68:387-394
3. Deunk J, Brink M, Dekker HM, Kool DR, Blickman JG, van Vugt AB, Edwards MJ. Predictors for the selection of patients for abdominal CT after blunt trauma: a proposal for a diagnostic algorithm. Ann Surg 2010;251:512-520
4. van Dielen FM, Nijhuis J, Rensen SS, Schaper NC, Wiebolt J, Koks A, Prakken FJ, Buurman WA, Greve JW. Early Insulin sensitivity during first months after restrictive bariatric surgery, inconsistency between HOMA-IR and steady-state plasma glucose levels. Surg Obes Relat Dis 2010;6:340-344
5. Farina-Sarasqueta A, Gosens MJ, Moerland E, van Lijnschoten G, Lemmens VE, Slooter GD, Rutten HJ, van den Brule AJ. TS gene polymorphisms are not good markers of response to 5-FU therapy in stage III colon cancer patients. Anal Cell Pathol (Amst) 2010;33:1-11
6. Farina-Sarasqueta A, Gosens MJ, Moerland E, van Lijnschoten G, Lemmens VE, Slooter GD, Rutten HJ, van den Brule AJ. TS gene polymorphisms are not good markers of response to 5-FU therapy in stage III colon cancer patients. Cell Oncol 2010 (**Epub**)
7. van Hoek F, van Tits HW, van Lijnschoten G, de Haas FD, Scheltinga MR. Multiple carcinomas in the hemodialysis access induced ischemic hand of a renal transplant patient. Eur J Dermatol 2010;20:214-216
8. van Hoek F, Scheltinga MR, Houterman S, Beerenhout CH. Heamodialysis decreases finger pressures independent of artificial kidney blood flow. Nephrology (Carlton) 2010;15:555-559
9. Houtermans-Auckel JP, van Rossum E, Teijink JAW, Dahlmans AAHR, Eussen EFB, Krasznai A, Nicolai SPA, Welten RJThJ. Geen meerwaarde van een therapeutische elastische kous na 'korte strip' wegens varices. Ned Tijdschr Geneesk 2010;154:A1448
10. van den Hoven I, Roumen RM. Chronic recurrent crampy abdominal pain owing to partial intestinal malrotation. Surgery 2010;147:893-894
11. van den Hoven I, Kuijt GP, Voogd AC, van Beek MW, Roumen RM. Value of Memorial Sloan-Kettering Cancer Center nomogram in clinical decision making for sentinel lymph node-positive breast cancer. Br J Surg 2010;97:1653-1658
12. Leclercq WK, Keulers BJ, Scheltinga MR, Spauwen PH, van der Wilt GJ. A review of surgical informed consent: past, present and future. A quest to help patients make better decisions. World J Surg 2010;34:1406-1415
13. Loos MJ, Scheltinga MR, Roumen RM. Tailored neurectomy for treatment of postherniorrhaphy inguinal neuralgia. Surgery 2010;147:275-281
14. Loos MJ, Verhagen T, Scheltinga MR, Roumen RM. A randomised controlled trial of injection therapy versus neurectomy for post-herniorrhaphy inguinal neuralgia: rationale and study design. Hernia 2010;14:593-597

15. Maaskant-Braat AJ, van de Poll-Franse LV, Voogd AC, Coebergh JW, Roumen RM, Nolthenius-Puylaert MC, Nieuwenhuijzen GA. Sentinel node micrometastases in breast cancer do not affect prognosis: a population-based study. *Breast Cancer Res Treat* 2010 (**Epub**)
16. van Nes JG, Seynaeve C, Maartense E, Roumen RM, de Jong RS, Beex LV, Meershoek-Klein Kranenborg WM, Putter H, Nortier JW, van de Velde CJ, Cooperating investigators of the Dutch TEAM trial. Patterns of care in Dutch postmenopausal patients with hormone-sensitive early breast cancer participating in the Tamoxifen Exemestane Adjuvant Multinational (TEAM) trial. *Ann Oncol* 2010;21:974-982
17. Nicolaï SP, Hendriks EJ, Prins MH, Teijink JA; EXITPAD study group. Optimizing supervised exercise therapy for patients with intermittent claudication. *J Vasc Surg* 2010;52:1226-1233
18. Nicolaï SP, Teijink JA, Prins MH; Exercise Therapy in Peripheral Arterial Disease Study Group. Muticenter randomized clinical trial of supervised exercise therapy with or without feedback versus walking advice for intermittent claudication. *J Vasc Surg* 2010;:348-55
19. Nicolaï SP, Gerardu VC, Kruidenier LM, Prins MH, Teijink J. From the Cochrane library: Ginkgo biloba for intermittent claudication. *A. Vasa* 2010;39:153-158
20. Nicolaï SP, Leffers P, Kruidenier LM, De Bie RA, Prins MH, Teijink JA. Extending the range of treadmill testing for patients with intermittent claudication. *Med Sci Sports Exerc* 2010;42:640-645
21. Nienhuijs SW, Rutten HJ, Luiten EJ, Repelaer van Driel OJ, Reemst PH, Lemmens VE, de Hingh IH. Reduction of in-hospital mortality following regionalisation of pancreatic surgery in the south-east of the Netherlands. *Eur J Surg Oncol* 2010;36:652-656
22. van der Sangen MJ, van de Wiel FM, Poortmans PM, Tjan-Heijnen VC, Nieuwenhuijzen GA, Roumen RM, Ernst MF, Tutein Nolthenius-Puylaert MC, Voogd AC. Are breast conservation and mastectomy equally effective in the treatment of Young women with early breast cancer? Long-term results of a population-based cohort of 1,451 patients aged </=40 years. *Breast Cancer Res Treat* 2010 (**Epub**)
23. Schouten R, Wiryasaputra DC, van Dielen FM, van Gemert WG, Greve JW. Long-term results of bariatric restrictive procedures: a prospective study. *Obes Surg* 2010;20:1617-1626
24. Swank HA, Vermeulen J, Lange JF, Mulder IM, van der Hoeven JA, Stassen LP, Crolla RM, Sosef MN, Nienhuijs SW, Bosker RJ, Boom MJ, Kruyt PM, Swank DJ, Steup WH, de Graaf EJ, Weidema WF, Pierik RE, Prins HA, Stockmann HB, Tollenaar RA, van Wagenveld BA, Coene PP, Slooter GD, Consten EC, van Duijn EB, Gerhards MF, Hoofwijk AG, Karsten TM, Neijenhuis PA, Blanken-Peeters CF, Cense HA, Mannaerts GH, Bruin SC, Eijsbouts QA, Wiezer MJ, Hazebroek EJ, van Geloven AA, Maring JK, D'Hoore AJ, Kartheuser A, Remue C, van Grevenstein HM, Konsten JL, van der Peet DL, Govaert MJ, Engel AF, Reitsma JB, Bemelman WA; Dutch Diverticular Disease (3D) Collaborative Study Group. The ladies trial: laparoscopic peritoneal lavage or resection for purulent peritonitisA and Hartmann's procedure or resection with primary anastomosis for purulent or faecal peritonitisB in perforated diverticulitis (NTR2037). *BMC Surg* 2010;10:29
25. Toorop RJ, Scheltinga MR, Huige MC, Moll FL. Clinical results of carotid denervation by adventitial stripping in carotid sinus syndrome. *Eur J Vasc Endovasc Surg* 2010;39:146-152
26. Unlü C, de Korte N, Daniels L, Consten EC, Cuesta MA, Gerhards MF, van Geloven AA, van der Zaag ES, van der Hoeven JA, Klicks R, Cense HA, Roumen RM, Eijsbouts QA, Lange JF, Fockens P, de Borgie CA, Bemelman WA, Reitsma JB, Stockmann HB, Vrouenraets BC, Boermeester MA, Dutch Diverticular Disease 3D Collaborative Study Group. A multicenter randomized clinical trial investigating the cost-effectivenessof treatment strategies wit hor without antibioticsfor uncomplicated acute diverticulitis (DIABOLO trial). *BMC Surg* 2010;10:23

27. Wiering B, Adang EM, van der Sijp JR, Roumen RM, de Jong KP, Comans EF, Pruim J, Dekker HM, Ruers TJ, Krabbe PF, Oyen WJ. Added value of positron emission tomography imaging in the surgical treatment of colorectal liver metastases. *Nucl Med Commun* 2010;31:938-944
28. Wiering B, Oyen WJ, Adang EM, van der Sijp JR, Roumen RM, de Jong KP, Ruers TJ, Krabbe PF. Long-term global quality of life in patients treated for colorectal liver metastases. *Br J Surg* 2010 (**Epub**)

Cardiologie

1. Corrado D, Pelliccia A, Heidbuchel H, Sharma S, Link M, Basso C, Biffi A, Buja G, Delise P, Gussac I, Anastasakis A, Borjesson M, Bjørnstad HH, Carrè F, Deligiannis A, Dugmore D, Fagard R, Hoogsteen J, Mellwig KP, Panhuyzen-Goedkoop N, Solberg E, Vanhees L, Drezner J, Estes NA 3rd, Iliceto S, Maron BJ, Peidro R, Schwartz PJ, Stein R, Thiene G, Zeppilli P, McKenna WJ; Section of Sports Cardiology, European Association of Cardiovascular Prevention and Rehabilitation. Recommendations for interpretation of 12-lead electrocardiogram in the athlete. *Eur Heart J* 2010;31:243-259
2. Kemps HM, Schep G, Zonderland ML, Thijssen EJ, de Vries WR, Wessels B, Doevedans PA, Wijn PF. Are oxygen uptake kinetics in chronic heart failure limited by oxygen delivery or oxygen utilization? *Int J Cardiol* 2010;142:138-144
3. Kemps HM, de Vries WR, Schmikli SL, Zonderland ML, Hoogeveen AR, Thijssen EJ, Schep G. Assessment of the effects of physical training in patients with chronic heart failure: the utility of effort-independent exercise variables. *Eur J Appl Physiol* 2010;108:469-476
4. Toorop RJ, Scheltinga MR, Huige MC, Moll FL. Clinical results of carotid denervation by adventitial stripping in carotid sinus syndrome. *Eur J Vasc Endovasc Surg* 2010;39:146-152

Dermatologie

1. van Hoek F, van Tits HW, van Lijnschoten G, de Haas BD, Scheltinga MR. Multiple carcinomas in the hemodialysis access induced ischemic hand of a renal transplant patient. *Eur J Dermatol* 2010;20:214-216

Fysiotherapie

1. Hoogendoorn M, van Wetering CR, Schols AM, Rutten-van Mölken MP. Is INTERdisciplinary COMmunity-based COPD management (INTERCOM) cost-effective? *Eur Respir J* 2010;35:79-87
2. van Wetering CR, Hoogendoorn M, Mol SJ, Rutten-van Mölken MP, Schols AM. Short- and longterm efficacy of a community-based COPD management program in less advanced COPD: a randomized controlled trial. *Thorax* 2010;65:7-13
3. van Wetering CR, Hoogendoorn M, Broekhuizen R, Geraerts-Keeris GJ, De Munck DR, Rutten-van Mölken MP, Schols AM. Efficacy and costs of nutritional rehabilitation in muscle-wasted patients with chronic obstructive pulmonary disease in a community-based setting: a prespecified subgroup analysis of the INTERCOM trial. *J Am Med Dir Assoc* 2010;11:179-187

Inwendige geneeskunde

1. Cnossen TT, Gladziwa U, van de Kerkhof JJ, Schalkwijk CG, Scheijen J, van Amersfoort J, Moret K, Beerenhout CH, Kooman JP. The influence of bicarbonate/lactate-buffered pdf luids on $\{\text{varepsilon}\}$ -(carboxyethyl)lysine and $\eta\{\text{varepsilon}\}$ -(cardoxymethyl)lysine in peritoneal effluent. *Perit Dial Int* 2010 (**Epub**)

2. Cnossen TT, Beerenthou CH, Smit W, Konings C, Kooman J, Leunissen K, Krediet RT. Influence of the preceding dwell time on the peritoneal equilibration test with 3.86% glucose solution in automated peritoneal dialysis. *Perit Dial Int* 2010;30:95-98
3. van Herk-Sukel MP, van de Poll-Franse LV, Lemmens VE, Vreugdenhil G, Pruijt JF, Coebergh JW, Herings RM. New opportunities for drug outcomes research in cancer patients: The linkage of the Eindhoven Cancer Registry and the PHARMO Record Linkage System. *Eur J Cancer* 2010;46:395-404
4. Hermsen IG, Groenen YE, Dercksen MW, Theuws J, Haak HR. Response to radiation therapy in adrenocortical carcinoma. *J Endocrinol Invest* 2010;33:712-714
5. Hermsen IG, den Hartigh JR, Haak HR. Mitotane serum level analysis; good agreement between two different assays. *Clin Endocrinol (Oxf)* 2010;73:271-272
6. Hermsen IG, Polak MP, Haak HR. Disappearing adrenal masses. *Endocrine* 2010;38:153-157
7. van Hirtum PV, Prins M, ten Oever J, Nijziel MR, Vreugdenhil G, Dercksen MW. Syndroom van Sweet bij onderliggende maligniteit. *Ned Tijdschr Geneeskd* 2010;154:A2112
8. van Hoek F, Scheltinga MR, Houterman S, Beerenthou CH. Heamodialysis decreases finger pressures independent of artificial kidney blood flow. *Nephrology (Carlton)* 2010;15:555-559
9. Huisman S, Maes S, de Gucht V, Chatrou M, Haak HR. Low goal ownership predicts drop-out from a weight intervention study in overweight patients with type 2 diabetes. *Int J Behav Med* 2010;17:176-181
10. Labar B, Suciu S, Willemze R, Muus P, Marie JP, Fillet G, Berneman Z, Jaksic B, Feremans W, Bron D, Sinnige H, Mistrik M, Vreugdenhil G, de Bock R, Nemet D, Gilotay C, Amadori S, de Witte T; on behalf of the EORTC Leukemia Group. Dexamethasone compared to prednisolone for adults with acute lymphoblastic leukemia or lymphoblastic lymphoma: final results of the ALL-4 randomized, phase III trial of the EORTC Leukemia Group. *Heamatologica* 2010;95:1489-1495
11. Moret KE, Beerenthou CH, Kooman JP. Variations in predialytic conductivity in dialysis patients: effect on ionic mass balance and blood pressure. *ASAIO J* 2010;57:53-61
12. van de Schans SA, Janssen-Heijnen ML, Nijziel M, Steyerberg EW, van Spronsen DJ. Validation, revision and extension of the mantle cell lymphoma international prognostic index (MIPI) in a population-based setting. *Heamatologica* 2010;95:1503-1509
13. Tick LW, Doggen CJ, Rosendaal FR, Faber WR, Bousema MT, Mackaay AJ, van Balen P, Kramer MH. Predictors of the post-thrombotic syndrome with non-invasive venous examinations in patients six weeks after a first episode of deep venous thrombosis. *J Thromb Haemost* 2010;8:2685-2692
14. Vandeputte J, Haak HR. Een vrouw met braken en diarree. *Ned Tijdschr Geneeskd* 2010;154:A1288

Kindergeneeskunde

1. Bok LA, Been JV, Struys EA, Jakobs C, Rijper EA, Willemse MA. Antenatal treatment in two Dutch families with pyridoxine-dependent seizures. *Eur J Pediatr* 2010;169:297-303
2. Bok LA, Maurits NM, Willemse MA, Jakobs C, Teune LK, Poll-The BT, de Coo IF, Toet MC, Hagebeuk EE, Brouwer OF, van der Hoeven JH, Sival DA. The EEG response to pyridoxine-IV neither identifies nor excludes pyridoxine-dependent epilepsy. *Epilepsia* 2010;51:2406-2411

3. Chen W, Bambang Oetomo S, Feij L, Andriessen P, Kimman F, Geraets M, Thielen M. Rhythm of Life Aid (ROLA): an integrated sensor system for supporting medical staff during cardiopulmonary resuscitation (CPR) of newborn infants. *IEEE Trans Inf Technol Biomed* 2010;14:1468-1474
4. van Delft E, Andriessen P, Vaessens CN, Buijs J, Bambang Oetomo S. Cerebral MRI abnormalities in a premature infant with later confirmed congenital central hypoventilation syndrome. *Eur J Pediatr* 2010;169:895-898
5. Fick IW, Tijdink MM, Halbertsma FJ, van der Hoeven JG, Pickkers P. Risk factors for the deterioration of oxygenation ratio in ventilated intensive care unit patients: a retrospective cohort study. *J Crit Care* 2010;25:3-9
6. Halbertsma FJ, Dijkman KP. Fatal tension pneumopericardium in a ventilated neonate. *Acta Paediatr* 2010;99:959-960
7. Halbertsma FJ, Andriessen P. A persistent gastric feeding tube. *Acta Paediatr* 2010;99:162
8. Halbertsma FJ, Vaneker M, Pickkers P, Neeleman C, Scheffer GJ, van der Hoeven JG. A single recruitment maneuver in ventilated critically ill children can translocate pulmonary cytokines into the circulation. *J Crit Care* 2010;25:10-15
9. van der Heyden JL, van Teeffelen SS, Coolen AC, Halbertsma FJ, Aardenburg R, Mertens HJ, Mol BW. Is it useful to measure C-reactive protein and leukocytes in patients with prelabor rupture of membranes? *Am J Perinatol* 2010;27:543-547
10. van Kaam AH, Rimenserger PC, Borensztajn D, De Jaegere AP, Neovent Study Group. Ventilation practices in the neonatal intensive care unit: a cross-sectional study. *J.Pediatr* 2010;157:767-771
11. Kaandorp JJ, Benders MJ, Rademaker CM, Torrance HL, Oudijk MA, de Haan TR, Bloemenkamp KW, Rijken M, van Pampus MG, Bos AF, Porath MM, Bambang Oetomo S, Willekes C, Gavilanes AW, Wouters MG, van Elburg RM, Huisjes AJ, Bakker SC, van Meir CA, von Lindern J, Boon J, de Boer IP, Rijnders RJ, Jacobs CJ, Uiterwaal CS, Mol BW, Visser GH, van Bel F, Derkx JB. Antenatal allopurinol for reduction of birth asphyxia induced brain damage (ALLO-Trial); a randomized double blind placebo controlled multicenter study. *BMC Pregnancy Childbirth* 2010;18:10-18
12. Kleizen KJ, Claahsen-van der Grinten HL, Schulte EO, Creemers DG, Koster-Kamphuis L, Draisma JM. Zuigelingen met pseudohypoaldosteronisme. *Ned Tijdschr Geneesk* 2010;154:A1485
13. de Kroon K, den Boer W, Halbertsma FJ. A child with a abnormal neck posture after doing a head-over-heels. *Eur J Pediatr* 2010;169:1279-1281
14. Kusters MA, Jol-van de Zijde EC, van Tol MJ, Bolz AW, Bok LA, Visser M, de Vries E. Impaired avidity maturation after tetanus toxoid booster in children with down syndrome. *Pediatr Infect Dis J* 2010 (**Epub**)
15. Niemarkt HJ, Andriessen P, Peters CH, Pasman JW, Zimmermann LJ, Bambang Oetomo S. Quantitative analysis of maturational changes in EEG background activity in very preterm infants with a normal neurodevelopment at 1 year of age. *Early Hum Dev* 2010;86:219-224
16. Niemarkt HJ, Andriessen P, Peters CH, Pasman JW, Blanco CE, Zimmermann LJ, Bambang Oetomo S. Quantitative analysis of amplitude-integrated electroencephalogram patterns in stable preterm infants, with normal neurological development at one year. *Neonatology* 2010;97:175-82
17. van der Palen RL, Bok LA. Een jongen met rode zwellingen aan de onderbenen. *Ned Tijdschr Geneesk* 2010;154:A549

18. Robroeks CM, Roozeboom MH, de Jong PA, Tiddens HA, Jöbsis Q, Hendriks HJ, Yntema JB, Brackel HL, van Gent R, Robben S, Dompeling E. Structural lung changes, lung function, and non-invasive inflammatory markers in cystic fibrosis. *Pediatr Allergy Immunol* 2010;21:493-500
19. Sá-Couto CD, Andriessen P, van Meurs WL, Ayres-de-Campos D, Sá-Couto PM. A model for educational simulation of hemodynamic transitions at birth. *Pediatr Res* 2010;67:158-165
20. Schreuder LT, Nijhuis-van der Sanden MW, de Hair A, Peters G, Wortmann S, Bok LA, Morava E. Successful use of albuterol in a patient with central core disease and mitochondrial dysfunction. *J Inherit Metab Dis* 2010 (**Epub**)
21. Sengers FB, van Lijnschoten G, van der Sluijs-Bens JP, Porath MM, Dijkman KP. Hematologische afwijkingen bij prematuur pasgeborenen door placentaire mesenchymale dysplasia. *Ned Tijdschr Geneeskd* 2010;154:A1040
22. van der Sluijs-Bens JP, Kleikers PW. Een prematuur met nagelafwijkingen. *Ned Tijdschr Geneeskd*. 2010;154:A205
23. Tibosch M, Reidsma C, Landstra A, Hugen C, Gerrits P, Brouwer M, van Gent R, Merkus P, Verhaak C. An asthma-related quality of life instrument is unable to identify asthmatic children with major psychosocial problems. *Eur J Pediatr* 2010;169:1494-1501
24. Vaessen-Verberne AA, van den Berg NJ, van Nierop JC, Brackel HJ, Gerrits GP, Hop WC, Duverman EJ; COMBO Study Group. Combination therapy salmeterol/fluticasone versus doubling dose of fluticasone in children with asthma. *Am J Respir Crit Care Med* 2010;182:1221-1227
25. van de Ven AA, van de Corput L, van Tilburg CM, Tesselaar K, van Gent R, Sanders EA, Boes M, Bloem AC, van Montfrans JM. Lymphocyte characteristics in children with common variable immunodeficiency. *Clin Immunol* 2010;135:63-71

Klinische Chemie

1. Favaloro EJ, Lippi G, Raijmakers MT, Vader HL, van der Graaf F. Discard tubes are sometimes necessary when drawing samples for hemostasis. *Am J Clin Pathol* 2010;134:851
2. Kooistra L, Kuppens SM, Hasaart TH, Vader HL, Wijnen HA, Oei SG, Pop VJ. High thyrotrophin levels at end term increase the risk of breech presentation. *Clin Endocrinol (Oxf)* 2010;73:661-665
3. Kuppens SM, Kooistra L, Wijnen HA, Crawford S, Vader HL, Hasaart TH, Oei SG, Pop VJ. Maternal thyroid function during gestation is related to breech presentation at term. *Clin Endocrinol (Oxf)* 2010;72:820-824
4. Raijmakers MT, Menting CH, Vader HL, van der Graaf F. Collection of blood specimens by venipuncture for plasma-based coagulation assays: necessity of a discard tube. *Am J Clin Pathol* 2010;133:331-335

Klinische fysica

1. Kemps HM, Schep G, Zonderland ML, Thijssen EJ, de Vries WR, Wessels B, Doevedans PA, Wijn PF. Are oxygen uptake kinetics in chronic heart failure limited by oxygen delivery or oxygen utilization? *Int J Cardiol* 2010;142:138-144
2. van Laar JO, Peters CH, Vullings R, Houterman S, Bergmans J, Oei SG. Fetal autonomic response to severe acidaemia during labour. *BJOG* 2010;117:429-437

3. Niemarkt HJ, Andriessen P, Peters CH, Pasman JW, Zimmermann LJ, Bambang Oetomo S. Quantitative analysis of maturational changes in EEG background activity in very preterm infants with a normal neurodevelopment at 1 year of age. *Early Hum Dev* 2010;86:219-224
4. Niemarkt HJ, Andriessen P, Peters CH, Pasman JW, Blanco CE, Zimmermann LJ, Bambang Oetomo S. Quantitative analysis of amplitude-integrated electroencephalogram patterns in stable preterm infants, with normal neurological development at one year. *Neonatology* 2010;97:175-82
5. Vullings R, Peters CH, Mossavat I, Oei SG, Bergmans JW. Bayesian approach to patient-tailored vectorcardiography. *IEEE Trans Biomed Eng* 2010;57:586-595
6. Vullings R, Peters CH, Hermans MJ, Wijn PF, Oei SG, Bergmans JW. A robust physiology-based source separation method for QRS detection in low amplitude fetal ECG recordings. *Physiol Meas* 2010;7:935-951
7. Vullings R, de Vries B, Bergmans J. An adaptive Kalman filter for ECG signal enhancement. *IEEE Trans Biomed Eng* 2010 (**Epub**)

Longziekten

1. van Wetering CR, Hoogendoorn M, Mol SJ, Rutten-van Mölken MP, Schols AM. Short- and longterm efficacy of a community-based COPD management program in less advanced COPD: a randomized controlled trial. *Thorax* 2010;65:7-13
2. van Wetering CR, Hoogendoorn M, Broekhuizen R, Geraerts-Keeris GJ, De Munck DR, Rutten-van Mölken MP, Schols AM. Efficacy and costs of nutritional rehabilitation in muscle-wasted patients with chronic obstructive pulmonary disease in a community-based setting: a prespecified subgroup analysis of the INTERCOM trial. *J Am Med Dir Assoc* 2010;11:179-187

Maag Darm Leverziekten

1. Vasen, HF, Abdirahman M, Brohet R, Langers AM, Kleibeuker JH, van Kouwen M, Koornstra JJ, Boot H, Cats A, Dekker E, Sanduleanu S, Poley JW, Hardwick JC, de Vos Tot Nederveen Cappel WH, van der Meulen-de Jong AE, Tan TG, Jacobs MA, Mohamed FL, de Boer SY, van de Meeberg PC, Verhulst ML, Salemans JM, van Bentem N, Westerveld BD, Vecht J, Nagengast FM. One to 2-year surveillance intervals reduce risk of colorectal cancer in families with Lynch syndrome. *Gastroenterology* 2010;138:2300-2306

Medische psychologie

1. Bok LA, Been JV, Struys EA, Jakobs C, Rijper EA, Willemsen MA. Antenatal treatment in two Dutch families with pyridoxine-dependent seizures. *Eur J Pediatr* 2010;169:297-303
2. Huisman S, Maes S, de Gucht V, Chatrou M, Haak HR. Low goal ownership predicts drop-out from a weight intervention study in overweight patients with type 2 diabetes. *Int J Behav Med* 2010;17:176-181

MMC Academie

1. Cremers RG, Karim-Kos HE, Houterman S, Verhoeven RH, Schröder FH, van der Kwast TH, Kil PJ, Coebergh JW, Kiemeney LA. Prostate Cancer: trends in incidence, survival and mortality in the Netherlands, 1989-2006. *Eur J Cancer* 2010;46:2077-2087
2. van Hoek F, Scheltinga MR, Houterman S, Beerenhout CH. Hemodialysis decreases finger pressures independent of artificial kidney blood flow. *Nephrology (Carlton)* 2010;15:555-559
3. van Laar JO, Peters CH, Vullings R, Houterman S, Bergmans J, Oei SG. Fetal autonomic response to severe acidaemia during labour. *BJOG* 2010;117:429-437

4. Louwman WJ, Aarts MJ, Houterman S, van Lenthe FJ, Coebergh JW, Janssen-Heijnen ML. A 50% higher prevalence of life-shortening chronic conditions among cancer patients with low socioeconomic status. *Br J Cancer* 2010;103:1742-1748
5. Merién AE, van de Ven J, Mol BW, Houterman S, Oei SG. Multidisciplinary team training in a simulation setting for acute obstetric emergencies: a systematic review. *Obstet Gynecol* 2010;115:1021-1031
6. van de Ven J, Houterman S, Steinweg RA, Scherbier AJ, Wijers W, Mol BW, Oei SG;TOSTI-trial group. Reducing errors in health care: cost-effectiveness of multidisciplinary team training in Obstetric emergencies (TOSTI study): a randomised controlled trial. *BMC Pregnancy Childbirth* 2010;10:59

Orthopedie

1. de Kroon KE, van der Haven I. Een vrouw met een pijnlijke pols. *Ned Tijdschr Geneeskd* 2010;154:A195
2. de Kroon KE, den Boer W, Halbertsma FJ. A child with a abnormal neck posture after doing a head-over-heels. *Eur J Pediatr* 2010;169:1279-1281

Pathologie (PAMM) / Medische microbiologie

1. Farina-Sarasqueta A, van Lijnschoten G, Moerland E, Creemers GJ, Lemmens VE, Rutten HJ, van den Brule AJ. The BRAF V600E mutation is an indepent prognostic factor for survival in stage II and stage III colon cancer patients. *Ann Oncol* 2010;21:2396-2402
2. Farina-Sarasqueta A, van Lijnschoten G, Rutten HJ, van den Brule AJ. Value of gene polymorphisms as markers of 5-FU therapy response in stage III colon carcinoma: a pilot study. *Cancer Chemother Pharmacol* 2010;66:1167-1171
3. Farina-Sarasqueta A, Gosens MJ, Moerland E, van Lijnschoten G, Lemmens VE, Slooter GD, Rutten HJ, van den Brule AJ. TS gene polymorphisms are not good markers of response to 5-FU therapy in stage III colon cancer patients. *Anal Cell Pathol (Amst)* 2010;33:1-11
4. Farina-Sarasqueta A, Gosens MJ, Moerland E, van Lijnschoten G, Lemmens VE, Slooter GD, Rutten HJ, van den Brule AJ. TS gene polymorphisms are not good markers of response to 5-FU therapy in stage III colon cancer patients. *Cell Oncol* 2010 (**Epub**)
5. van Hoek F, van Tits HW, van Lijnschoten G, de Haas BD, Scheltinga MR. Multiple carcinomas in the hemodialysis access induced ischemic hand of a renal transplant patient. *Eur J Dermatol* 2010;20:214-216
6. van den Hoven I, Kuijt GP, Voogd AC, van Beek MW, Roumen RM. Value of Memorial Sloan-Kettering Cancer Center nomogram in clinical decision making for sentinel lymph node-positive breast cancer. *Br J Surg* 2010;97:1653-1658
7. Loonen AJ, Jansz AR, Kreeftenberg H, Bruggeman CA, Wolffs PF, van den Brule AJ. Acceleration of the direct identification of *Staphylococcus aureus* versus coagulase-negative staphylococci from blood culture material: a comparison of six bacterial DNA extraction methods. *Eur J Clin Microbiol Infect Dis* 2010 (**Epub**)
8. Sengers FB, van Lijnschoten G, van der Sluijs-Bens JP, Porath MM, Dijkman KP. Hematologische afwijkingen bij prematuur pasgeborenen door placentaire mesenchymale dysplasia. *Ned Tijdschr Geneeskd* 2010;154:A1040
9. van Steenbergen LN, van Lijnschoten G, Rutten HJ, Lemmens VE, Coebergh JW. Improving lymph node detection in colon cancer in community hospitals and their pathology department in southern Netherlands. *Eur J Surg Oncol* 2010;36:135-40

Plastische Chirurgie

1. van Hoek F, van Tits HW, van Lijnschoten G, de Haas FD, Scheltinga MR. Multiple carcinomas in the hemodialysis access induced ischemic hand of a renal transplant patient. Eur J Dermatol 2010;20:214-216
2. Schots JM, Fechner MR, Hoogbergen MM, van Tits HW. Malrotation of the McGhan Style 510 prostesis. Plast Reconstr Surg 2010;126:261-265

Radiologie

1. Penninx JP, Pasmans HL, Oei SG. Arterial balloon occlusion of the internal iliac arteries for treatment of life-threatening massive postpartum haemorrhage: a series of 15 consecutive cases. Eur J Obstet Gynecol Reprod Biol 2010;148:131-134

Reumatologie

1. Meier L, van Tuyl van Serooskerken AM, Liberton E, Kleijn L, Westgeest T, Polak M, de Nijls R. Fractures of the proximal tibia associated with longterm use of methotrexate: 3 case reports and a review of literature. J Rheumatol 2010;37:2434-2438

Sportgeneeskunde

1. Kampshoff CS, Buffart LM, Schep G, van Mechelen W, Brug J, Chinapaw MJ. Design of the resistance and endurance exercise after chemotherapy (REACT) study: a randomized controlled trial to evaluate the effectiveness and cost-effectiveness of exercise interventions after chemotherapy on physical fitness and fatigue. BMC Cancer 2010;10:658
2. Kemps HM, Schep G, Zonderland ML, Thijssen EJ, de Vries WR, Wessels B, Doevedans PA, Wijn PF. Are oxygen uptake kinetics in chronic heart failure limited by oxygen delivery or oxygen utilization? Int J Cardiol 2010;142:138-144
3. Kemps HM, de Vries WR, Schmikli SL, Zonderland ML, Hoogeveen AR, Thijssen EJ, Schep G. Assessment of the effects of physical training in patients with chronic heart failure: the utility of effort-independent exercise variables. Eur J Appl Physiol 2010;108:469-476
4. Persoon S, Kersten MJ, Chinapaw MJ, Buffart LM, Burghout H, Schep G, Brug J, Nollet F. Design of the exercise intervention after stem cell transplantation (EXIST) study: a randomized controlled trial to evaluate the effectiveness and cost-effectiveness of an individualized high intensity physical exercise program on fitness and fatigue in patients with multiple myeloma or (non-) Hodgkin's lymphoma treated with high dose chemotherapy and autologous stem cell transplantation. BMC Cancer 2010;10:671

Verloskunde en gynaecologie

1. Bakker JJ, Verhoeven CJ, Janssen PF, van Lith JM, van Oudgaarden ED, Bloemenkamp KW, Papatsonis DN, Mol BW, van der Post JA. Outcomes after internal versus external tocodynamometry for monitoring labor. N Engl J Med 2010;362:306-313
2. Barnhart K, van Mello NM, Bourne T, Kirk E, van Calster B, Bottomley C, Chung K, Condous G, Goldstein S, Hajenius PJ, Mol BW, Molinaro T, O'Flynn O'Brien KL, Husicka R, Sammel M, Timmerman D. Pregnancy of unknown location: a consensus statement of nomenclature, definitions and outcome. Fertil Steril 2010 (**Epub**)
3. Biewenga P, van der Velden J, Mol BW, Stalpers LJ, Schilthuis MS, van der Steeg JW, Burger MP, Buist MR. Prognostic model for survival in patients with early stage cervical cancer. Cancer 2010 (**Epub**)

4. Boers KE, Vijgen SM, Bijlenga D, van der Post JA, Bekedam DJ, Kwee A, van der Salm PC, van Pampus MG, Spaandermeijer ME, de Boer K, Duvekot JJ, Bremer HA, Hasaart TH, Delemarre FM, Bloemenkamp KW, van Meir CA, Willekes C, Wijnen EJ, Rijken M, le Cessie S, Roumen FJ, Thornton JG, van Lith JM, Mol BW, Scherjon SA; DIGITAT study group. Induction versus expectant monitoring for intrauterine growth restriction at term: randomised equivalence trial (DIGITAT). *BMJ* 2010;341:c7087
5. van den Boogaard E, Kaandorp SP, Franssen MT, Mol BW, Leschot NJ, Wouters CH, van der Veen F, Korevaar JC, Goddijn M. Consecutive or non-consecutive recurrent miscarriage; is there any difference in carrier status? *Hum Reprod* 2010;25:1411-1414
6. Bosteels J, Weyers S, Puttemans P, Panayotidis C, van Herendael B, Gomel V, Mol BW, Mathieu C, D'Hooghe T. The effectiveness of hysteroscopy in improving pregnancy rates in subfertile women without other gynaecological symptoms: a systematic review. *Hum Reprod Update* 2010;16:1-11
7. Breijer MC, Timmermans A, van Doorn HC, Mol BW, Opmeer BC. Diagnostic strategies for postmenopausal bleeding. *Obstet Gynecol Int* 2010;2010:850812
8. Broeze KA, Opmeer BC, van Geloven N, Coppus SF, Collins JA, den Hartog JE, van der Linden PJ, Marianowski P, Ng EH, van der Steeg JW, Steures P, Strandell A, van der Veen F, Mol BW. Are patient characteristics associated with the accuracy of hysterosalpingography in diagnosing tubal pathology? An individual patient data meta-analysis. *Hum Reprod Update* 2010 (**Epub**)
9. Broeze KA, Opmeer BC, van der Veen F, Bossuyt PM, Bhattacharya S, Mol BW. Individual patient data meta-analysis: a promising approach for evidence synthesis in reproductive medicine. *Hum Reprod Update* 2010;16:561-567
10. Clarke JF, van Rumste MM, Farquhar CM, Johnson NP, Mol BW, Herbison P. Measuring outcomes in fertility trials: can we rely on clinical pregnancy rates? *Fertil Steril* 2010;94:1647-1651
11. Cox T, van der Steeg JW, Steures P, Hompes PG, van der Veen F, Eijkemans MJ, Schagen van Leeuwen JH, Renckens C, Bossuyt PM, Mol BW. Time to pregnancy after a previous miscarriage in subfertile couples. *Fertil Steril* 2010;94:485-488
12. Hadley J, Kulier R, Zamora J, Coppus SF, Weinbrenner S, Meyerrose B, Decsi T, Horvath AR, Nagy E, Emparanza JL, Arvanitis TN, Burls A, Cabello JB, Kaczor M, Zanrei G, Pierer K, Kunz R, Wilie V, Wall D, Mol BW, Khan KS. Effectiveness of an e-learning course in evidence-based medicine for foundation (internship) training. *J R Soc Med* 2010;103:288-294
13. Hermes W, Franx A, van Pampus MG, Bloemenkamp KW, van der Post JA, Porath MM, Ponjee G, Tamsma JT, Mol BW, Groot CJ. 10-Year cardiovascular event risks for women who experienced hypertensive disorders in late pregnancy; the HyRAS study. *BMC Pregnancy Childbirth* 2010;10:28
14. van der Heyden JL, van Teeffelen AS, Coolen AC, Halbertsma FJ, Aardenburg R, Mertens HJ, Mol BW. Is it useful to measure C-reactive protein and leukocytes in patients with prelabor rupture of membranes? *Am J Perinatol* 2010;27:543-547
15. Johnson N, van Voorst S, Sowter MC, Strandell A, Mol BW. Surgical treatment for tubal disease in women due to undergo in vitro fertilisation. *Cochrane Database Syst Rev* 2010:CD002125
16. de Jonge A, Mol BW, van der Goes BY, Nijhuis JG, van der Post JA, Buitendijk SE. Too early to question effectiveness of Dutch system. *BMJ* 2010;341:c7020
17. Jozwiak M, Mol BW, Bloemenkamp KW. Induction of labour in nulliparous women with an unfavourable cervix. *BJOG* 2010;117:892-893

18. Kaandorp SP, Goddijn M, van der Post JA, Hutten BA, Verhoeve HR, Hamulyák K, Mol BW, Folkerkinga N, Nahuis M, Papatsonis DN, Büller HR, van der Veen F, Middeldorp S. Aspirin plus heparin or aspirin alone in women with recurrent miscarriage. *N Engl J Med* 2010;362:1586-1596
19. Kaandorp JJ, Benders MJ, Rademaker CM, Torrance HL, Oudijk MA, de Haan TR, Bloemenkamp KW, Rijken M, van Pampus MG, Bos AF, Porath MM, Bambang Oetomo S, Willekes C, Gavilanes AW, Wouters MG, van Elburg RM, Huisjes AJ, Bakker SC, van Meir CA, von Lindern J, Boon J, de Boer IP, Rijnders RJ, Jacobs CJ, Uiterwaal CS, Mol BW, Visser GH, van Bel F, Derkx JB. Antenatal allopurinol for reduction of birth asphyxia induced brain damage (ALLO-Trial); a randomized double blind placebo controlled multicenter study. *BMC Pregnancy Childbirth* 2010;18:10-18
20. Kok M, van der Steeg JW, van der Post JA, Mol BW. Prediction of success of external cephalic version after 36 weeks. *Am J Perinatol* 2010 (**Epub**)
21. Koning AM, Kuchenbecker WK, Groen H, Hoek A, Land JA, Khan KS, Mol BW. Economic consequences of overweight and obesity in infertility: a framework for evaluating the costs and outcomes of fertility care. *Hum Reprod Update* 2010;16:246-254
22. Kooistra L, Kuppens SM, Hasaart TH, Vader HL, Wijnen HA, Oei SG, Pop VJ. High thyrotrophin levels at end term increase the risk of breech presentation. *Clin Endocrinol (Oxf)* 2010;73:661-665
23. Koopmans CM, Bijlenga D, Groen H, Vijgen, SMC, Aarnoudse JG, Bekedam DJ, van den Berg PP, de Boer K, Burggraaff JM, Bloemenkamp KWM, Drogter AP, Franx A, de Groot CJM, Huisjes AJM, Kwee A, van Loon AJ, Lub A, Papatsonis DNM, van der Post JAM, Roumen FJME, Scheepers CJ, Willekes C, Mol BW, van Pampus MG. Liever inleiden dan afwachten bij aterme zwangerschapshypertensie en milde preëclampsie: HYPITAT-studie. *Ned Tijdschr Geneesk* 2010;154:A1660
24. Koopmans CM, Zwart JJ, Groen H, Bloemenkamp KW, Mol BW, van Pampus MG, van Roosmalen J. Risk indicators for eclampsia in gestational hypertension or mild preeclampsia at term. *Hypertens Pregnancy* 2010 (**Epub**)
25. Kowalik CR, Mol BW, Veersema S, Goddijn M. Critical appraisal regarding the effect on reproductive outcome of hysteroscopic metroplasty in patients with recurrent miscarriage. *Arch Gynecol Obstet* 2010;282:465
26. Kuin RA, Vis JY, Mol BW. Fetal fibronectin as a short-term predictor of preterm birth in symptomatic patients. *Obstet Gynecol* 2010;115:186-187
27. Kuppens SM, Kooistra L, Wijnen HA, Crawford S, Vader HL, Hasaart TH, Oei SG, Pop VJ. Maternal thyroid function during gestation is related to breech presentation at term. *Clin Endocrinol (Oxf)* 2010;72:820-824
28. van Laar JO, Peters CH, Vullings R, Houterman S, Bergmans J, Oei SG. Fetal autonomic response to severe acideamia during labour. *BJOG* 2010;117:429-437
29. Langenveld J, Jansen S, van der Post J, Wolf H, Mol BW, Ganzevoort W. Recurrence risk of a delivery before 34 weeks of pregnancy due to an early onset hypertensive disorder: a systematic review. *Am J Perinatol* 2010;27:565-571
30. van Leeuwen M, Opmeer BC, Zweers EJ, van Ballegooie E, ter Brugge HG, de Valk HW, Visser GH, Mol BW. Estimating the risk of gestational diabetes mellitus: a clinical prediction model based on patient characteristics and medical history. *BJOG* 2010;117:69-75
31. van Leeuwen M, Opmeer BC, Yilmaz Y, Limpens J, Serlie MJ, Mol BW. Accuracy of the random glucose test as screening test for gestational diabetes mellitus: a systematic review. *Eur J Obstet Gynecol Reprod Biol* 2010 (**Epub**)

32. McLernon DJ, Harrild K, Bergh C, Davies MJ, de Neubourg D, Dumoulin JC, Gerris J, Kremer JA, Martikainen H, Mol BW, Norman RJ, Thulin-Kjellberg A, Tiitinen A, van Montfoort AP, van Peperstraten AM, Van Royen E, Bhattacharya S. Clinical effectiveness of elective single versus double embryo transfer: meta-analysis of individual patient data from randomised trials. *BMJ* 2010;341:c6945
33. Leushuis E, van der Steeg JW, Steures P, Repping S, Bossuyt PM, Blankenstein MA, Mol BW, van der Veen F, Hompes PG. Reproducibility and reliability of repeated semen analysis in male partners of subfertile couples. *Fertil Steril* 2010;94:2631-2635
34. Lim AC, Goossens A, Ravelli AC, Boer K, Bruinse HW, Mol BW. Use of progesterone treatment for the prevention of recurrent preterm birth: Identification of Obstacles to Change. *Am J Perinatol* 2010;27:241-9
35. Lim AC, Mol BW, Bruinse HW. Progesterone for prevention of preterm delivery: only in trial setting. *Ned Tijdschr Geneeskd* 2010;154:A1730
36. van Mello NM, Mol F, Opmeer BC, de Bekker-Grob EW, Essink-Bot ML, Ankum WM, Mol BW, van der Veen F, Hajenius PJ. Salpingotomy or salpingectomy in tubal ectopic pregnancy: what do women prefer? *Reprod Biomed Online* 2010;21:687-693
37. Merién AE, van de Ven J, Mol BW, Houterman S, Oei SG. Multidisciplinary team training in a simulation setting for acute obstetric emergencies: a systematic review. *Obstet Gynecol* 2010;115:1021-1031
38. Middleton LJ, Champaneria R, Daniels JP, Bhattacharya S, Cooper KG, Hilken NH, O'Donovan P, Gannon M, Gray R, Khan KS; International Heavy Menstrual Bleeding Individual Patient Data Meta-analysis Collaborative Group, Abbott J, Barrington J, Bhattacharya S, Bongers MY, Brun JL, Busfield R, Sowter M, Clark TJ, Cooper J, Cooper KG, Corson SL, Dickersin K, Dwyer N, Gannon M, Hawe J, Hurskainen R, Meyer WR, O'Connor H, Pinion S, Sambrook AM, Tam WH, van Zon-Rabelink IA, Zupi E. Hysterectomy, endometrial destruction, and levonorgestrel releasing intrauterine system (Mirena) for heavy menstrual bleeding: systematic review and meta-analysis of data from individual patients. *BMJ* 2010;341:c3929
39. Mol F, van Mello NM, Mol BW, van der Veen F, Ankum WM, Hajenius PJ. Ectopic pregnancy and pelvic inflammatory disease: A renewed epidemic? *Eur J Obstet Gynecol Reprod Biol* 2010;151:163-167
40. Mutsaerts MA, Groen H, ter Bogt NC, Bolster JH, Land JA, Bemelmans WJ, Kuchenbecker WK, Hompes PG, Macklon NS, Stolk RP, van der Veen F, Maas JW, Klijn NF, Kaaijk EM, Oosterhuis GJ, Bouckaert PX, Schierbeek JM, van Kasteren YM, Nap AW, Broekmans FJ, Brinkhuis EA, Koks CA, Burggraaff JM, Blankhart AS, Perquin DA, Gerards MH, Mulder RJ, Gondrie ET, Mol BW, Hoek A. The LIFESTYLE study: costs and effects of a structured lifestyle program in overweight and obese subfertile women to reduce the need for fertility treatment and improve reproductive outcome. A randomised controlled trial. *BMC Womens Health* 2010;10:22
41. Nahuis M, van der Veen F, Oosterhuis J, Mol BW, Hompes P, van Wely M. Review of the safety, efficacy, costs and patient acceptability of recombinant follicle-stimulating hormone for injection in assisting ovulation induction in infertile women. *Int J Womens Health* 2010;1:205-211
42. Nieboer TE, Spaanderman ME, Bongers MY, Vierhout ME, Kluivers KB. Gynaecologists estimate and experience laparoscopic hysterectomy as more difficult compared with abdominal hysterectomy. *Gynecol Surg* 2010;7:359-363
43. Oude Rengerink K, Opmeer BC, Logtenberg SL, Hooft L, Bloemenkamp KW, Haak MC, Oudijk MA, Spaanderman ME, Duvekot JJ, Willekes C, van Pampus MG, Porath MM, van Eyck J, Sikkema MJ, Mol BW. Improving participation of patients in clinical trials-rationale and design of IMPACT. *BMC Med Res Methodol* 2010;10:85

44. Penninx JP, Pasmans HL, Oei SG. Arterial balloon occlusion of the internal iliac arteries for treatment of life-threatening massive postpartum haemorrhage: a series of 15 consecutive cases. *Eur J Obstet Gynecol Reprod Biol* 2010;148:131-134
45. Penninx JP, Mol BW, Engels R, van Rumste MM, Kleijn C, Koks CA, Kruitwagen RF, Bongers MY. Bipolar radiofrequency endometrial ablation compared with hydrothermablation for dysfunctional uterine bleeding: a randomized controlled trial. *Obstet Gynecol* 2010;116:819-826
46. Prick BW, Steegers EA, Jansen AJ, Hop WC, Essink-Bot ML, Peters NC, Uyl-de Groot CA, Papatsonis DN, Akerboom BM, Metz GC, Bremer HA, van Loon AJ, Stigter RH, van der Post JA, van Alphen M, Porath MM, Rijnders RJ, Spaandermeier ME, Schippers DH, Bloemenkamp KW, Boers KE, Scheepers HC, Roumen FJ, Kwee A, Schuitemaker NW, Mol BW, van Rhenen DJ, Duvekot JJ. Well being of obstetric patients on minimal blood transfusions (WOMB trial). *BMC Pregnancy Childbirth* 2010;10:83
47. Rabotti C, Mischi M, Beulen L, Oei SG, Bergmans JW. Modeling and identification of the electrohysterographic volume conductor by high-density electrodes. *IEEE Trans Biomed Eng* 2010;57:519-527
48. Rabotti C, Mischi M, Oei SG, Bergmans JW. Noninvasive estimation of the electrohysterographic action-potential conduction velocity. *IEEE Trans Biomed Eng* 2010;57:2178-2187
49. Ravelli AC, Tromp M, Eskes M, Droog JC, van der Post JA, Jager KJ, Mol BW, Reitsma JB. Ethnic differences in stillbirth and early neonatal mortality in the Netherlands. *J Epidemiol Community Health* 2010 (**Epub**)
50. Sengers FB, van Lijnschoten G, van der Sluijs-Bens JP, Porath MM, Dijkman KP. Hematologische afwijkingen bij prematuur pasgeborenen door placentaire mesenchymale dysplasia. *Ned Tijdschr Geneeskde* 2010;154:A1040
51. van der Steeg JW, Steures P, Eijkemans MJ, Habbema JD, Hompes PG, Kremer JA, van der Leeuw-Harmsen L, Bossuyt PM, Repping S, Silber SJ, Mol BW, van der Veen F. Role of semen analysis in subfertile couples. *Fertil Steril* 2010 (**Epub**)
52. van Teeffelen AS, van der Ham DP, Oei SG, Porath MM, Willekes C, Mol BW. The accuracy of clinical parameters in the prediction of perinatal pulmonary hypoplasia secondary to midtrimester prelabour rupture of fetal membranes: a meta-analysis. *Eur J Obstet Genecol Reprod Biol* 2010; 148:3-12
53. Teune MJ, van Wassenaer AG, Mol BW, Opmeer BC. Long-term health-related and economic consequences of short-term outcomes in evaluation of perinatal interventions. *BMC Pregnancy Childbirth* 2010;10:42
54. Timmermans A, Opmeer BC, Khan KS, Bachmann LM, Epstein E, Clark TJ, Gupta JK, Bakour SH, van den Bosch T, van Doorn HC, Cameron ST, Giusa MG, Dessoile S, Dijkhuizen FP, ter Riet G, Mol BW. Endometrial thickness measurement for detecting endometrial cancer in women with postmenopausal bleeding: a systematic review and meta-analysis. *Obstet Gynaecol* 2010;116:160-167
55. Tromp M, Ravelli AC, Reitsma JB, Bonsel GJ, Mol BW. Increasing maternal age at first pregnancy planning: health outcomes and associated costs. *J Epidemiol Community Health* 2010 (**Epub**)
56. Veersema S, Mol BW, Brölmann HA. Reproducibility of the interpretation of pelvic x-ray 3 months after hysteroscopic sterilization with Essure. *Fertil Steril* 2010;94:485-488

57. van de Ven J, Houterman S, Steinweg RA, Scherbier AJ, Wijers W, Mol BW, Oei SG;TOSTI-trial group. Reducing errors in health care: cost-effectiveness of multidisciplinary team training in Obstetric emergencies (TOSTI study): a randomised controlled trial. *BMC Pregnancy Childbirth* 2010;10:59
58. Vijgen SM, Koopmans C, Opmeer B, Groen H, Bijlenga D, Aarnoudse J, Bekedam D, van den Berg P, de Boer K, Burggraaff J, Bloemenkamp K, Drogtrop A, Franx A, de Groot C, Huisjes A, Kwee A, van Loon A, Lub A, Papatsonis D, van der Post J, Roumen F, Scheepers H, Stigter R, Willekes C, Mol BW, van Pampus M. An economic analysis of induction of labour and expectant monitoring in women with gestational hypertension or pre eclampsia at term (HYPITAT trial). *BJOG* 2010;117:1577-1585
59. Vinken MP, Rabotti C, Mischi M, van Laar JO, Oei SG. Nifedipine-induced changes in the electrohysterogram of preterm contractions: feasibility in clinical practice. *Obstet Gynecol* 2010;2010:325635
60. Vis JY, Wilms FF, Oudijk MA, Bossuyt PM, van der Post JA, Grobman WA, Mol BW. Why were the results of randomized trials on the clinical utility of fetal fibronectin negative? A systematic review of their study designs. *Am J Perinatol* 2010 (**Epub**)
61. Vlemmix F, Rosman AN, Fleuren MA, Rijnders ME, Beuckens A, Haak MC, Akerboom BM, Bais JM, Kuppens SM, Papatsonis DN, Opmeer BC, van der Post JA, Mol BW, Kok M. Implementation of the external cephalic version in breech delivery. Dutch national implementation study of external cephalic version. *BMC Pregnancy Childbirth* 2010;10:20
62. Vullings R, Peters CH, Mossavat I, Oei SG, Bergmans JW. Bayesian approach to patient-tailored vectorcardiography. *IEEE Trans Biomed Eng* 2010;57:586-595
63. Vullings R, Peters CH, Hermans MJ, Wijn PF, Oei SG, Bergmans JW. A robust physiology-based source separation method for QRS detection in low amplitude fetal ECG recordings. *Physiol Meas* 2010;7:935-951
64. Walczak J, Kaleta A, Gabryś E, Kloc K, Thangaratinam S, Barnfield G, Weinbrenner S, Meyerrose B, Arvanitis TN, Horvath AR, Zanrei G, Kunz R, Suter K, Burnand B, Ardit C, Oude Rengerink K, Harry G, Mol BW, Khan KS. How are “teaching the teachers” courses in evidence based medicine evaluated? A systematic review. *BMC Med Educ* 2010;10:64
65. Westerhuis ME, Visser GH, Moons KG, van Beek E, Benders MJ, Bijvoet SM, van Dessel HJ, Drogtrop AP, van Geijn HP, Graziosi GC, Groenendaal F, van Lith JM, Nijhuis JG, Oei SG, Oosterbaan HP, Porath MM, Rijnders RJ, Schuitemaker NW, Sopacua LM, van der Tweel I, Wijnberger LD, Willekes C, Zuithoff NP, Mol BW, Kwee A. Cardiotocography plus ST analysis of fetal electrocardiogram compared with cardiotocography only for intrapartum monitoring: a randomized controlled trial. *Obstet Gynecol* 2010;115:1173-1180
66. Wiegerinck MM, Vis JY, Mol BW. Re: Transvaginal cervical length measurement for prediction of preterm birth in women with threatened preterm labor: a meta-analysis. *Ultrasound Obstet Gynecol* 2010;35:756
67. Wijnberger LD, de Kleine M, Voorbij HA, Arabin B, Bruinse HW, Visser GH, Bossuyt PM, Mol BW. Prediction of fetal lung immaturity using gestational age, patient characteristics and fetal lung maturity tests: a probabilistic approach. *Arch Gynecol Obstet* 2010;281:15-21
68. Wijnberger LD, de Kleine M, Voorbij HA, Arabin B, Engel H, Bruinse HW, Visser GH, Mol BW. Comparison of vaginal and transabdominal collection of amniotic fluid for fetal lung maturity tests. *J Matern Fetal Neonatal Med* 2010;23:613-616
69. Wilminck FA, Hukkelhoven CW, Lunshof S, Mol BW, van der Post JA, Papatsonis DN. Neonatal outcome following elective cesarean section beyond 37 weeks of gestation: a 7-year retrospective analysis of a national registry. *Am J Obstet Gynecol* 2010;202:250.e1-8

Ziekenhuisfarmacie

1. Derijks LJ, Wong DR. Pharmacogenetics of thiopurines in inflammatory bowel disease. *Curr Pharm Des* 2010;16:145-154
2. Dijkstra G, Derijks LJ, Houwert GJ, Wolf H, van Bodegraven AA. Richtlijn 'Diagnostiek en behandeling van inflammatoire darmziekten bij volwassenen'. II. Speciale omstandigheden en organisatie van de zorg. *Ned Tijdschr Geneesk* 2010;154:A1900