

WETENSCHAPPELIJKE PUBLICATIES 2011

januari t/m december

Algemene Chirurgie

1. Alexander S, van Dielen F. [An elderly woman with abdominal pain]. Ned Tijdschr Geneeskd. 2011;155(36):A2252.
2. van Asselt AD, Nicolaï SP, Joore MA, Prins MH, Teijink JA; on behalf of the Exercise Therapy in Peripheral Arterial Disease (EXITPAD) study Group. Cost-effectiveness of exercise therapy in patients with intermittent claudication: Supervised Exercise Therapy versus a 'Go Home and Walk' Advice. Eur J Vasc Endovasc Surg 2011;41:97-103
3. Alexander S, van Dielen FM. An elderly woman with abdominal pain. Ned Tijdschr Geneeskd 2011;155:A2252
4. Boelens OB, Scheltinga MR, Houterman S, Roumen RM. Management of anterior cutaneous nerve entrapment syndrome in a cohort of 139 patients. Ann Surg 2011;254:1054-1058
5. Farina-Sarasqueta A, Gosens MJ, Moerland E, van Lijnschoten G, Lemmens VE, Slooter GD, Rutten HJ, van den Brule AJ. TS gene polymorphisms are not good markers of response to 5-FU therapy in stage III colon cancer patients. Cell Oncol (Dordr) 2011;34:327-335
6. van den Hoven I, Kuijt GP, Voogd AC, Roumen RM.
High Intersystem Variability for the Prediction of Additional Axillary Non-Sentinel Lymph Node Involvement in Individual Patients with Sentinel Node-Positive Breast Cancer. Ann Surg Oncol. 2011 Dec 30 (**Epub**)
7. Husson O, Haak HR, Oranje WA, Mols F, Reemst PH, van de Poll-Franse LV. Health-related quality of life among thyroid cancer survivors: a systematic review. Clin Endocrinol (Oxf) 2011;75:544-554
8. INCA Trialists Collaboration. Operation compared with watchful waiting in elderly male inguinal hernia patients: a review and data analysis. J Am Coll Surg 2011;212:251-259
9. de Korte N, Klarenbeek BR, Kuyvenhoven JP, Roumen RM, Cuesta MA, Stockmann HB. Management of diverticulitis. Results of a survey among gastroenterologists and surgeons. Colorectal Dis 2011;13:e411-e417
10. Kruidenier LM, Nicolaï SP, Rouwet EV, Peters RJ, Prins MH, Teijink JA. Additional supervised exercise therapy after a percutaneous vascular intervention for peripheral arterial disease: a randomized clinical trial. J Vasc Interv Radiol 2011;22:961-968
11. Leermakers MEJ, Roumen RM. Een man met pleura-afwijkingen. Ned Tijdschr Geneeskd 2011;154:A1369
12. Lemmens VE, de Haan N, Rutten HJ, Martijn H, Loosveld OJ, Roumen RM, Creemers GJ. Impovements in population-bases survival of patients presenting with metastatic rectal cancer in the south of the Netherlands, 1992-2008. Clin Exp Metastasis 2011;28:283-290
13. Maaskant-Braat AJ, van de Poll-Franse LV, Voogd AC, Coebergh JW, Roumen RM, Nolthenius-Puylaert MC, Nieuwenhuijzen GA. Sentinel node micrometastases in breast cancer do not affect prognosis: a population-based study. Breast Cancer Res Treat 2011;127:195-203
14. Nicolaï SP, Prins MH, Teijink JA. Supervised exercise therapy is more effective than verbal advice in patients with intermittent claudication: randomised, multicentre study. Ned Tijdschr Geneeskd 2011;155:A2643
15. Ruiterkamp J, Ernst MF. The role of surgery in metastatic breast cancer. Eur J Cancer 2011;47S3:s6-S22

16. Ruiterkamp J, Voogd AC, Bosscha K, Roukema JA, Nieuwenhuijzen GA, Tjan-Heijnen VC, Ernst MF. Presence of symptoms and timing of surgery do not affect the prognosis of patients with primary metastatic breast cancer. *Eur J Surg Oncol* 2011;37:883-889
17. Ruiterkamp J, Ernst MF, de Munck L, van der Heiden-van der Loo M, Bastiaannet E, van de Poll-Franse LV, Bosscha K, Tjan-Heijnen VC, Voogd AC. Improved survival of patients with primary distant metastatic breast cancer in the period of 1995-2008. A nationwide population-based study in the Netherlands. *Breast Cancer Res Treat* 2011;128:495-503.
18. van der Sangen MJ, van de Wiel FM, Poortmans PM, Tjan-Heijnen VC, Nieuwenhuijzen GA, Roumen RM, Ernst MF, Tutein Nolthenius-Puylaert MC, Voogd AC. Are breast conservation and mastectomy equally effective in the treatment of young women with early breast cancer? Long-term results of a population-based cohort of 1,451 patients aged ≤ 40 years. *Breast Cancer Res Treat* 2011;127:207-215
19. Scheltinga MR, Boelens OB, Tjon A Ten WE, Roumen RM. Surgery for refractory anterior cutaneous nerve entrapment syndrome (ACNES) in children. *J Pediatr Surg* 2011;46:699-703
20. Snoeren N, Huiskens J, Rijken AM, van Hillegersberg R, van Erkel AR, Slooter GD, Klaase JM, van den Tol PM, ten Kate FJ, Jansen MC, van Gulik TM. Viable tumor tissue adherent to needle applicators after local ablation: a risk factor for local tumor progression. *Ann Surg Oncol* 2011;18:3702-3710
21. van der Steeg HJJ, Alexander S, Houterman S, Slooter GD, Roumen RMH. Risk factors for conversion during laparoscopic cholecystectomy – experiences from a general teaching hospital. *Scan J Surg* 2011;100:169-173
22. Thong MS, Mols F, Lemmens VE, Creemers GJ, Slooter GD, van de Poll-Franse LV. Impact of chemotherapy on health status and symptom burden of colon cancer survivors: A population-bases study. *Eur J Cancer* 2011;47:1798-1807
23. Truin W, Voogd AC, Vreugdenhil G, van der Sangen MJ, van Beek MW, Roumen RM. Influence of histology on the effectiveness of adjuvant chemotherapy in patients with hormone receptor positive invasive breast cancer. *Breast* 2011;20:505-509
24. van Vugt R, Dekker HM, Deunk J, van der Vijver RJ, van Vugt AB, Kool DR, Brink M, Edwards MJ. Incidental findings on routine thoracoabdominal computed tomography in blunt trauma patients. *J Trauma* 2011 (**Epub**)
25. van Vugt R, Deunk J, Brink M, Dekker HM, Kool DR, van Vugt AB, Edwards MJ. Influence of routine computed tomography on predicted survival from blunt thoracoabdominal trauma. *Eur J Trauma Emerg Surg*. 2011;37:185-190
26. Wiering B, Oyen WJ, Adang EM, van der Sijp JR, Roumen RM, de Jong KP, Ruers TJ, Krabbe PF. Long-term global quality of life in patients treated for colorectal liver metastases. *Br J Surg* 2011;98:565-571

Anesthesiologie

1. van Schuppen H, Bierens J. Understanding the prehospital physician controversy. Step 1: comparing competencies of ambulance nurses and prehospital physicians. *Eur J Emerg Med* 2011;18:322-327

Cardiologie

1. Kemps HM, van Engen-Verheul MM, Kraaijenhagen RA, Goud R, Hellemans IM, van Exel HJ, Sunamura M, Peters RJ, Peek N. Improving guideline adherence for cardiac rehabilitation in the Netherlands. *Neth Heart J* 2011;19:285-289
2. van Engen-Verheul MM, Kemps HM, de Keizer NF, Hellemans IM, Goud R, Kraaijenhagen RA, Peek N. Revision of the Dutch clinical algorithm for assessing patient needs in cardiac rehabilitation base don identified implementation problems. *Eur J Cardiovasc Prev Rehabil* 2011 (**Epub**)
3. ten Oever J, Theunissen LJ, Tick LW, Verbunt RJ. Cardiac involvement in hypereosinophilic syndrome. *Neth J Med* 2011;69:240-244

Dermatologie

1. Bovenschen HJ, Groeneveld-Haenen CP. Topical tacrolimus induced extensive varicella zoster infection. *Dermatol Online J* 2011;17:5

Inwendige geneeskunde

1. Cnossen TT, Gladziwa U, van de Kerkhof JJ, Schalkwijk CG, Scheijen J, van Amersfoort J, Moret K, Beerenhout CH, Kooman JP. The influence of bicarbonate/lactate-buffered pd fluids on $\{\text{varepsilon}\}$ -(carboxyethyl)lysine and $\text{n}\{\text{varepsilon}\}$ -(cardoxymethyl)lysine in peritoneal effluent. *Perit Dial Int* 2011;31:189-193
2. Cranenburg EC, van Spaendonck-Zwarts KY, Bonafe L, Mittaz Crettol L, Rödiger LA, Dikkers FG, van Essen AJ, Superti-Furga A, Alexandrakis E, Vermeer C, Schurgers LJ, Laverman GD. Circulating matrix γ -carboxyglutamate protein (MGP) species are refractory to vitamin K treatment in a new case of Keutel syndrome. *J Thromb Haemost* 2011;9:1225-1235
3. van Doormaal FF, Terpstra W, van der Griend R, Prins MH, Nijziel MR, van de Ree MA, Buller HR, Dutilh JC, ten Cate-Hoek A, van den Heiligenberg SM, van der Meer J, Otten JM. Is extensive screening for cancer in idiopathic venous thromboembolism warranted? *J Thromb Haemost* 2011;9:79-84
4. Drion I, Joosten H, Santing L, Logtenberg SJ, Groenier KH, Lieverse AG, Kleefstra N, Bilo HJ. The cockcroft-gault: a better predictor of renal function in an overweight and obese diabetic population. *Obes Facts*. 2011;4(5):393-9. Epub 2011
5. Drion I, Joosten H, Groenier KH, Lieverse AG, Kleefstra N, Wetzel JF, Bilo HJ. Equations estimating renal function in patients with diabetes. *Neth J Med*. 2011 Oct;69(10):455-60.
6. Driessen CM, de Kleine-Bolt KM, Vingerhoets AJ, Mols F, Vreugdenhil G. Assessing the impact of chemotherapy-induced peripheral neurotoxicity on the quality of life of cancer patients : The introduction of a new measure. *Support Care Cancer*. 2011 Dec 9 (**Epub**)
7. Haller H, Ito S, Izzo JL Jr, Januszewicz A, Katayama S, Menne J, Mimran A, Rabelink TJ, Ritz E, Ruilope LM, Rump LC, Viberti G; ROADMAP Trial Investigators. *N Engl J Med* 2011;364:907-917
8. Hermsen IG, Fassnacht M, Terzolo M, Houterman S, den Hartigh J, Leboulleux S, Daffara F, Berruti A, Chadarevian R, Schlumberger M, Allolio B, Haak HR, Baudin E. Plasma concentrations of o,p'DDD, o,p'DDA, and o,p'DDE as predictors of tumor response to mitotane in adrenocortical carcinoma: results of a retrospective ENS@T multicenter study. *J Clin Endocrinol Metab* 2011;96:1844-1851

9. van Hoek M, van Herpt TW, Dehghan A, Hofman A, Lieverse AG, van Duijn CM, Witeman JC, Sijbrands EJ. Association of an APOC3 promotor variant with type 2 diabetes risk and need for insulin treatment in lean persons. *Diabetologia* 2011;54:1360-1367
10. Hofland J, Feelders RA, van der Wal R, Kerstens MN, Haak HR, de Herder WW, de Jong FH. Serum inhibin pro- α C is a tumor marker for adrenocortical carcinomas. *Eur J Endocrinol*. 2012 Feb;166(2):281-9. Epub 2011 Nov 29.
11. Husson O, Haak HR, Oranje WA, Mols F, Reemst PH, van de Poll-Franse LV. Health-related quality of life among thyroid cancer survivors: a systematic review. *Clin Endocrinol (Oxf)* 2011;75:544-554
12. Kuijper A, Rookmaker MB, Mudrikova T. Renal adverse reactions of antiretroviral medication: proximal tubular dysfunction associated with tenofovir. *Ned Tijdschr Geneeskd* 2011;155:A2249
13. Meerveld-Eggink A, de Weerdt O, van der Velden AM, Los M, van der Velden AW, Stouthard JM, Nijziel MR, Westerman M, Beeker A, van Beek R, Rimmelzwaan GF, Rijkers GT, Biesma DH. Response to influenza virus vaccination during chemotherapy in patients with breast cancer. *Ann Oncol* 2011;22:2031-2035
14. Melai T, IJzerman TH, Schaper NC, de Lange TL, Willems PJ, Meijer K, Lieverse AG, Savelberg HH. Calculation of plantar pressure time integral, an alternative approach. *Gait Posture* 2011;34:379-383
15. Moret KE, Beerenhout CH, Kooman JP. Variations in predialytic plasma conductivity in dialysis patients: effect on ionic mass balance and blood pressure. *ASAIO J* 2011;57:53-61
16. Moret KE, Grootendorst DC, Dekker FW, Boeschoten EW, Krediet RT, Houterman S, Beerenhout CH, Kooman JP. Agreement between different parameters of dialysis dose in achieving treatment targets: results from the NECOSAD study. *Nephrol Dial Transplant* 2011 (Epub)
17. Noordzij M, Cranenburg EM, Engelsman LF, Hermans MM, Boeschoten EW, Brandenburg VM, Bos WJ, Kooman JP, Dekker FW, Ketteler M, Schurgers LJ, Krediet RT, Korevaar JC: NECOSAD Study Group. Progression of aortic calcification is associated with disorders of mineral metabolism and mortality in chronic dialysis patients. *Nephrol Dial Transplant* 2011;26:1662-1669
18. Oerlemans S, Mols F Nijziel MR, Lybeert M, van de Poll-Franse LV. The impact of treatment, socio-demographic and clinical characteristics on health-related quality of life among Hodgkin's and non-Hodgkin's lymphoma survivors: a systematic review. *Ann Hematol* 2011;90:993-1004
19. ten Oever J, Theunissen LJ, Tick LW, Verbunt RJ. Cardiac involvement in hypereosinophilic syndrome. *Neth J Med* 2011;69:240-244
20. Schaapveld M, Jorna FH, Aben KK, Haak HR, Plukker JT, Links TP. Incidence and prognosis of parathyroid gland carcinoma: A population-base in the Netherlands estimating the preoperative diagnosis. *Am J Surg* 2011;202:590-597
21. Schlieper G, Westenfeld R, Krüger T, Cranenburg EM, Magdeleyns EJ, Brandenburg VM, Djuric Z, Damjanovic T, Ketteler M, Vermeer C, Dimkovic N, Floege J, Schurgers LJ. Circulating nonphosphorylated carboxylated matrix gla protein predicts survival in ESRD. *J Am Soc Nephrol* 2011;22:387-395
22. Thijss KM, de Boer AG, Vreugdenhil G, van de Wouw AJ, Houterman S, Schep G. Rehabilitation Using High-Intensity Physical Training and Long-Term Return-to-Work in Cancer Survivors. *J Occup Rehabil*. 2011 Nov 12. (Epub)

23. Truin W, Voogd AC, Vreugdenhil G, van der Sanger MJ, van Beek MW, Roumen RM. Influence of histology on the effectiveness of adjuvant chemotherapy in patients with hormone receptor positive invasive breast cancer. *Breast* 2011;20:505-509
24. Tuinenburg A, Rutten A, Kavousi M, Leebeek FW, Ypma PF, Laros-van Gorkom BA, Nijziel MR, Kamphuisen PW, Mauser-Bunschoten EP, Roosendaal G, Biesma DH, van der Lugt A, Hofman A, Witteman JC, Bots ML, Schutgens RE. Coronary Artery Calcification in Hemophilia A: No Evidence for a Protective Effect of Factor VIII Deficiency on Atherosclerosis. *Arterioscler Thromb Vasc Biol*. 2011 Dec 15 (**Epub**)
25. de Wee EM, Fijnvandraat K, de Goede-Bolder A, Mauser-Bunschoten EP, Eikenboom JC, Brons PP, Smiers FJ, Tamminga R, Oostenbrink R, Raat H, van der Bom JG, Leebeek FW; WIN Study Group. Impact of von Willebrand disease on health-related quality of life in a pediatric population. *J Thromb Haemost* 2011;9:502-509

Kindergeneeskunde

1. Aarts LA, Willemsen MA, Vandenbussche NL, van Gent R. Nocturnal apnea in Chiari type I malformation. *Eur J Pediatr* 2011;170:1349-1352
2. de Bie CI, Hummel TZ, Kindermann A, Kokke FT, Damen GM, Kneepkens CM, van Rheenen PF, Schweizer JJ, Hoekstra JH, Norbruis OF, Tjon A Ten WE, Vreugdenhil G, Deckers-Kocken JM, Gijsbers CF, Escher JC, de Ridder L. The duration of effect of infliximab maintenance treatment in paediatric Crohn's disease is limited. *Aliment Pharmacol Ther* 2011;33:243-251
3. Bok LA, Halbertsma FJ. Een meisje met progressieve coördinatiestoornissen. *Ned Tijdschr Geneesk* 2011;155:A2166
4. Bruijnen CJ, Halbertsma FJ, Mohns T, van Ooyen F, Dijkman KP. Procedural sedation with propofol in non-painful interventions in children. *Ned Tijdschr Geneesk* 2011;155:A2523
5. Jennekens W, Ruijs LS, Lommen CM, Niemarkt HJ, Pasman JW, van Kranen-Mastenbroek VH, Wijn PF, van Pul C, Andriessen P. Automatic burst detection for the EEG of the preterm infant. *Physiol Meas* 2011;32:1623-1637
6. Jennekens W, Dat M, Bovendeerd PH, Wijn PF, Andriessen P. Validation of a preterm infant cardiovascular system model under baroreflex control with heart rate and blood pressure data. *Conf Proc IEEE Eng Med Biol Soc*. 2011 Aug;2011:896-9.
7. van Kaam AH, De Jaegere AP, Borensztajn D, Rimensberger PC, Novent Study Group. Surfactant replacement therapy in preterm infants: a European survey. *Neonatology* 2011;100:71-77
8. Kusters MA, Jol-van de Zijde EC, van Tol MJ, Bolz AW, Bok LA, Visser M, de Vries E. Impaired avidity maturation after tetanus toxoid booster in children with down syndrome. *Pediatr Infect Dis J* 2011;30:357-359
9. Maartens IA, Wassenberg T, Buijs J, Bok L, de Kleine MJ, Katgert T, Andriessen P. Neurodevelopmental outcome in full-term newborns with refractory neonatal seizures. *Acta Paediatr*. 2011 (**Epub**)
10. Niemarkt HJ, Jennekens W, Pasman JW, Katgert T, van Pul C, Gavilanes AW, Kramer BW, Zimmermann LJ, Bambang Oetomo S, Andriessen P. Maturational changes in automated EEG spectral power analysis in preterm infants. *Pediatr Res* 2011;70:529-534
11. Niemarkt HJ, Jennekens W, Maartens IA, Wassenberg T, van Aken M, Katgert T, Kramer BW, Gavilanes AW, Zimmermann LJ, Bambang Oetomo S, Andriessen P. Multi-channel amplitude-integrated EEG characteristics in preterm infants with a normal neurodevelopment at two years of corrected age. *Eraly Hum Dev* 2011 (**Epub**)

12. Scheltinga MR, Boelens OB, Tjon A Ten WE, Roumen RM. Surgery for refractory anterior cutaneous nerve entrapment syndrome (ACNES) in children. *J Pediatr Surg* 2011;46:699-703
13. Schepers S, Dekovic M, Feltzer M, de Kleine MJ, van Baar A. Drawings of very preterm-born children at 5 years of age: a first impression of cognitive and motor development? *Eur J Pediatr* 2011;171:43-50
14. Snijders C, van Lingen RA, van der Schaaf TW, Fetter WP, Molendijk HA; NEOSAFE study group. Incidents associated with mechanical ventilation and intravascular catheters in neonatal intensive care: exploration of the causes, severity and methods for prevention. *Arch Dis Child Fetal Neonatal Ed* 2011;96:F121-126
15. van Tilburg CM, van Gent R, Bierings MB, Otto SA, Sanders EA, Nibbelke EE, Gaiser JF, Janssens-Korpela PL, Wolfs TF, Bloem AC, Borghans JA, Tesselaar K. Immune reconstitution in children following chemotherapy for haematological malignancies: a long-term follow up. *Br J Haematol* 2011;152:20-210
16. Verbeek I, Vollebregt A, Halbertsma FJ, van Lindert E, Andriessen P. Acquired progressive hypotonia in infancy: consider compressive cervical myelopathy. *Acta Paediatr* 2011;100:e128-129
17. Zegers B, Uiterwaal C, Kimpen J, van Gool J, de Jong T, Winkler-Seinstra P, Houterman S, Verpoorten C, de Jong-de Vos van Steenwijk C. Antibiotic prophylaxis for urinary tract infections in children with spina bifida on intermittent catheterization. *J Urol*. 2011 Dec;186:2365-2370

Klinische Chemie

1. van Almen GC, Verhesen W, van Leeuwen RE, van de Vrie M, Eurlings C, Schellings MW, Swinnen M, Cleutjens P, van Zandvoort MA, Heymans S, Schroen B. MicroRNA-18 and microRNA-19 regulate CTGF and TSP-1 expression in age-related heart failure. *Aging Cell* 2011;10:769-779
2. Broeren MA, Bahcec S, Vader HL, Arents NL. Screening for urinary tract infection with the Sysmex UF-1000i urine flow cytometer. *J Clin Microbiol* 2011;49:1025-1029
3. Kuppens SM, Kooistra L, Hasaart TH, van der Donk RW, Vader HL, Oei SG, Pop VJ. Maternal thyroid function and the outcome of external cephalic version: a prospective cohort study. *BMC Pregnancy Childbirth* 2011;11:10
4. Kuppens SM, Kooistra L, Wijnen HA, Vader HL, Hasaart TH, Oei SG, Vulsmo T, Pop VJ. Neonatal thyroid screening results are related to gestational maternal thyroid function. *Clin Endocrinol (Oxf)* 2011;75:382-387
5. Rayman MP, Wijnen H, Vader HL, Kooistra L, Pop V. Maternal selenium status during early gestation and risk for preterm birth. *CMAJ* 2011;183:549-555
6. Roumen L, van Hoof B, Pieterse K, Hilbers PA, Cursters EM, Plate R, de Gooyer M, Beugels IP, Emmen JM, Leysen D, Smits JF, Ottenheijm HC, Hermans JJ. Application of a ligand-based theoretical approach to derive conversion paths and ligand conformations in CYP 11B2-mediated aldosterone formation. *J Comput Chem* 2011;32:2441-2448

Klinische fysica

1. Jennekens W, Ruijs LS, Lommen CM, Niemarkt HJ, Pasman JW, van Kranen-Mastenbroek VH, Wijn PF, van Pul C, Andriessen P. Automatic burst detection for the EEG of the preterm infant. *Physiol Meas* 2011;32:1623-1637

2. Jennekens W, Dat M, Bovendeerd PH, Wijn PF, Andriessen P. Validation of a preterm infant cardiovascular system model under baroreflex control with heart rate and blood pressure data. Conf Proc IEEE Eng Med Biol Soc. 2011 Aug;2011:896-9.
3. van Kooij BJ, van Pul C, Benders MJ, van Haastert IC, de Vries LS, Groenendaal F. Fiber tracking at term displays gender differences regarding cognitive and motor outcome at two years of age in preterm infants. Pediatr Res 2011 Dec;70:626-632
4. van Laar JO, Peters CH, Houterman S, Wijn PF, Kwee A, Oei SG. Normalized spectral power of fetal heart rate variability is associated with fetal scalp blood pH. Early Hum Dev 2011;87:259-263
5. Niemarkt HJ, Jennekens W, Pasman JW, Katgert T, van Pul C, Gavilanes AW, Kramer BW, Zimmermann LJ, Bambang Oetomo S, Andriessen P. Maturational changes in automated EEG spectral power analysis in preterm infants. Pediatr Res 2011;70:529-534
6. Niemarkt HJ, Jennekens W, Maartens IA, Wassenberg T, van Aken M, Katgert T, Kramer BW, Gavilanes AW, Zimmermann LJ, Bambang Oetomo S, Andriessen P. Multi-channel amplitude-integrated EEG characteristics in preterm infants with a normal neurodevelopment at two years of corrected age. Early Hum Dev 2011 (**Epub**)
7. Peters CH, van Laar JO, Vullings R, Oei SG, Wijn PF. Beat-to-beat heart rate detection in multi-lead abdominal fetal ECG recordings. Med Eng Phys 2011 (**Epub**)
8. Peters CH, Vullings R, Rooijakkers MJ, Bergmans JW, Oei SG, Wijn PF. A continuous wavelet transform-based method for time-frequency analysis of artefact-corrected heart rate variability data. Physiol Meas 2011;32:1517-1527
9. van Pul C, van Kooij BJ, de Vries LS, Benders MJ, Vilanova A, Groenendaal F. Quantitative Fiber Tracking in the Corpus Callosum and Internal Capsule Reveals Microstructural Abnormalities in Preterm Infants at Term-Equivalent Age. AJNR Am J Neuroradiol. 2011 Dec 22 (**Epub**)
10. Vullings R, de Vries B, Bergmans J. An adaptive Kalman filter for ECG signal enhancement. IEEE Trans Biomed Eng 2011;58:1094-1103

Maag Darm Leverziekten

1. van der Meulen-de Jong AE, Morreau H, Becx MC, Crobach LF, van Haastert M, ten Hove WR, Kleibeuker JH, Meijssen MA, Nagengast FM, Rijk MC, Salemans JM, Stronkhorst A, Tuynman HA, Vecht J, Verhulst ML, de Vos tot Nederveen Cappel WH, Walinga H, Weinhardt OK, Westerveld BD, Witte AM, Wolters HJ, Vasen HF. High detection rate of adenomas in familial colorectal cancer. Gut 2011;60:73-76

Medische Psychologie

1. Maartens IA, Wassenberg T, Buijs J, Bok L, de Kleine MJ, Katgert T, Andriessen P. Neurodevelopmental outcome in full-term newborns with refractory neonatal seizures. Acta Paediatr. 2011 (**Epub**)

MMC Academie

1. Boelens OB, Scheltinga MR, Houterman S, Roumen RM. Management of anterior cutaneous nerve entrapment syndrome in a cohort of 139 patients. Ann surg 2011 Dec;254:1054-1058.

2. Hermsen IG, Fassnacht M, Terzolo M, Houterman S, den Hartigh J, Leboulleux S, Daffara F, Berruti A, Chadarevian R, Schlumberger M, Allolio B, Haak HR, Baudin E. Plasma concentrations of o,p'DDD, o,p'DDA, and o,p'DDE as predictors of tumor response to mitotane in adrenocortical carcinoma: results of a retrospective ENS@T multicenter study. *J Clin Endocrinol Metab* 2011;96:1844-1851
3. Koops W, van der Vleuten C, de Leng B, Oei SG, Snoeckx L. Computer-supported collaborative learning in the medical workplace: Students' experiences on formative peer feedback of a critical appraisal of a topic paper. *Med Teach* 2011;33:e318-323
4. de Kroon KE, Houterman S, Janssen RP. Leg alignment and tibial slope after minimal invasive Total knee arthroplasty: a prospective, randomized radiological study of intramedullary versus extramedullary tibial instrumentation. *Knee* 2011 (**Epub**)
5. van Laar JO, Peters CH, Houterman S, Wijn PF, Kwee A, Oei SG. Normalized spectral power of fetal heart rate variability is associated with fetal scalp blood pH. *Early Hum Dev* 2011;87:259-263
6. Moret KE, Grootendorst DC, Dekker FW, Boeschoten EW, Krediet RT, Houterman S, Beerenhout CH, Kooman JP. Agreement between different parameters of dialysis dose in achieving treatment targets: results from the NECOSAD study. *Nephrol Dial Transplant* 2011 (**Epub**)
7. Schepens JJ, Mol BW, Wiegerinck MA, Houterman S, Koks CA. Pregnancy outcomes and prognostic factors from tubal sterilization reversal by sutureless laparoscopic re-anastomosis: a retrospective cohort study. *Hum Reprod* 2011;26:354-359
8. Thijss KM, de Boer AG, Vreugdenhil G, van de Wouw AJ, Houterman S, Schep G. Rehabilitation Using High-Intensity Physical Training and Long-Term Return-to-Work in Cancer Survivors. *J Occup Rehabil*. 2011 Nov 12. (**Epub**)
9. van der Steeg HJJ, Alexander S, Houterman S, Slooter GD, Roumen RMH. Risk factors for conversion during laparoscopic cholecystectomy – experiences from a general teaching hospital. *Scan J Surg* 2011;100:169-173
10. Zegers B, Uiterwaal C, Kimpen J, van Gool J, de Jong T, Winkler-Seinstra P, Houterman S, Verpoorten C, de Jong-de Vos van Steenwijk C. Antibiotic prophylaxis for urinary tract infections in children with spina bifida on intermittent catheterization. *J Urol*. 2011 (**Epub**)

Orthopedie

1. Janssen RP, van der Wijk J, Fiedler A, Schmidt T, Sala HA, Scheffler SU. Remodelling of human hamstring autografts after anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc* 2011;19:1299-1306
2. de Kroon KE, Houterman S, Janssen RP. Leg alignment and tibial slope after minimal invasive Total knee arthroplasty: a prospective, randomized radiological study of intramedullary versus extramedullary tibial instrumentation. *Knee* 2011 (**Epub**)

Pathologie (PAMM) / Medische microbiologie

1. Broeren MA, Bahceci S, Vader HL, Arents NL. Screening for urinary tract infection with the Sysmex UF-1000i urine flow cytometer. *J Clin Microbiol* 2011;49:1025-1029
2. Dowdle WE, Robinson JF, Kneist A, Sirerol-Piquer MS, Frints SG, Corbit KC, Zaghloul NA, van Lijnschoten G, Zerres K, Reed RR, Attié-Bitach T, Johnson CA, García-Verdugo JM, Katsanis N, Bergmann C, Reiter JF. Disruption of a ciliary b9 protein complex causes meckel syndrome. *Am J Hum Genet* 2011;89:94-110

3. Farina-Sarasqueta A, Gosens MJ, Moerland E, van Lijnschoten G, Lemmens VE, Slooter GD, Rutten HJ, van den Brule AJ. TS gene polymorphisms are not good markers of response to 5-FU therapy in stage III colon cancer patients. *Cell Oncol (Dordr)* 2011;34:327-335
4. Farina-Sarasqueta A, Moerland E, de Bruyne H, de Graaf H, Vrancken T, van Lijnschoten G, van den Brule AJ. SNaPshot and StripAssay as valuable alternatives to direct sequencing for KRAS mutation detection in colon cancer routine diagnostics. *J Mol Diagn* 2011;13:199-205
5. Farina-Sarasqueta A, van Lijnschoten G, Lemmens VE, Rutten HJ, van den Brule AJ. Pharmacogenetics of Oxaliplatin as Adjuvant Treatment in Colon Carcinoma: Are Single Nucleotide Polymorphisms in GSTP1, ERCC1, and ERCC2 Good Predictive Markers? *Mol Diagn Ther.* 2011;15:277-283
6. Farina-Sarasqueta A, Zeestraten EC, van Wezel T, van Lijnschoten G, van Eijk R, Dekker JW, Kuppen PJ, Goossens-Beumer IJ, Lemmens VE, van de Velde CJ, Rutten HJ, Morreau H, van den Brule AJ. PIK3CA kinase domain mutation identifies a subgroup of stage III colon cancer patients with poor prognosis. *Cell Oncol* 2011 Dec;34:523-531
7. van der Geer S, Frunt M, Romero HL, Dellaert NP, Jansen-Vullgers MH, Demeyere TB, Neumann HA, Krekels GA. One-stop-shop treatment for basal cell carcinoma, part of a new disease management strategy. *J Eur Acad Dermatol Venereol* 2011 (**Epub**)
8. van Leeuwen J, van der Putten HW, Demeyere TB, Creemers GJ, Pijnenborg JM. Paraganglioma of the uterus. A case report and review of literature. *Gynecol Oncol* 2011;121:418-419
9. Loonen AJ, Jansz AR, Kreeftenberg H, Bruggeman CA, Wolffs PF, van den Brule AJ. Acceleration of the direct identification of *Staphylococcus aureus* versus coagulase-negative staphylococci from blood culture material: a comparison of six bacterial DNA extraction methods. *Eur J Clin Microbiol Infect Dis* 2011;30:337-342
10. Loonen AJ, Jansz AR, Stalpers J, Wolffs PF, van den Brule AJ. An evaluation of three processing methods and the effect of reduced culture times for faster direct identification of pathogens from BacT/ALERT blood cultures by MALDI-TOF MS. *Eur J Clin Microbiol Infect Dis* 2011 (**Epub**)
11. Moonen LA, van den Bosch H, Demeyere TB, Bravenboer B. Skin lesions depicting a systemic disease. *Weber-Christian disease*. *Neth J Med* 2011;69:41-42
12. Pierik A, Zwanenburg C, Moerland E, Broer D, Stapert H, van den Brule AJ. Rapid genotyping of human papillomavirus by post-PCR array-based hybridization techniques. *J Clin Microbiol* 2011;49:1395-1402
13. Stuart JC, Diederen B, Al Naiemi N, Fluit A, Arents NL, Thijssen S, Vlaminckx B, Mouton JW, Leverstein-vanHall M. Method for phenotypic detection of extended-spectrum Beta-lactamases in enterobacter species in the routine clinical setting. *J Clin Microbiol* 2011;49:2711-2713
14. Truin W, Voogd AC, Vreugdenhil G, van der Sangen MJ, van Beek MW, Roumen RM. Influence of histology on the effectiveness of adjuvant chemotherapy in patients with hormone receptor positive invasive breast cancer. *Breast* 2011 Dec;20:505-509

Radiologie

1. Setz-Pels W, Duijm LE, Groenewoud JH, Louwman MW, Jansen FH, van Beek M, Plaisier ML, Voogd AC. Patient and tumor characteristics of bilateral breast cancer at screening mammography in the Netherlands, a population-based study. *Breast Cancer Res Treat.* 2011;129:955-961

2. Smallenburg VV, Duijm LE, den Heeten GJ, Groenewoud JH, Jansen FH, Fracheboud J, Plaisier ML, van Doorn-Nagtegaal HJ, Broeders MJ. Two-view versus single-view mammography at subsequent screening in a region of the Dutch breast screening programme. *Eur J Radiol.* 2011 (**Epub**)

Sportgeneeskunde

1. Chinapaw MJ, Buffart LM, van Mechelen W, Schep G, Aaronson NK, van Harten WH, Stuiver MM, Kersten MJ, Nollet F, Kaspers GJ, van Dulmen-den Broeder E, Huisman J, Takken T, van Tulder M, Brug J. Alpe d'Huez cancer rehabilitation (A-CaRe) research: four randomized controlled exercise trials and economic evaluations in cancer patients and survivors. *Int J Behav Med* 2011 (**Epub**)
2. Thijss KM, de Boer AG, Vreugdenhil G, van de Wouw AJ, Houterman S, Schep G. Rehabilitation Using High-Intensity Physical Training and Long-Term Return-to-Work in Cancer Survivors. *J Occup Rehabil.* 2011 Nov 12. (**Epub**)

Verloskunde en gynaecologie

1. Barnhart K, van Mello NM, Bourne T, Kirk E, van Calster B, Bottomley C, Chung K, Condous G, Goldstein S, Hajenius PJ, Mol BW, Molinaro T, O'Flynn O'Brien KL, Husicka R, Sammel M, Timmerman D. Pregnancy of unknown location: a consensus statement of nomenclature, definitions and outcome. *Fertil Steril* 2011;95:857-866
2. Becker JH, Westerhuis ME, Sterrenburg K, van den Akker ES, van Beek E, Bolte AC, van Dessel TJ, Drogstop AP, van Geijn HP, Graziosi GC, van Lith JM, Mol BW, Moons KG Nijhuis JG, Oei SG, Oosterbaan HP, Porath MM, Rijnders RJ, Schuitemaker NW, Wijnberger LD, Willekes C, Visser GH, Kwee A. Fetal blood sampling in addition to intrapartum ST-analysis of the fetal electrocardiogram: evaluation of the recommendations in the Dutch STAN(®) trial. *BJOG* 2011;118:1239-1246
3. Bhattacharya S, Middleton LJ, Tsourapas A, Lee AJ, Champaneria R, Daniels JP, Roberts T, Hilken NH, Barton P, Gray R, Khan KS, Chien P, O'Donovan P, Cooper KG, International Heavy Menstrual Bleeding Individual Patient Data Meta-analysis Collaborative Group, Abbott J, Barrington J, Bhattacharya S, Bongers MY, Brun JL, Busfield R, Clark TJ, Cooper J, Cooper KG, Corson SL, Dickersin K, Dwyer N, Gannon M, Hawe J, Hurskainen R, Meyer WR, O'Connor H, Pinion S, Sambrook AM, Tam WH, van Zon-Rabelink IA, Zupi E. Hysterectomy, endometrial ablation and Mirena ® for heavy menstrual bleeding: a systematic review of clinical effectiveness and cost-effectiveness analysis. *Health Technol Assess* 2011;15:iii-xvi, 1-252
4. Biewenga P, van der Velden J, Mol BW, Stalpers LJ, Schilthuis MS, van der Steeg JW, Burger MP, Buist MR. Prognostic model for survival in patients with early stage cervical cancer. *Cancer* 2011;117:768-776
5. Boers KE, van der Post JA, Mol BW, van Lith JM, Scherjon SA. Labour and neonatal outcome in small for gestational age babies delivered beyond 36+0 weeks: a retrospective cohort study. *J Pregnancy* 2011;2011:293516
6. Bongers MY, Herman M, Timmermans A. Menorrhagie: uterusextirpatie blijft laatste optie. *Ned Tijdschr Geneesk* 2011;155:A3785
7. van den Boogaard NM, van den Boogaard E, Bokslag A, van Zwieten MC, Hompes PG, Bhattacharya S, Nelen W, van der Veen F, Mol BW. Patients'and professionals'barriers and facilitators of tailored expectant management in subfertile couples with a good prognosis of a natural conception. *Hum Reprod* 2011;26:2122-2128

8. van den Boogaard NM, Oude Rengerink K, Steures P, Bossuyt PM, Hompes PG, van der Veen F, Mol BW, van der Steeg JW. Tailored expectant management: risk factors for non-adherence. *Hum Reprod* 2011;26:1784-1789
9. Broer SL, Dölleman M, Opmeer BC, Fauser BC, Mol BW, Broekmans FJ. AMH and AFC as predictors of excessive response in controlled ovarian hyperstimulation: a meta-analysis. *Hum Reprod Update* 2011;17:46-54
10. Broeze KA, Opmeer BC, Coppus SF, van Geloven N, Alves MF, Anestad G, Bhattacharya S, Allan J, Guerra-Infante MF, den Hartog JE, Land JA, Idahl A, van der Linden PJ, Mouton JW, Ng EH, van der Steeg JW, Steures P, Svenstrup HF, Tiitinen A, Toye B, van der Veen F, Mol BW. Chlamydia antibody testing and diagnosing tubal pathology in subfertile women: an individual patient data meta-analysis. *Hum Reprod Update* 2011;17:301-310
11. Broeze KA, Opmeer BC, van Geloven N, Coppus SF, Collins JA, den Hartog JE, van der Linden PJ, Marianowski P, Ng EH, van der Steeg JW, Steures P, Strandell A, van der Veen F, Mol BW. Are patient characteristics associated with the accuracy of hysterosalpingography in diagnosing tubal pathology? An individual patient data meta-analysis. *Hum Reprod Update* 2011;17:293-300
12. Bijen CB, de Bock GH, Vermeulen KM, Arts HJ, ter Brugge HG, van der Sijde R, Kraayenbrink AA, Bongers MY, van der Zee AG, Mourits MJ. Laparoscopic hysterectomy is preferred over laparotomy in early endometrial cancer patients, however not cost effective in the very obese. *Eur J Cancer* 2011;47:2158-2165
13. Bijen CB, Vermeulen KM, Mourits MJ, Arts HJ, ter Brugge HG, van der Sijde R, Wijma J, Bongers MY, van der Zee AG, de Bock GH. Cost effectiveness of laparoscopy versus laparotomy in early stage endometrial cancer: a randomised trial. *Gynecol Oncol* 2011;121:76-82
14. Bijlenga D, Koopmans CM, Birnie E, Mol BW, van der Post JA, Bloemenkamp KW, Scheepers HC, Willekes C, Kwee A, Heres MH, van Beek E, van Meir CA, van Huizen ME, van Pampus MG, Bonsel GJ. Health-related quality of life after induction of labor versus expectant monitoring in gestational hypertension or preeclampsia at term. *Hypertens Pregnancy* 2011;30:260-274
15. Bijlenga D, Boers KE, Birnie E, Mol BW, Vijgen SC, van der Post JA, de Groot CJ, Rijnders RJ, Pernet PJ, Roumen FJ, Stigter RH, Delemarre FM, Bremer HA, Porath MM, Scherjon SA, Bonsel GJ. Maternal health-related quality of life after induction of labor or expectant monitoring in pregnancy complicated by intrauterine growth retardation beyond 36 weeks. *Qual Life Res* 2011;20:1427-1436
16. Clur SA, Oude Rengerink K, Mol BW, Ottenkamp J, Bilardo CM. Fetal cardiac function between 11 and 35 weeks'gestation and nuchal translucency thickness. *Ultrasound Obstet Gynaecol* 2011;37:48-56
17. Clur SA, Oude Rengerink K, Mol BW, Ottenkamp J, Bilardo CM. Is fetal cardiac function gender dependent? *Prenat Diagn* 2011;31:536-542
18. Coppus SF, Land JA, Opmeer BC, Steures P, Eijkemans MJ, Hompes PG, Bossuyt PM, van der Veen F, Mol BW, van der Steeg JW. Chlamydia trachomatis IgG seropositivity is associated with lower natural conception rates in ovulatory subfertile women without visible tubal pathology. *Hum Reprod* 2011;26:3061-3067
19. Custers IM, König TE, Broekmans FJ, Hompes PG, Kaaijk E, Oosterhuis J, Mochtar MH, Repping S, van Wely M, Steures P, van der Veen F, Mol BW. Couples with unexplained subfertility and unfavorable prognosis: a randomized pilot trial comparing the effectiveness of in vitro fertilization with elective single embryo transfer versus intrauterine insemination with controlled ovarian stimulation. *Fertil Steril* 2011;96:1107-1111

20. Farquhar CM, van den Boogaard NM, Riddell C, Macdonald A, Chan E, Mol BW. Assessing fertility treatment in New Zealand: a comparison of the clinical priority access criteria with a prediction model for couples with unexplained subfertility. *Hum Reprod* 2011; 26:3037-3044
21. van Geloven N, Broeze KA, Opmeer BC, Mol BW, Zwinderman AH. How to deal with double partial verification when evaluating two index tests in relation to a reference test? *Stat Med*. 2011 Dec (**Epub**)
22. Geomini P, Kruitwagen RF, Bremer GL, Massuger L, Mol BW. Should we centralise care for the patient suspected of having ovarian malignancy? *Gynecol Oncol* 2011;122:95-99
23. Groeneveld E, Broeze KA, Lambers MJ, Haapsamo M, Dirckx K, Schoot BC, Salle B, Duvan CI, Schats R, Mol BW, Hompes PG; the IPD MARIA study group. *Hum Reprod Update*. Is aspirin effective in women undergoing in vitro fertilization (IVF)? Results from an individual patient data meta-analysis (IPD MA) 2011;17:501-509
24. Hack K, Derkx J, Elias S, van Mameren F, Koopman-Esseboom C, Mol BW, Lopriore E, Schaap A, Arabin B, Duvekot J, Go A, Wieselmann E, Eggink A, Willekes C, Vandenbussche F, Visser G. Perinatal mortality and mode of delivery in monochorionic diamniotic twin pregnancies \geq 32 weeks of gestation: a multicentre retrospective cohort study. *BJOG* 2011;118:1090-1097
25. Halem KV, Bakker JJ, Verhoeven CJ, Papatsonis DN, Oudgaarden ED, Janssen P, Bloemenkamp KW, Mol BW, van der Post JA. Does use of an intrauterine catheter during labor increase risk of infection? *J Matern Fetal Neonatal Med* 2011 (**Epub**)
26. van der Ham DP, van Melick MJ, Smits L, Nijhuis JG, Weiner CP, Beek JH, Mol BW, Willekes C. Methods for the diagnosis of rupture of the fetal membranes in equivocal cases: a systematic review. *Eur J Obstet Gynaecol Reprod Biol* 2011;157:123-127
27. van Hanegem N, Breijer MC, Khan KS, Clark TJ, Burger MP, Mol BW, Timmermans A. Diagnostic evaluation of the endometrium in postmenopausal bleeding: An evidence-based approach. *Maturitas* 2011;68:155-164
28. de Hundt M, Vleminck F, Kok M, van der Steeg JW, Bais JM, Mol BW, van der Post JA. External validation of a prediction model for successful external cephalic version. *Am J Perinatol* 2011 (**Epub**)
29. Janssen P, Brölmann H, van Kesteren P, Bongers MY, Thurkow A, Heymans M, Huirne J. Perioperative outcomes using LigaSure compared with conventional bipolar instruments in laparoscopic hysterectomy: a randomised controlled trial. *BJOG* 2011;118:1568-1575
30. Johnson N, van Voorst S, Sowter MC, Strandell A, Mol BW. Tubal surgery before IVF. *Hum Reprod Update* 2011;17:3
31. Jozwiak M, Oude Rengerink K, Bentham M, van Beek E, Dijksterhuis MG, de Graaf IM, van Huizen ME, Oudijk MA, Papatsonis DN, Perquin DA, Porath M, van der Post JA, Rijnders RJ, Scheepers HC, Spaandermeier ME, van Pampus MG, de Leeuw JW, Mol BW, Bloemenkamp KW; PROBAAT Study Group. Foley catheter versus vaginal prostaglandin E2 gel for induction of labour at term (PROBAAT trial): an open-label, randomised controlled trial. *Lancet*. 2011;17:378(9809):2095-103
32. Khan KS, Borowiack E, Roos C, Kowalska M, Zapalska A, Mol BW, Mignini L, Meads C, Walczak J. Making GRADE accessible: a proposal for graphic display of evidence quality assessments. *Evid Based Med* 2011;16:65-69

33. Kluivers KB, Ten Cate FA, Bongers MY, Brölmann HA, Hendriks JC. Total laparoscopic hysterectomy versus total abdominal hysterectomy with bilateral salpingo-oophorectomy for endometrial carcinoma: a randomised controlled trial with 5-year follow-up. *Gynecol Surg*. 2011;8:427-434
34. Kok M, van der Steeg JW, van der Post JA, Mol BW. Prediction of success of external cephalic version after 36 weeks. *Am J Perinatol* 2011;28:103-110
35. Koopmans CM, Zwart JJ, Groen H, Bloemenkamp KW, Mol BW, Van Pampus MG, Van Roosmalen J. Risk indicators for eclampsia in gestational hypertension or mild preeclampsia at term. *Hypertens Pregnancy* 2011;30:433-446
36. Koops W, van der Vleuten C, de Leng B, Oei SG, Snoeckx L. Computer-supported collaborative learning in the medical workplace: Students' experiences on formative peer feedback of a critical appraisal of a topic paper. *Med Teach* 2011;33:e318-323
37. Kowalik CR, Goddijn M, Emanuel MH, Bongers MY, Spinder T, de Kruif JH, Mol BW, Heineman MJ. Metroplasty versus expectant management for women with recurrent miscarriage and a septate uterus. *Cochrane Database Syst Rev* 2011;6:CD008576
38. Kuppens SM, Kooistra L, Hasaart TH, van der Donk RW, Vader HL, Oei SG, Pop VJ. Maternal thyroid function and the outcome of external cephalic version: a prospective cohort study. *BMC Pregnancy Childbirth* 2011;11:10
39. Kuppens SM, Kooistra L, Wijnen HA, Vader HL, Hasaart TH, Oei SG, Vulsmma T, Pop VJ. Neonatal thyroid screening results are related to gestational maternal thyroid function. *Clin Endocrinol (Oxf)* 2011;75:382-387
40. van Laar JO, Peters CH, Houterman S, Wijn PF, Kwee A, Oei SG. Normalized spectral power of fetal heart rate variability is associated with fetal scalp blood pH. *Early Hum Dev* 2011;87:259-263
41. Langenveld J, Buttinger A, van der Post J, Wolf H, Mol BW, Ganzevoort W. Recurrence risk and prediction of a delivery under 34 weeks of gestation after a history of a severe hypertensive disorder. *BJOG* 2011;118:589-595
42. Langenveld J, Broekhuijsen K, van Baaren GJ, van Pampus MG, van Kaam AH, Groen H, Porath MM, Mol BW, Study Group HI. Induction of labour versus expectant monitoring for gestational hypertension or mild pre-eclampsia between 34 and 37 weeks'gestation (HYPITAT-II): a multicentre, open-label randomised controlled trial. *BMC Pregnancy Childbirth* 2011;11:50
43. Langenveld J, Ravelli AC, van Kaam AH, van der Ham DP, van Pampus MG, Porath MM, Mol BW, Ganzevoort W. Neonatal outcome of pregnancies complicated by hypertensive disorders between 34 and 37 weeks of gestation: a 7 year retrospective analysis of a national registry. *Am J Obstet Gynecol* 2011;205:e1-7
44. van Leeuwen M, Opmeer BC, Yilmaz Y, Limpens J, Serlie MJ, Mol BW. Accuracy of the random glucose test as screening test for gestational diabetes mellitus: a systematic review. *Eur J Obstet Gynecol Reprod Biol* 2011;154:130-135
45. van Leeuwen M, Prins SM, de Valk HW, Evers IM, Visser GH, Mol BW. Gestational diabetes mellitus: treatment reduces the risk of complications. *Ned Tijdschr Geneeskd*. 2011;155:A2291
46. Leushuis E, van der Steeg JW, Steures P, Koks C, Oosterhuis J, Bourdrez P, Bossuyt PM, van der Veen F, Mol BW, Hompes PG; on behalf of the CECERM study group. Prognostic value of the postcoital test for spontaneous pregnancy. *Fertil Steril* 2011;95:2050-2055

47. van Leijsen SA, Evert JS, Mol BW, Vierhout ME, Milani AL, Heesakkers JP, Kluivers KB. The correlation between clinical and urodynamic diagnosis in classifying the type of urinary incontinence in women. A systematic review of the literature. *Neurourol Urodyn* 2011;30:495-502
48. van Leijsen SA, Kluivers KB, Mol BW, Vierhout ME, Heesakkers JP. The value of preoperative urodynamics according to gynecologists and urologists with special interest in stress urinary incontinence. *Int Urogynecol J* 2011 (**Pub**)
49. van Loendersloot LL, Moolenaar LM, Mol BW, Repping S, van der Veen F, Goddijn M. Expanding reproductive lifespan: a cost-effectiveness study on oocyte freezing. *Hum Reprod*. 2011;26:3054-3060
50. Lim AC, Hegeman MA, Huis in 't Veld MA, Opmeer BC, Bruinse HW, Mol BW. Cervical length measurement for the prediction of preterm birth in multiple pregnancies: a systematic review and bivariate meta-analysis. *Ultrasound Obstet Gynaecol* 2011;38:10-17
51. Lim AC, Goossens A, Ravelli AC, Boer K, Bruinse HW, Mol BW. Utilizing new evidence in the prevention of recurrent preterm birth. *J Matern Fetal Neonatal Med* 2011;24:1456-1460
52. Lim AC, Schuit E, Bloemenkamp K, Bernardus RE, Duvekot JJ, Erwich JJ, van Eyck J, Groenwold RH, Hasaart TH, Hummel P, Kars MM, Kwee A, van Oirschot CM, van Pampus MG, Papatsonis D, Porath MM, Spaanderman ME, Willekes C, Wilpshaar J, Mol BW, Bruinse HW. 17 α -hydroxyprogesterone caproate for the prevention of adverse neonatal outcome in multiple pregnancies: a randomized controlled trial. *Obstet Gynecol* 2011;118:513-520
53. Medlock S, Ravelli AC, Tamminga P, Mol BW, Abu-Hanna A. Prediction of mortality in very premature infants: a systematic review of prediction models. *PLoS One* 2011;6:e23441
54. Mochtar MH, Custers IM, Koks CA, Bernardus RE, Verhoeve HR, Mol BW, van Wely M, van der Veen F. Timing oocyte collection in GnRH agonists down-regulated IVF and ICSI cycles: a randomized clinical trial. *Hum Reprod* 2011;26:1091-1096
55. Mol F, van den Boogaard E, van Mello NM, van der Veen F, Mol BW, Ankum WM, van Zonneveld P, Dijkman AB, Verhoeve HR, Mozes A, Goddijn M, Hajenius PJ. Guideline adherence in ectopic pregnancy management. *Hum Reprod* 2011;26:307-315
56. Moolenaar LM, Broekmans FJ, van Disseldorp J, Fauser BC, Eijkemans MJ, Hompes PG, van der Veen F, Mol BW. Cost effectiveness of ovarian reserve testing in in vitro fertilization: a Markov decision-analytic model. *Fertil Steril* 2011;96:889-894
57. Nahuis MJ, Kose N, Bayram N, van Dessel HJ, Braat DD, Hamilton CJ, Hompes PG, Bossuyt PM, Mol BW, van der Veen F, van Wely M. Long-term outcomes in women with polycystic ovary syndrome initially randomized to receive laparoscopic electrocautery of the ovaries or ovulation induction with gonadotrophins. *Hum Reprod* 2011;26:1899-1904
58. Onland W, de Laat M, Mol BW, Offringa M. Effects of antenatal corticosteroids given prior to 26 weeks'gestation: a systematic review of randomized controlled trials. *Am J Perinatol* 2010;28:33-44
59. Oude Rengerink K, Thangaratinam S, Barnfield G, Suter K, Horvath AR, Walczak J, Welminska A, Weinbrenner S, Meyerrose B, Arvanitis TN, Onody R, Zanrei G, Kunz R, Ardit C, Burnand B, Gee H, Khan KS, Mol BW. How can we teach EBM in clinical practice? An analysis of barriers to implementation of on-the-job EBM teaching and learning. *Med Teach* 2011;33:e125-130
60. van Os MA, van der Ven JA, Kleinrouweler CE, Pajkrt E, de Miranda E, van Wassenaer A, Porath M, Bossuyt PM, Bloemenkamp KW, Willekes C, Woiski M, Oudijk MA, Bilardo KM, Sikkema MJ, Duvekot JJ, Veersema D, Laudy J, Kuiper P, de Groot

- CJ, Mol BW, Haak MC. Preventing preterm birth with progesterone: costs and effects of screening low risk women with a singleton pregnancy for short cervical length, the Triple P study. *BMC Pregnancy Childbirth*. 2011 Oct 24;11:77.
61. Penninx JP, Herman MC, Mol BW, Bongers MY. Five-year follow-up after comparing bipolar endometrial ablation with hydrothermablation for menorrhagia. *Obstet Gynecol*. 2011 Dec;118(6):1287-92.
 62. Peters CH, van Laar JO, Vullings R, Oei SG, Wijn PF. Beat-to-beat heart rate detection in multi-lead abdominal fetal ECG recordings. *Med Eng Phys* 2011 (**Epub**)
 63. Peters CH, Vullings R, Rooijakkers MJ, Bergmans JW, Oei SG, Wijn PF. A continuous wavelet transform-based method for time-frequency analysis of artefact-corrected heart rate variability data. *Physiol Meas* 2011;32:1517-1527
 64. van de Poll-Franse LV, Nicolaije KA, Vos MC, Pijnenborg JM, Boll D, Husson O, Ezendam NP, Boss EA, Hermans RH, Engelhart KC, Haartsen JE, Pijlman BM, Feijen HW, Mertens HJ, Nolting WE, van Beek JJ, Roukema JA, Kruitwagen RF. The impact of a cancer Survivorship Care Plan on gynecological cancer patient and health care provider reported outcomes (ROGY Care): study protocol for a pragmatic cluster randomized controlled trial. *Trials*. 2011;12:256
 65. Porath MM, Korp K, Wendrich D, Dlugay V, Roth B, Kribs A. Surfactant in spontaneous breathing with nCPAP: neurodevelopmental outcome at early school age of infants ≤ 27 weeks. *Acta Paediatr* 2011;100:352-359
 66. Ravelli AC, Tromp M, Eskes M, Droog JC, van der Post JA, Jager KJ, Mol BW, Reitsma JB. Ethnic differences in stillbirth and early neonatal mortality in the Netherlands. *J Epidemiol Community Health* 2011;65:696-701
 67. Ravelli AC, Rijninks-van Driel GC, Erwich JJ, Mol BW, Brouwers HA, Abu Hanna A, Eskes M. Differences between Dutch provinces in perinatal mortality and travel time to hospital. *Ned Tijdschr Geneeskde*. 2011;155:A2689
 68. Ravelli AC, Jager KJ, de Groot MH, Erwich JJ, Rijninks-van Driel GC, Tromp M, Eskes M, Abu-Hanna A, Mol BW. Travel time from home to hospital and adverse perinatal outcomes in women at term in the Netherlands. *BJOG* 2011;118:457-465
 69. Schaaf J, Mol BW, Abu-Hanna A, Ravelli A. Trends in preterm birth: singleton and multiple pregnancies in the Netherlands, 2000-2007. *BJOG* 2011;118:1196-1204
 70. Schepens JJ, Mol BW, Wiegerinck MA, Houterman S, Koks CA. Pregnancy outcomes and prognostic factors from tubal sterilization reversal by sutureless laparoscopic re-anastomosis: a retrospective cohort study. *Hum Reprod* 2011;26:354-359
 71. Schreuder HW, Oei SG, Maas M, Borleffs JC, Schijven MP. Implementation of simulation in surgical practice: minimally invasive surgery has taken the lead: the Dutch experience. *Med Teach* 2011;33:105-115
 72. Smeets NA, van de Ven J, Oei SG. Inter- and intra-observer variation of fetal volume measurements with three-dimensional ultrasound in the first trimester of pregnancy. *J Perinat Med*. 2011 Sep;39(5):539-43.
 73. van der Steeg JW, Steures P, Eijkemans MJ, Habbema JD, Hompes PG, Kremer JA, van der Leeuw-Harmsen L, Bossuyt PM, Repping S, Silber SJ, Mol BW, van der Veen F. Role of semen analysis in subfertile couples. *Fertil Steril* 2011;95:1013-1019
 74. Tajik P, Oude Rengerink K, Ganzevoort W, Zwinderman AH, Mol BW, Bossuyt PM. Prediction of pre-eclampsia complications. *Lancet* 2011;377:1313

75. van Teeffelen AS, van der Heijden J, Oei SG, Porath MM, Willekes C, Opmeer B, Mol BW. The accuracy of imaging parameters in the prediction of lethal pulmonary hypoplasia secondary to midtrimester prelabour rupture of fetal membranes: a systematic review. *Ultrasound Obstet Gynecol* 2011 (**Epub**)
76. Teune MJ, van Wassenaer AG, van Dommelen P, Mol BW, Opmeer BC; Dutch POPS-19 Collaborative Study Group. Perinatal risk indicators for long-term neurological morbidity among preterm neonates. *Am J Obstet Gynecol* 2011;204:e1-396.e14
77. Teune MJ, Bakhuizen S, Bannerman CG, Opmeer BC, van Kaam AH, van Wassenaer AG, Morris JM, Mol BW. A systematic review of severe morbidity in infants born late preterm. *Am J Obstet Gynecol* 2011;205:374.e1-9
78. Thangaratinam S, Koopmans CM, Iyengar S, Zamora J, Ismail KM, Mol BW, Khan KS. Accuracy of liver function tests for predicting adverse maternal and fetal outcomes in women with pre-eclampsia: a systematic review. *Acta Obstet Gynecol Scand* 2011;90:574-585
79. Thangaratinam S, Langenveld J, Mol BW, Khan KS. Prediction and primary prevention of pre-eclampsia. *Best Pract Res Clin Obstet Gynaecol* 2011;25:419-433
80. Thijssen S, Coolen AL, Martens IR, Oosterbaan HP, Roovers JP, Mol BW, Bongers MY. A comparison of long-term outcome between Manchester Fothergill and vaginal hysterectomy as treatment for uterine descent. *Int Urogynecol J Pelvic Floor Dysfunct* 2011;22:1171-1178
81. van der Tuuk K, Koopmans CM, Groen H, Aarnoudse JG, van den Berg PP, van Beek JJ, Copraij FJ, Kleiverda G, Porath MM, Rijnders RJ, van der Salm PC, Santema JG, Stigter RH, Mol BW, van Pampus MG; HYPITAT study group. Prediction of progression to a high risk situation in women with gestational hypertension or mild pre-eclampsia at term. *Aust N Z J Obstet Gynaecol*. 2011;51:339-436
82. van der Tuuk K, Koopmans C, Groen H, Mol BW, van Pampus M; for the HYPITAT study group. Impact of the HYPITAT trial on doctors' behaviour and prevalence of eclampsia in the Netherlands. *BJOG* 2011;118:1658-1660
83. Veersema S, Vleugels M, Koks C, Thurkow A, van der Vaart H, Brölmann H. Confirmation of urethral placement using transvaginal ultrasound. *J Minim Invasive Gynecol* 2011;18:164-168
84. Verhoeve HR, Coppus SF, van der Steeg JW, Steures P, Hompes PG, Bourdrez P, Bossuyt PM, van der Veen F, Mol BW (for the collaborative effort on the clinical evaluation in reproductive medicine). The capacity of hysterosalpingography and laparoscopy to predict natural conception. *Hum Reprod* 2011;26:134-142
85. Verhoeven CJ, Rückert ME, Opmeer BC, Pajkrt E, Mol BW. Ultrasonographic fetal head position to predict the mode of delivery: a systematic review. *Ultrasound Obstet Gynecol* 2011 (**Epub**)
86. Vis JY, Wilms FF, Oudijk MA, Bossuyt PM, van der Post JA, Grobman WA, Mol BW. Why were the results of randomized trials on the clinical utility of fetal fibronectin negative? A systematic review of their study designs. *Am J Perinatol* 2011;28:145-150
87. Vis JY, Kuin RA, Grobman WA, Mol BW, Bossuyt PM, Opmeer BC. Additional effects of the cervical length measurement in women with preterm contractions: a systematic review. *Arch Gynecol Obstet* 2011;284:521-526
88. Vis JY, Wilms FF, Kuin RA, Reuvers JM, Stam MC, Pattinaja DA, Mol BW. Time to delivery after the first course of antenatal corticosteroids: a cohort study. *Am J Perinatol* 2011;28:683-688

89. Voskamp BJ, Pajkrt E, Mol BW. Letter to the editor of "Evaluation of a decision protocol for type of delivery of infants in breech presentation at term" from S. Michel and colleagues. Eur J Obstet Gynecol Reprod Biol. 2011 (**Epub**)
90. Vijgen SM, Westerhuis ME, Opmeer BC, Visser GH, Moons KG, Porath MM, Oei SG, Geijn HP, Bolte AC, Willekes C, Nijhuis JG, Beek EV, Graziosi GC, Schuitemaker NW, Lith JM, Akker ES, Drogtrip AP, Dessel HJ, Rijnders RJ, Oosterbaan HP, Mol BW, Kwee A. Cost-effectiveness of cardiotocography plus ST-analysis of the fetal electrocardiogram compared to cardiotocography only. Acta Obstet Gynecol Scand 2011;90:772-778
91. Vijgen SM, van Pampus M, Mol BW; for the HYPITAT study group. An economic analysis of induction of labour and expectant monitoring in women with gestational hypertension or pre-eclampsia at term (HYPITAT trial). BJOG 2011;118:764
92. Weis-Müller BT, Römmler V, Lippelt I, Porath MM, Godehardt E, Balzer K, Sandmann W. Critical chronic peripheral arterial disease: does outcome justify crural or pedal bypass surgery in patients with advanced age of with comorbidities? Ann Vasc Surg 2011;25:783-795
93. Westerhuis ME, Visser GH, Moons KG, Zuithoff N, Mol BW, Kwee A. Cardiotocography Plus ST Analysis of Fetal Electrocardiogram Compared With Cardiotocography Only for Intrapartum Monitoring: A Randomized Controlled Trial. Obstet Gynecol 2011;117:406-407
94. Westerhuis ME, Schuit E, Kwee A, Zuithoff NP, Groenwold RH, van den Akker ES, van Beek E, van Dessel HJ, Geijn HP, Graziosi GC, van Lith JM, Nijhuis JG, Oei SG, Oosterbaan HP, Porath MM, Rijnders RJ, Schuitemaker NW, Willekes C, Wouters MG, Visser GH, Mol BW, Moons KG. Prediction of Neonatal Metabolic Acidosis in Women with a Singleton Term Pregnancy in Cephalic Presentation. Am J Perinatol 2011 (Epub)
95. Wilms FF, Vis JY, Pattinaja DA, Kuin RA, Stam MC, Reuvers JM, Mol BW. Relationship between the time interval from antenatal corticosteroid administration until preterm birth and the occurrence of respiratory morbidity. Am J Obstet Gynecol 2011;205;49.e1-7
96. Wilms FF, Vis JY, Mol BW. Reply. Am J Obstet Gynecol. 2011 (**Epub**)
97. de Wit-Zuurendonk LD, Oei SG. Serious gaming in women's health care. BJOG 2011;118 (Suppl. 3):17-21

Neurologie

1. Veenstra GM, Fossion LM, de Laet K, Luijten AA. Synchronous Laparoscopic Radical Nephrectomy Left and Contralateral Right Hemicolectomy during the Same Endoscopic Procedure. ISRN Surg. 2011 (**Epub**)