

WETENSCHAPPELIJKE PUBLICATIES MMC 2009

Algemene Chirurgie

1. van den Broek RJ, Buise MP, van Dielen FM, Bindels AJ, van Zundert AA, Smulders JF. Characteristics and outcome of patients admitted to the ICU following bariatric surgery. *Obes Surg* 2009;19:560-564
2. van Dielen FM, Nijhuis J, Rensen SS, Schaper NC, Wiebolt J, Koks A, Prakken FJ, Buurman WA, Greve JW. Insulin sensitivity during first months after restrictive bariatric surgery, inconsistency between HOMA-IR and steady-state plasma glucose levels. *Surg Obes Relat Dis* 2009 (**Epub**)
3. van Hoek F, Scheltinga MR, Luirink M, Pasmans H, Beerenhout C. Banding of hemodialysis access to treat hand ischemia or cardiac overload. *Semin Dial* 2009;22:204-208
4. van Hoek F, Scheltinga MR, Krasznai AG, Cornelissen EA. Retarded hand growth due to a hemodialysis fistula in a young girl. *Pediatr Nephrol* 2009; 24:2055-2058
5. Lange MM, van Hilten JA, van de Watering LM, Bijnen BA, Roumen RM, Putter H, Brand A, van de Velde CJ. cooperative clinical investigators of the Cancer Recurrence And Blood Transfusion (CRAB) study and the Transfusion Associated Complications = Transfusion Induced Complications? (TACTIC) study. Leucocyte depletion of perioperative blood transfusion does not affect long-term survival and recurrence in patients with gastrointestinal cancer. *Br J Surg* 2009;96:734-740
6. Leclercq WK, Roumen RM. Een vrouw met acute pijn in de kuit. *Ned Tijdschr Geneeskd.* 2009;153:B8
7. Loos MJ, Roumen RM. Een man met chronische pijn na een liesbreuk-operatie. *Ned Tijdschr Geneeskd.* 2009;153:B260
8. Nijhuis J, Rensen SS, Slaats Y, van Dielen FM, Buurman WA, Greve JW. Neutrophil activation in morbid obesity, chronic activation of acute inflammation. *Obesity (Silver Spring)* 2009;17:2014-8
9. Retèl VP, Bueno-de-Mesquita JM, Hummel MJ, van de Vijver MJ, Douma KF, Karsenberg K, van Dam FS, van Krimpen C, Bellot FE, Roumen RM, Linn SC, van Harten WH. Constructive Technology Assessment (CTA) as a tool in coverage with evidence development: the case of the 70-gene prognosis signature for breast cancer diagnostics. *Int J Technol Assess Health Care* 2009;25:73-83
10. Ruers TJ, Wiering B, van der Sijp JR, Roumen RM, de Jong KP, Comans EF, Pruijm J, Dekker HM, Krabbe PF, Oyen WJ. Improved selection of patients for hepatic surgery of colorectal liver metastases with (18)F-FDG PET: a randomized study. *J Nucl Med* 2009;50:1036-1041
11. Saers SJ, Scheltinga MR, Salemans JM, Kitslaar PJ. Gastroenterological aspects of primary aorto-enteric fistulae (PAEF). *Acta Chir Berg* 2009;109:741-5
12. Scheltinga MR, van Hoek F, Bruijninx CM. Surgical banding for refractory hemodialysis access-induced distal ischemia (HAIDI). *J Vasc Access* 2009;10:43-49
13. Scheltinga MR, van Hoek F, Bruijninx CM. Time of onset in haemodialysis access-induced distal ischaemia (HAIDI) is related to the access type. *Nephrol Dial Transplant* 2009;24:3198-3204
14. Snoeren N, Jansen MC, Rijken AM, van Hillegersberg R, Slooter G, Klaase J, van den Tol PM, van der Linden E, ten Kate FJ, van Gulik TM. Assessment of viable tumour tissue attached to needle applicators after local ablation of liver tumours. *Dig Surg* 2009;26:56-62

15. van der Steeg H, van Akkeren JP, Houterman S, Roumen RM. Validation of the urine column measurement as an estimation of the intra-abdominal pressure. *Intensive Care Med* 2009;35: 914-918
16. Toorop RJ, Scheltinga MR, Moll FL. Adventitial stripping for carotid sinus syndrome. *Ann Vasc Surg* 2009;23:538-547
17. Toorop RJ, Scheltinga MR, Moll FL, Bleyers RL. Anatomy of the carotid sinus nerve and surgical implications in carotid sinus syndrome. *J Vasc Surg* 2009;50:177-182
18. Toorop RJ, Scheltinga MR, Bender MH, Charbon JA, Huige MC, Moll FL, Bruijninx CM. Effective surgical treatment of the carotid sinus syndrome. *J Cardiovasc Surg* 2009;50:683-686
19. Willaert WI, Scheltinga MR, Steenhuisen SF, Hiel JA. Harlequin syndrome: two new cases and a management proposal. *Acta Neurol Belg* 2009;109:214-220

Anesthesiologie

1. van Hoek F, Scheltinga M, Luirink M, Pasmans H, Beerenhout C. Banding of hemodialysis access to treat hand ischemia or cardiac overload. *Semin Dial* 2009; 22:204-8

Cardiologie

1. Kemps HM, Schep G, Hoogsteen J, Thijssen EJ, de Vries WR, Zonderland M, Doevendans P. Oxygen uptake kinetics in chronic heart failure: clinical and physiological aspects. *Neth Heart J* 2009;17:238-244
2. Kemps HM, Prompers JJ, Wessels B, de Vries WR, Thijssen EJ, Nicolay K, Schep G, Doevendans PA. Skeletal muscle metabolic recovery following submaximal exercise in chronic heart failure is limited more by O₂ delivery than O₂ utilization. *Clin Sci (Lond)* 2009;118:203-10
3. Toorop RJ, Scheltinga MR, Bender MH, Charbon JA, Huige MC, Moll FL, Bruijninx CM. Effective surgical treatment of the carotid sinus syndrome. *J Cardiovasc Surg* 2009;50:683-6

Intensive care geneeskunde

1. de Klaver PA, de Koning J, Janssen RP, Derijks LJ. High systemic gentamicin levels and ototoxicity after implantation of gentamicin beads in a 70-year-old man-a case report. *Acta Orthop* 2009;80:734-736
2. van der Steeg H, van Akkeren JP, Houterman S, Roumen RM. Validation of the urine column measurement as an estimation of the intra-abdominal pressure. *Intensive Care Med* 2009;35: 914-918

Inwendige geneeskunde

1. De Backer IC, Schep G, Backx FJ, Vreugdenhil G, Kuipers H. Resistance training in cancer survivors: a systematic review. *Int J Sports Med* 2009;30:703-712
2. Broeren MA, Geerdink EA, Vader HL, van den Wall Bake AW. Hypomagnesemia induced by several proton-pump inhibitors. *Ann Intern Med* 2009;151:755-756
3. van Hoek F, Scheltinga M, Luirink M, Pasmans H, Beerenhout C. Banding of hemodialysis access to treat hand ischemia or cardiac overload. *Semin Dial* 2009; 22:204-8
4. Hokken JW, van der Crujisen-Raaijmakers M, Schep G, Vreugdenhil G. Impact of anthracycline dose on quality of life and rehabilitation in breast cancer treatment. *Neth J Med* 2009;67:220-225

5. Huisman S, Maes S, de Gucht V, Chatrou M, [Haak HR](#). Low goal ownership predicts drop-out from a weight intervention study in overweight patients with type 2 diabetes. *Int J Behav Med* 2009 (**Epub**)
6. Huisman S, de Gucht V, Maes S, Schroevers M, Chatrou M, [Haak HR](#). Self-regulation and weight reduction in patients with type 2 diabetes: a pilot intervention study. *Patient Educ Couns* 2009;75:84-90
7. Meert N, [Beerenhout C](#), Schepers E, Glorieux G, Kooman J, Vanholder R. Evolution of protein-bound uraemic solutes during predilution haemofiltration. *J Nephrol* 2009;22:352-357
8. Mols F, Thong MS, [Vreugdenhil G](#), van de Poll-Franse LV. Long-term cancer survivors experience work changes after diagnosis: results of a population-based study. *Psychooncology* 2009 ;18:1252-60
9. [ten Oever J](#), Kuijper PH, Kuijpers AL, [Dercksen MW](#), [Vreugdenhil G](#). Complete remission of MDS RAED following immunosuppressive treatment in a patient with Sweet's syndrome. *Neth J Med* 2009;67:347-350
10. van de Schans SA, Steyerberg EW, [Nijziel MR](#), Creemers GJ, Janssen-Heijnen ML, van Spronsen DJ. Validation, revision and extension of the Follicular Lymphoma International Prognostic Index (FLIPI) in a population-based setting. *Ann Oncol* 2009;20:1697-702
11. Verdijk A, Leusink G, [Erdsieck R](#), Pop VJ. Improving the sensitivity of the Dutch guidelines for case finding in osteoporosis. *Br J Gen Pract* 2009;59:370-371
12. Verdijk A, [Erdsieck R](#), Romeijnders A, Pop VJ. NHG standaard 'Osteoporose' heeft weinig nut bij indicatiestelling voor botdichtheidsmeting. *Ned Tijdschr Geneeskd.* 2009;154:A419

Kindergeneeskunde

1. [Andriessen P](#), Struis NC, [Niemarkt H](#), [Bambang Oetomo S](#), Tanke RB, van Overmeire B. Furosemide in preterm infants treated with indomethacin for patent ductus arteriosus. *Acta Paediatr* 2009;98:797-803
2. van Baar AL, Vermaas J, Knots E, [de Kleine MJ](#), Soons P. Functioning at school age of moderately preterm children born at 32 to 36 weeks' gestational age. *Pediatrics* 2009;124:251-257
3. [Dijkman KP](#), van Heurn LW, Leroy PL, Vos GD. Vanishing spleen after Nissen fundoplication: a case report. *Eur J Pediatr* 2009;168:355-357
4. [Dijkman KP](#), [Andriessen P](#), van Lijnschoten G, [Halbertsma FJ](#). Failed resuscitation of a newborn due to congenital tracheal agenesis: a case report. *Cases J* 2009;2:7212
5. [Duijsters CE](#), [Halbertsma FJ](#), Kornelisse RF, Arents NL, [Andriessen P](#). Recurring staphylococcal scalded skin syndrome in a very low birth weight infant: a case report. *J Med Case Reports* 2009;3:7313
6. Hack KE, Koopman-Esseboom C, Derks JB, Elias SG, [de Kleine MJ](#), Baerts W, Go AT, Schaap AH, van der Hoeven MA, Eggink AJ, Sollie KM, Weisglas-Kuperus NA, Visser GH. Long-term neurodevelopmental outcome of monochorionic and matched dichorionic twins. *PLoS One* 2009;4:e6815
7. [Halbertsma FJ](#), [Andriessen P](#). Cerebral air embolism in a neonate following cardiopulmonary resuscitation. *Pediatr Radiol* 2009;39:92
8. [Halbertsma FJ](#), Vaneker M, Pickkers P, Hoeven JG. The oxygenation ratio during mechanical ventilation in children: the role of tidal volume and positive end-expiratory pressure. *J Crit Care* 2009;24:220-226

9. Kupers AM, Andriessen P, van Kempen MJ, van der Tol IG, Baart JA, Dumans AG, van der Waal I. Congenital epulis of the jaw: a series of five cases and review of literature. *Pediatr Surg Int* 2009;25:207-210
10. Maartens I, Wassenberg T, Halbertsma FJ, Marres H, Andriessen P. Neonatal airway obstruction caused by rapidly growing nasopharyngeal teratoma. *Acta Paediatr* 2009;98:1852-1854
11. Marcus KA, Halbertsma FJ, van Steensel MA. A case of juvenile pemphigoid -successful treatment with diaminodiphenylsulfone and prednisone. *Pediatr Dermatol* 2009;26:55-58
12. Niemarkt H, Andriessen P, Peters CHL, Blanco CE, Zimmerman L, Bambang Oetomo S. Quantitative analysis of amplitude-integrated electroencephalogram patterns in stable preterm infants, with normal neurological development at 1 year. *Neonatology* 2009;97:175-182
13. van Os E, de Schrijver J, Houwen RHJ, Tjon A Ten WE. Gastroesophageal reflux disease in children: how reliable is the gold standard? *J Pediatr* 2009;85:84-86
14. Van der Sluijs-Bens J, Andriessen P, Roos G, Buijs J, Bambang Oetomo S. Necrotizing meningo-encephalitis due to pseudomonas aeruginosa in a preterm infant. *J Neonatal Perinatal Med* 2009;Vol 2:193-196
15. Vaneker M, Santosa JP, Heunks LM, Halbertsma FJ, Snijdelaar DG, van Egmond J, van den Brink IA, van de Pol FM, van der Hoeven JG, Scheffer GJ. Isoflurane attenuates pulmonary interleukin-1beta and systemic tumor necrosis factor-alpha following mechanical ventilation in healthy mice. *Acta Anaesthesiol Scand* 2009; 53:742-748
16. Vaneker M, Heunks LM, Joosten LA, van Hees HW, Snijdelaar DG, Halbertsma FJ, van Egmond J, Netea MG, van der Hoeven JG, Scheffer GJ. Mechanical ventilation induces a Toll/interleukin-1 receptor domain-containing adapter-inducing interferon beta-dependent inflammatory response in healthy mice. *Anesthesiology* 2009;111:836-43
17. Zegers BS, Winkler-Seinstra PL, Uiterwaal CS, de Jong TV, Kimpen JL, de Jong-de Vos van Steenwijk CC. Urinary tract infections in children with spina bifida: an inventory of 41 European centers. *Pediatr Nephrol* 2009;24:783-788
18. Zijlmans M, Sá-Couto CD, van Meurs WL, Goodwin JA, Andriessen P. Corrected and improved model for educational simulation of neonatal cardiovascular pathophysiology. *Simul Healthc* 2009;4:49-53

Klinische Chemie

1. van den Besselaar AM, Haas FJ, van der Graaf F, Kuypers AW. Harmonization of fibrinogen assay results: study within the framework of the Dutch project 'Calibration 2000'. *Int J Lab Hematol* 2009;31:513-520
2. Broeren MA, Geerdink EA, Vader HL, van den Wall Bake AW. Hypomagnesemia induced by several proton-pump inhibitors. *Ann Intern Med* 2009;151:755-756
3. Hermans TM, Broeren MA, Gomopoulos N, van der Schoot P, van Genderen MH, Sommerdijk NA, Fytas G, Meijer EW. Self-assembly of soft nanoparticles with tunable patchiness. *Nat Nanotechnol* 2009;4:721-726
4. Kuppens SM, Kooistra L, Wijnen HA, Crawford S, Vader HL, Hasaart TH, Oei SG, Pop VJ. Maternal thyroid function during gestation is related to breech presentation at term. *Clin Endocrinol (Oxf)* 2009 (**Epub**)
5. Lo SF, Kytzia HJ, Schumann G, Swartzentruber M, Vader HL, Weber F, Doumas BT. Interlaboratory comparison of the Doumas bilirubin reference method. *Clin Biochem* 2009;42:1328-1330

- ten Oever J, Kuijper PH, Kuijpers AL, Dercksen MW, Vreugdenhil G. Complete remission of MDS RAED following immunosuppressive treatment in a patient with Sweet's syndrome. *Neth J Med* 2009;67:347-350
- Wijnen HA, Kooistra L, Vader HL, Essed GG, Mol BW, Pop VJ. Maternal thyroid hormone concentration during late gestation is associated with foetal position at birth. *Clin Endocrinol (Oxf)* 2009;71:746-51

Klinische fysica

- Crooijmans HJ, Laumen AM, van Pul C, van Mourik JB. A new digital preoperative planning method for total hip arthroplasties. *Clin Orthop Relat Res* 2009;467:909-916
- van Laar JH, Peters CH, Vullings R, Houterman S, Oei SG. Power spectrum analysis of fetal heart rate variability at near term and post term gestation during active sleep and quiet sleep. *Early Hum Dev* 2009;85:795-798
- Vullings R, Peters CH, Sluiter RJ, Mischi M, Oei SG, Bergmans JW. Dynamic segmentation and linear prediction for maternal ECG removal in antenatal abdominal recordings. *Physiol Meas* 2009;30:291-307

Longziekten

- van la Parra RF, Ernst MF, Bevilacqua JL, Mol SJ, Van Zee KJ, Broekman JM, Bosscha K. Validation of a nomogram to predict the risk of nonsentinel lymph node metastases in breast cancer patients with a positive sentinel node biopsy: validation of the MSKCC breast nomogram. *Ann Surg Oncol* 2009;16:1128-135

Maag Darm Leverziekten

- Saers SJ, Scheltinga MR, Salemans JM, Kitslaar PJ. Gastroenterological aspects of primary aorto-enteric fistulae (PAEF). *Acta Chir Berg* 2009;109:741-5
- van Steenberg LN, Lemmens VE, Louwman MJ, Straathof JW, Coebergh JW. Increasing incidence and decreasing mortality of colorectal cancer due to marked cohort effects in southern Netherlands. *Eur J Cancer Prev* 2009;18:145-152
- van Steenberg LN, Lemmens VE, Straathof JW, Nijhuis PH, Gelderman WA, Coebergh JW. Improvable quality of diagnostic assessment of colorectal cancer in southern Netherlands. *Eur J Gastroenterol Hepatol* 2009;21:570-575

Medische psychologie

- Huisman S, Maes S, de Gucht V, Chatrou M, Haak HR. Low goal ownership predicts drop-out from a weight intervention study in overweight patients with type 2 diabetes. *Int J Behav Med* 2009 (**Epub**)
- Huisman S, de Gucht V, Maes S, Schroevers M, Chatrou M, Haak HR. Self-regulation and weight reduction in patients with type 2 diabetes: a pilot intervention study. *Patient Educ Couns* 2009;75:84-90

MMC Academie

- van Laar J, Peters CH, Vullings R, Houterman S, Oei SG. Power spectrum analysis of fetal heart rate variability at near term and post term gestation during active sleep and quiet sleep. *Early Hum Dev* 2009;85:795-798
- Mols F, Stijns P, Dankaart B, Houterman S, Vingerhoets A, Hendriks A. Health-Related Quality of life in I-125 prostate brachytherapy patients treated with and without volume-reducing hormone therapy: results of a short-term prospective study. *J Endourol* 2009;23:153-159

3. Ringrose R, Houterman S, Koops W, Oei SG. Burnout in medical residents: a questionnaire and interview study. *Psychol Health Med* 2009;14:476-486
4. van der Steeg H, van Akkeren JP, Houterman S, Roumen RM. Validation of the urine column measurement as an estimation of the intra-abdominal pressure. *Intensive Care Med* 2009;35:914-918

Neurologie

1. Verhagen MM, Abdo WF, Willemsen MA, Hogervorst FB, Smeets DF, Hiel JA, Brunt ER, van Rijn MA, Majoor Krakauer D, Oldenburg RA, Broeks A, Last JI, van 't Veer LJ, Tijssen MA, Dubois AM, Kremer HP, Weemaes CM, Taylor AM, van Deuren M. Clinical spectrum of ataxia-telangiectasia in adulthood. *Neurology* 2009;73:430-437
2. Willaert WI, Scheltinga MR, Steenhuisen SF, Hiel JA. Harlequin syndrome: two new cases and a management proposal. *Acta Neurol Belg* 2009;109:214-220

Nucleaire geneeskunde

1. Verburg FA, Verkooijen RB, Stokkel MP, van Isselt JW. The success of 131. Ablation in thyroid cancer patients is significantly reduced after a diagnostic activity of 40 MBq 131. *Nuklearmedizin* 2009;48:138-142

Orthopedie

1. Crooijmans HJ, Laumen AM, van Pul C, van Mourik JB. A new digital preoperative planning method for total hip arthroplasties. *Clin Orthop Relat Res* 2009;467:909-16
2. de Klaver PA, de Koning J, Janssen RP, Derijks LJ. High systemic gentamicin levels and ototoxicity after implantation of gentamicin beads in a 70-year-old man-a case report. *Acta Orthop* 2009;80:734-6
3. Rutten SG, Janssen RP. Spontaneous late dislocation of the high flexion tibial insert after Genesis II Total knee arthroplasty. A case report. *Knee* 2009;16:409-411

Pathologie (PAMM) / Medische microbiologie

1. Dresen RC, Peters EE, Rutten HJ, Nieuwenhuijzen GA, Demeyere TB, van den Brule AJ, Kessels AG, Beets-Tan RG, van Krieken JH, Nagtegaal ID. Local recurrence in rectal cancer can be predicted by histopathological factors. *Eur J Surg Oncol* 2009;35:1071-7
2. Dijkman KP, Andriessen P, van Lijnschoten G, Halbertsma FJ. Failed resuscitation of a newborn due to congenital tracheal agenesis: a case report. *Cases J* 2009;2:7212
3. Diepenmaat LA, van der Sangen MJ, van de Poll-Franse LV, van Beek MW, van Berlo CL, Luiten EJ, Nieuwenhuijzen GA, Voogd AC. The impact of postmastectomy radiotherapy on local control in patients with invasive lobular breast cancer. *Radiother Oncol* 2009;91:49-53
4. Duijsters CE, Halbertsma FJ, Kornelisse RF, Arents NL, Andriessen P. Recurring staphylococcal scalded skin syndrome in a very low birth weight infant: a case report. *J Med Case Reports* 2009;3:7313

Radiologie

1. van Hoek F, Scheltinga M, Luirink M, Pasmans HL, Beerenhout C. Banding of hemodialysis access to treat hand ischemia or cardiac overload. *Semin Dial* 2009;22:204-208

Reumatologie

1. Verheesen RH, Schweitzer CM. Micronutrients and amino acids, main regulators of physiological processes. *Med Hypotheses* 2009;73:498-502

Sportgeneeskunde

1. De Backer IC, Schep G, Backx FJ, Vreugdenhil G, Kuipers H. Resistance training in cancer survivors: A systematic review. *Int J Sports Med* 2009;30:703-12
2. Hokken JW, van der Crujisen-Raaijmakers M, Schep G, Vreugdenhil G. Impact of anthracycline dose on quality of life and rehabilitation in breast cancer treatment. *Neth J Med* 2009;67:220-225
3. Kemps HM, Schep G, Hoogsteen J, Thijssen EJ, de Vries WR, Zonderland M, Doevendans P. Oxygen uptake kinetics in chronic heart failure: clinical and physiological aspects. *Neth Heart J* 2009;17:238-244
4. Kemps HM, Prompers JJ, Wessels B, de Vries WR, Thijssen EJ, Nicolay K, Schep G, Doevendans PA. Skeletal muscle metabolic recovery following submaximal exercise in chronic heart failure is limited more by O₂ delivery than O₂ utilization. *Clin Sci (Lond)* 2009;118:203-10

Verloskunde en gynaecologie

1. Bakker JJ, de Vos R, Pel M, Wisman C, van Lith JM, Mol BW, van der Post JA. Start of induction of labour with oxytocin in the morning or in the evening. A randomised controlled trial. *BJOG* 2009;116:562-568
2. Bendsdorp AJ, Slappendel E, Koks C, Oosterhuis J, Hoek A, Hompes P, Broekmans F, Verhoeve H, de Bruin JP, van Weert JM, Traas M, Maas J, Beckers N, Repping S, Mol BW, van der Veen F, van Wely M. The INeS study: prevention of multiple pregnancies: a randomised controlled trial comparing IUI COH versus IVF e SET versus MNC IVF in couples with unexplained or mild male subfertility. *BMC Womens Health* 2009;9:35
3. Biewenga P, van der Velden J, Mol BW, Stalpers LJ, Schilthuis MS, van der Steeg JW, Burger MP, Buist MR. Validation of existing prognostic models in patients with early-stage cervical cancer. *Gynecol Oncol* 2009;115:277-284
4. Broer SL, Mol BW, Hendriks D, Broekmans FJ. The role of antimullerian hormone in prediction of outcome after IVF; comparison with the antral follicle count. *Fertil Steril* 2009;91:705-714
5. Broeze KA, Opmeer BC, Bachmann LM, Broekmans FJ, Bossuyt PM, Coppus SF, Johnson NP, Khan KS, ter Riet G, van der Veen F, van Wely M, Mol BW. Individual patient data meta-analysis of diagnostic and prognostic studies in obstetrics, gynaecology and reproductive medicine. *BMC Med Res Methodol* 2009;9:22
6. Crossen JS, ter Riet G, Mol BW, van der Post JA, Leeflang MM, Meads CA, Hyde C, Khan KS. Are tests for predicting pre-eclampsia good enough to make screening viable? A review of reviews and critical appraisal. *Acta Obstet Gynecol Scand* 2009;88:758-765
7. Coppus SF, van der Veen F, Opmeer BC, Mol BW, Bossuyt PM. Evaluating prediction models in reproductive medicine. *Hum Reprod* 2009;24:1774-1778
8. Cox T, van der Steeg JW, Steures P, Hompes PG, van der Veen F, Eijkemans MJ, Schagen van Leeuwen JH, Renckens C, Bossuyt PM, Mol BW. Time to pregnancy after a previous miscarriage in subfertile couples. *Fertil Steril* 2009 (**Epub**)
9. Custers IM, Flierman PA, Maas P, Cox T, van Dessel TJ, Gerards MH, Mochtar MH, Janssen CA, van der Veen F, Mol BW. Immobilisation versus immediate mobilisation after intrauterine insemination: randomised controlled trial. *BMJ* 2009;339:b4080
10. de Heus R, Mol BW, Erwich JJ, van Geijn HP, Gyselaers WJ, Hanssens M, Härmak L, van Holsbeke CD, Duvekot JJ, Schobben FF, Wolf H, Visser GH. Adverse drug reactions to tocolytic treatment for preterm labour: prospective cohort study. *BMJ* 2009;338:b744

11. de Jonge A, van der Goes BY, Ravelli AC, Amelink-Verburg MP, Mol BW, Nijhuis JG, Bennebroek Gravenhorst JB, Buitendijk SE. Perinatal mortality and morbidity in a nationwide cohort of 529, 688 low-risk planned home and hospital births. *BJOG* 2009;116:1177-84
12. Derks RS, Farquhar C, Mol BW, Buckingham K, Heineman MJ. Techniques for preparation prior to embryo transfer. *Cochrane Database Syst Rev* 2009 7;CD007682
13. van Doom HC, Opmeer BC, Kooi GS, Ewing-Graham PC, Kruitwagen RF, Mol BW. Value of cervical cytology in diagnosing endometrial carcinoma in women with postmenopausal bleeding. *Acta Cytol* 2009;53:277-282
14. Ford O, Lethaby A, Roberts H, Mol BW. Progesterone for premenstrual syndrome. *Cochrane Database Syst Rev* 2009;2:CD003415
15. Geomini PM, Kruitwagen RF, Bremer GL, Cnossen J, Mol BW. The accuracy of risk scores in predicting ovarian malignancy: a systematic review. *Obstet Gynecol* 2009;113:384-394
16. Geomini PM, Bremer GL, Kruitwagen RF, Opmeer BC, Mol BW. Patients' preferences in mode of surgery of an adnexal mass. *Prychosom Obstet Gynaecol* 2009;30:162-167
17. Hack KE, Derks JB, Schaap AH, Lopriore E, Elias SG, Arabin B, Eggink AJ, Sollie KM, Mol BW, Duvekot HJ, Willekes C, Go AT, Koopman-Esseboom C, Vandenbussche FP, Visser GH. Perinatal outcome of monoamniotic twin pregnancies. *Obstet Gynecol* 2009;113:353-360
18. Hegeman MA, Bekedam DJ, Bloemenkamp KW, Kwee A, Papatsonis DN, van der Post JA, Lim AC, Scheepers HC, Willekes C, Duvekot JJ, Spaanderman M, Porath MM, van Eyck J, Haak MC, van Pampus MG, Bruinse HW, Mol BW. Pessaries in multiple pregnancy as a prevention of preterm birth: the ProTwin Trial. *BMC Pregnancy Childbirth* 2009;9:44
19. Hermus MA, Verhoeven CJ, Mol BW, de Wolf GS, Fiedeldeij CA. Comparison of induction of labour and expectant management in postterm pregnancy: a matched cohort study. *J Midwifery Womens Health* 2009;54:351-356
20. Kluivers KB, Opmeer BC, Geomini PM, Bongers MY, Vierhout ME, Bremer GL, Mol BW. Women's preference for laparoscopic or abdominal hysterectomy. *Gynecol Surg* 2009;6:223-228
21. Kok M, Cnossen J, Gravendeel L, van der Post JA, Mol BW. Ultrasound factors to predict the outcome of external cephalic version: a meta-analysis. *Ultrasound Obstet Gynecol* 2009;33:76-84
22. Koopmans CM, van Pampus MG, Groen H, Aarnoudse JG, van den Berg PP, Mol BW. Accuracy of serum uric acid as a predictive test for maternal complications in pre-eclampsia: bivariate meta-analysis and decision analysis. *Eur J Obstet Gynecol Reprod Biol* 2009; 146:8-14
23. Koopmans CM, Bijlenga D, Groen H, Vijgen SM, Aarnoudse JG, Bekedam DJ, van den Berg PP, de Boer K, Burggraaff JM, Bloemenkamp KW, Drogdrop AP, Franx A, de Groot CJ, Huisjes AJ, Kwee A, van Loon AJ, Lub A, Papatsonis DN, van der Post JA, Roumen FJ, Scheepers HC, Willekes C, Mol BW, van Pampus MG. HYPITAT study group. Induction of labour versus expectant monitoring for gestational hypertension or mild pre-eclampsia after 36 weeks' gestation (HYPITAT): a multicentre, open-label randomised controlled trial. *Lancet* 2009;374:979-988
24. Kulier R, Coppus SF, Zamora J, Hadley J, Malick S, Das K, Weinbrenner S, Meyerrose B, Decsi T, Horvath AR, Nagy E, Emparanza JI, Arvanitis TN, Burls A, Cabello JB, Kaczor M, Zanrei G, Pierer K, Stawiarz K, Kunz R, Mol BW, Khan KS. The effectiveness of a clinically integrated e-learning course in evidence-based medicine: a cluster randomised controlled trial. *BMC Med Educ* 2009;9:21

25. Kunz R, Nagy E, Coppus SF, Emparanza JI, Hadley J, Kulier R, Weinbrenner S, Arvanitis TN, Burls A, Cabello JB, Decsi T, Horvath AR, Walzak J, Kaczor MP, Zanrei G, Pierer K, Schaffler R, Suter K, Mol BW, Khan KS. How far did we get: How far to go? A European survey on postgraduate courses in evidence-based medicine. *J Eval Clin Pract* 2009;15:1196-1204
26. Kuppens SM, Kooistra L, Wijnen HA, Crawford S, Vader HL, Hasaart TH, Oei SG, Pop VJ. Maternal thyroid function during gestation is related to breech presentation at term. *Clin Endocrinol (Oxf)* 2009 (**Epub**)
27. van de Laar R, van der Ham DP, Oei SG, Willekes C, Weiner CP, Mol BW. Accuracy of C-reactive protein determination in predicting chorioamnionitis and neonatal infection in pregnant women with premature rupture of membranes: a systematic review. *Eur J Obstet Gynecol Reprod Biol* 2009;147:124-129
28. van Laar JH, Peters CH, Vullings R, Houterman S, Oei SG. Power spectrum analysis of fetal heart rate variability at near term and post term gestation during active sleep and quiet sleep. *Early Hum Dev* 2009;85:795-798
29. van Leeuwen M, Opmeer BC, Zweers EJ, van Ballegooie E, ter Brugge HG, de Valk HW, Visser GH, Mol BW. External validation of a clinical scoring system for the risk of gestational diabetes mellitus. *Diabetes Res Clin Pract* 2009;85:96-101
30. van Leijsen SA, Kluivers KB, Mol BW, Broekhuis SR, Milani FL, van der Vaart CH, Roovers JP, Bongers MY, den Boon J, Spaans WA, de Leeuw JW, Dietz V, Kleinjan JH, Brölmann HA, Roos EJ, Schaafstra J, Heesakkers JP, Vierhout ME. Protocol for the value of urodynamics prior to stress incontinence surgery (VUSIS) study: a multicenter randomized controlled trial to assess the cost effectiveness of urodynamics in women with symptoms of stress urinary incontinence in whom surgical treatment is considered. *BMC Womens Health* 2009;9:22
31. Leushuis E, van der Steeg JW, Steures P, Bossuyt PM, Eijkemans MJ, van der Veen F, Mol BW, Hompes PG. Prediction models in reproductive medicine: a critical appraisal. *Hum Reprod Update* 2009;15:537-552
32. Leushuis E, Tromp M, Ravelli AC, van Huis AM, Mol BW, Visser GH, van der Post JA. Indicators for intervention during the expulsive second-stage arrest of labour. *BJOG* 2009; 116:1773-1781
33. Leushuis E, van der Steeg JW, Steures P, Repping S, Schöls W, van der Veen F, Mol BW, Hompes PG. Immunoglobulin G antisperm antibodies and prediction of spontaneous pregnancy. *Fertil Steril* 2009;92:1659-1965
34. Loffeld CJ, Thijs S, Mol BW, Bongers MY, Roovers JP. Laparoscopic sacrocolpopexy: a comparison of Prolene and Tutoplast mesh. *Acta Obstet Gynecol Scand* 2009;88:826-830
35. Luttjeboer FY, Verhoeve HR, van Dessel HJ, van der Veen F, Mol BW, Coppus SJ. The value of medical history taking as risk indicator for tuboperitoneal pathology: a systematic review. *BJOG* 2009;116:612-625
36. van Mello NM, Mol F, Mol BW, Hajenius PJ. Conservative management of tubal ectopic pregnancy. *Best Pract Res Clin Obstet Gynaecol* 2009;23:509-518
37. Mischi M, Rabotti C, Vosters LJ, Oei SG, Bergmans JM. Electrohysterographic conduction velocity estimation. *Conf Proc IEEE Eng Med Biol Soc* 2009;1:6934-6937
38. Mol BW. Active management of risk in pregnancy at term did not reduce caesarean delivery rates. *Evid Based Med* 2009;14:17
39. Nieboer TE, Johnson N, Lethaby A, Tavender E, Curr E, Garry R, van Voorst S, Mol BW, Kluivers KB. Surgical approach to hysterectomy for benign gynaecological disease. *Cochrane Database Syst Rev* 2009;3:CD003677

40. Penninx JP, Vinken PG, Porath MM. Management of pregnancy in a carrier of the Donohue mutation. *Prenat Diagn* 2009;29:630-1
41. Penninx JP, Mol BW, Bongers MY. Endometrial ablation with paracervical block. *J Reprod Med* 2009;54:617-620
41. Persoon MC, Scherpbier AJ, Oei SG, Meijerink WJ, Schijven MP, Schout B, Beerlage HP, Hendriks AJ. Zonder patiënt laparoscopisch leren opereren. *Ned Tijdschr Geneesk*. 2009;153:60-62
42. Rabotti C, Mischi M, van Laar JH, Oei SG, Bergmans JW. Inter-electrode delay estimators for electrohysterographic propagation analysis. *Physiol Meas* 2009;30:745-761
43. Rabotti C, Mischi M, van Laar JH, Oei SG, Bergmans JW. Myometrium electromechanical modeling for internal uterine pressure estimation by electrohysterography. *Conf Proc IEEE Eng Med Biol Soc* 2009;1:6259-6262
44. van Riemsdijk VM, Graziosi GC, Veersema, Bongers MY. Vaginal myoma expulsion after NovaSure endometrial ablation. *J Minim Invasive Gynecol* 2009;16:496-497
45. Ringrose R, Houterman S, Koops W, Oei SG. Burnout in medical residents: a questionnaire and interview study. *Psychol Health Med* 2009;14:476-486
46. Roos C, Scheepers LH, Bloemenkamp KW, Bolte A, Cornette J, Derks JB, Duvekot HJ, van Eyck J, Kok JH, Kwee A, Merién A, Opmeer BC, van Pampus MG, Papatsonis DN, Porath MM, van der Post JA, Scherjon SA, Sollie K, Spaanderman ME, Vijgen SM, Willekes C, Mol BW, Lotgering FK. Assessment of perinatal outcome after sustained tocolysis in early labour (APOSTEL-II trial). *BMC Pregnancy Childbirth* 2009;9:42
47. Thangaratinam S, Barnfield G, Weinbrenner S, Meyerrose B, Arvanitis TN, Horvath AR, Zanrei G, Kunz R, Suter K, Walczak J, Kaleta A, Oude Rengerink K, Gee H, Mol BW, Khan KS. Teaching trainers to incorporate evidence-based medicine (EBM) teaching in clinical practice: the EU-EBM project. *BMC Med Educ* 2009;9:59
48. Timmermans A, Veersema S, van Kerkvoorde TC, van der Voet LF, Opmeer BC, Bongers MY, Mol BW. Should endometrial polyps be removed in patients with postmenopausal bleeding? - an assessment of study designs and report of a failed randomised controlled trial (ISRCTN73825127). *BJOG* 2009; 116:1391-1395
49. Ungureanu GM, Bergmans JW, Oei SG, Ungureanu A, Wolf W. The event synchronous canceller algorithm removes maternal ECG from abdominal signals without affecting the fetal ECG. *Comput Biol Med* 2009;39:562-567
50. Ungureanu GM, Bergmans JW, Oei SG, Ungureanu A, Wolf W. Comparison and evaluation of existing methods for the extraction of low amplitude electrocardio-graphic signals: a possible approach to transabdominal fetal ECG. *Biomed Tech (Berl)* 2009;54:66-75
51. Veersema S, Mol BW, Brölmann HA. Reproducibility of the interpretation of pelvic x-ray 3 months after hysteroscopic sterilization with Essure. *Fertil Steril* 2009 (**Epub**)
52. Vellekoop J, Vrouwenraets FP, van der Steeg JW, Mol BW, Roumen FJ. Indications and results of labour induction in nulliparous women: An interview among obstetricians, residents and clinical midwives. *Eur J Obstet Gynecol Reprod Biol* 2009;146:156-159
53. Verhoeven CJ, Oudenaarden A, Hermus MA, Porath MM, Oei SG, Mol BW. Validation of models that predict Cesarean section after induction of labor. *Ultrasound Obstet Gynecol* 2009;34:316-321

54. Vinken MP, Rabotti C, Mischi M, Oei SG. Accuracy of frequency-related parameters of the electrohysterogram for predicting preterm delivery: a review of the literature. *Obstet Gynecol Surv* 2009;64:529-541
55. Vis JY, Wilms FF, Oudijk MA, Porath MM, Scheepers HC, Bloemenkamp KW, Bolte AC, Cornette J, Derks JB, Duvekot JJ, van Eyck J, Kwee A, Opmeer BC, van Pampus MG, Lotgering FK, Scherjon SA, Sollie KM, Spaanderman ME, Willekes C, van der Post JA, Mol BW. Cost-effectiveness of fibronectin testing in a triage in women with threatened preterm labor: alleviation of pregnancy outcome by suspending tocolysis in early labor (APOSTEL-I trial). *BMC Pregnancy Childbirth* 2009;9:38
56. Vullings R, Peters CH, Sluijter RJ, Mischi M, Oei SG, Bergmans JW. Dynamic segmentation and linear prediction for maternal ECG removal in antenatal abdominal recordings. *Physiol Meas* 2009;30:291-307
57. Westerhuis ME, Strasser SM, Moons KG, Mol BW, Visser GH, Kwee A. Foetale bewaking intrapartum: van stethoscoop naar ST analyse van het ECG. *Ned Tijdschr Geneeskd.* 2009; 153:B259
58. Wijnen HA, Kooistra L, Vader HL, Essed GG, Mol BW, Pop VJ. Maternal thyroid hormone concentration during late gestation is associated with foetal position at birth. *Clin Endocrinol (Oxf)* 2009;71:746-751
59. Wilms FF, van Stralen G, Porath MM, Papatsonis DN, Oei SG, Mol BW, Scherjon S. Voorspellen van dreigende vroeggeboorte door middel van bepaling van foetaal fibronectine in vaginaal vocht. *Ned Tijdschr Geneeskd.* 2009;153:B398

Ziekenhuisfarmacie

1. de Klaver PA, de Koning J, Janssen RP, Derijks LJ. High systemic gentamicin levels and ototoxicity after implantation of gentamicin beads in a 70-year-old man-a case report. *Acta Orthop* 2009;80:734-6

Overige buitengewone stafleden

1. van der Aa MA, Siesling S, van de Poll-Franse LV, Schutter EM, Lybeert ML, Coebergh JW. Age-specific differences in the treatment of cervical cancers in the east and the south of the Netherlands 1989-2004. *Eur J Obstet Gynecol Reprod Biol* 2009;147:78-82
2. van den Belt-Dusebout AW, Aleman BM, Besseling G, de Bruin ML, Hauptmann M, van 't Veer MB, de Wit R, Ribot JG, Noordijk EM, Kerst JM, Gietema JA, van Leeuwen FE. Roles of radiation dose and chemotherapy in the etiology of stomach cancer as a second malignancy. *Int J Radiat Oncol Biol Phys* 2009;75:1420-1429
3. Jansen-Landheer ML, Krijnen P, Oostindiër MJ, Kloosterman-Boele WM, Noordijk EM, Nooij MA, Steup WH, Taminiau AH, Vree R, Hogendoorn PC, Tollenaar RA, Gelderblom H. Improved diagnosis and treatment of soft tissue sarcoma patients after implementation of national guidelines: a population-bases study. *Eur J Surg Oncol* 2009;35:1326-1332
4. Vulto A, van Bommel M, Poortmans P, Lybeert ML, Louwman M, Baart R, Coebergh JW. General practitioners and referral for palliative radiotherapy: a population-based survey. *Radiother Oncol* 2009;91:267-270
5. Vulto JC, Lybeert ML, Louwman MW, Poortmans PM, Coebergh JW. Population-based study of trends and variations in radiotherapy as part of primary treatment of cancer in the southern Netherlands between 1988 and 2006, with an emphasis on breast and rectal cancer. *Int J Radiat Oncol Biol Phys* 2009;74:461-471

Laatst bijgewerkt: 17 september 2010