

WETENSCHAPPELIJKE PUBLICATIES 2015

- (1) Achttien RJ, Vromen T, Staal JB, Peek N, Spee RF*, Niemeijer VM, Kemps HM*, multidisciplinary expert panel. Development of evidence-based clinical algorithms for prescription of exercise-based cardiac rehabilitation. *Neth Heart J* 2015 Oct 19.
- (2) Albisinni S, Rassweiler J, Abbou CC, Cathelineau X, Chlosta P, Fossion L*, Gaboardi F, Rimington P, Salomon L, Sanchez-Salas R, Stolzenburg JU, Teber D, van Velthoven R. Long-term analysis of oncological outcomes after laparoscopic radical cystectomy in Europe: results from a multicentre study by the European Association of Urology (EAU) section of Uro-technology. *BJU Int* 2015 Jun;115(6):937-945.
- (3) van T. Assen. Anterior cutaneous nerve entrapment syndrome : epidemiology and surgical management. Maastricht: Maastricht University; 2015.
- (4) Ayez N, van der Stok EP, de Wilt H, Radema SA, van Hillegersberg R, Roumen RM*, Vreugdenhil G*, Tanis PJ, Punt CJ, Dejong CH, Jansen RL, Verheul HM, de Jong KP, Hospers GA, Klaase JM, Legdeur MC, van Meerten E, Eskens FA, van der Meer N, van der Holt B, Verhoef C, Grunhagen DJ. Neo-adjuvant chemotherapy followed by surgery versus surgery alone in high-risk patients with resectable colorectal liver metastases: the CHARISMA randomized multicenter clinical trial. *BMC Cancer* 2015 Mar 26;15:180-015-1199-8.
- (5) Banga FR*, Fransen AF*, Oei SG*. Unannounced simulation of obstetric emergencies: safe for medical staff? *Ned Tijdschr Geneesk* 2015;159:A8635.
- (6) Beek MA, Verheuveel NC, Luiten EJ, Klompenhouwer EG, Rutten HJ, Roumen RM*, Gobardhan PD, Voogd AC. Two decades of axillary management in breast cancer. *Br J Surg* 2015 Dec;102(13):1658-1664.
- (7) Beijers AJ*, Verhulst AL*, Mols F, Vreugdenhil G*. Comment on: 'Subgroup effects in a randomized trial of different types and doses of exercise during breast cancer chemotherapy'. *Br J Cancer* 2015 May 26;112(11):1835.
- (8) Beijers AJ*, Vreugdenhil G*, Oerlemans S, Eurelings M, Minnema MC, Eeltink CM, van de Poll-Franse LV, Mols F. Chemotherapy-induced neuropathy in multiple myeloma: influence on quality of life and development of a questionnaire to compose common toxicity criteria grading for use in daily clinical practice. *Support Care Cancer* 2015 Dec 3.
- (9) Bendsdorp AJ, Tjon-Kon-Fat RI, Bossuyt PM, Koks CA*, Oosterhuis GJ, Hoek A, Hompes PG, Broekmans FJ, Verhoeve HR, de Bruin JP, van Golde R, Repping S, Cohlen BJ, Lambers MD, van Bommel PF, Slappendel E, Perquin D, Smeenk JM, Pelinck MJ, Gianotten J, Hoozemans DA, Maas JW*, Eijkemans MJ, van der Veen F, Mol BW, van Wely M. Prevention of multiple pregnancies in couples with unexplained or mild male subfertility: randomised controlled trial of in vitro fertilisation with single embryo transfer or in vitro fertilisation in modified natural cycle compared with intrauterine insemination with controlled ovarian hyperstimulation. *BMJ* 2015 Jan 9;350:g7771.
- (10) Beuschlein F, Weigel J, Saeger W, Kroiss M, Wild V, Daffara F, Libe R, Ardito A, Al Ghuzlan A, Quinkler M, Osswald A, Ronchi CL, de Krijger R, Feelders RA, Waldmann J, Willenberg HS, Deutschbein T, Stell A, Reincke M, Papotti M, Baudin E, Tissier F, Haak HR*, Loli P, Terzolo M, Allolio B, Muller HH, Fassnacht M. Major prognostic role of Ki67 in localized adrenocortical carcinoma after complete resection. *J Clin Endocrinol Metab* 2015 Mar;100(3):841-849.
- (11) O. B. *. Boelens. The Anterior Cutaneous Nerve Entrapment Syndrome. A protocol for diagnosing and treating patients with abdominal pain due to ACNES. Nijmegen: Radboud Universiteit; 2015.

- (12) Bok, L.*, van Karnebeek, C. Pyridoxineafhankelijke epilepsie. *Praktische Pediatrie* 2014(1):27-31.
- (13) Bongers M*, Brolmann H, Gupta J, Garza-Leal JG, Toub D. Transcervical, intrauterine ultrasound-guided radiofrequency ablation of uterine fibroids with the VizAblate(R) System: three- and six-month endpoint results from the FAST-EU study. *Gynecol Surg* 2015;12(1):61-70.
- (14) Bongers MY*. Hysteroscopy and heavy menstrual bleeding (to cover TCRE and second-generation endometrial ablation). *Best Pract Res Clin Obstet Gynaecol* 2015 Oct;29(7):930-939.
- (15) Broekhuijsen K, van Baaren GJ, van Pampus MG, Ganzevoort W, Sikkema JM, Woiski MD, Oudijk MA, Bloemenkamp KW, Scheepers HC, Bremer HA, Rijnders RJ, van Loon AJ, Perquin DA, Sporcken JM, Papatsonis DN, van Huizen ME, Vredevoogd CB, Brons JT, Kaplan M, van Kaam AH, Groen H, Porath MM*, van den Berg PP, Mol BW, Franssen MT, Langenveld J, HYPITAT-II study group. Immediate delivery versus expectant monitoring for hypertensive disorders of pregnancy between 34 and 37 weeks of gestation (HYPITAT-II): an open-label, randomised controlled trial. *Lancet* 2015 Mar 24.
- (16) Broos PP, 't Mannetje YW, Loos MJ*, Scheltinga MR*, Bouwman LH, Cuypers PW, van Sambeek MR, Teijink JA. A ruptured abdominal aortic aneurysm that requires preoperative cardiopulmonary resuscitation is not necessarily lethal. *J Vasc Surg* 2015 Sep 29.
- (17) Brouns SH*, Stassen PM, Lambooi SL, Dieleman J*, Vanderfeesten IT, Haak HR*. Organisational Factors Induce Prolonged Emergency Department Length of Stay in Elderly Patients--A Retrospective Cohort Study. *PLoS One* 2015 Aug 12;10(8):e0135066.
- (18) Bruijn M, Vis JY, Wilms FF, Oudijk MA, Kwee A, Porath MM*, Oei G*, Scheepers H, Spaanderman M, Bloemenkamp K, Haak MC, Bolte AC, Vandenbussche F, Woiski MD, Bax CJ, Cornette J, Duvekot JJ, Nij Bijvanck B, van Eyck J, Franssen M, Sollie KM, van der Post J, Bossuyt P, Opmeer BC, Kok M, Mol B, van Baaren GJ. Quantitative fetal fibronectin testing in combination with cervical length measurement in the prediction of spontaneous preterm delivery in symptomatic women. *BJOG* 2015 Dec 15.
- (19) Bullens LM, van Runnard Heimel PJ*, van der Hout-van der Jagt, M.B.*, Oei SG*. Interventions for Intrauterine Resuscitation in Suspected Fetal Distress During Term Labor: A Systematic Review. *Obstet Gynecol Surv* 2015 Aug;70(8):524-539.
- (20) Chen W, Bambang Oetomo S*, Tetteroo D, Versteegh F, Mamagkaki T, Serras Pereira M, Janssen L, van Meurs A. Mimo pillow-an intelligent cushion designed with maternal heart beat vibrations for comforting newborn infants. *IEEE J Biomed Health Inform* 2015 May;19(3):979-985.
- (21) Claes GR, van Tienen FH, Lindsey P, Krapels IP, Helderma-van den Enden AT, Hoos MB, Barrois YE, Janssen JW, Paulussen AD, Sels JE, Kuijpers SH*, van Tintelen JP, van den Berg MP, Heesen WF, Garcia-Pavia P, Perrot A, Christiaans I, Salemink S, Marcelis CL, Smeets HJ, Brunner HG, Volders PG, van den Wijngaard A. Hypertrophic remodelling in cardiac regulatory myosin light chain (MYL2) founder mutation carriers. *Eur Heart J* 2015 Oct 24.
- (22) Coene KL, Demir A, Broeren MA*, Verschuure P, Lentjes EG, Boer AK. Subclinical hypothyroidism: a 'laboratory-induced' condition? *Eur J Endocrinol* 2015 Jul 28.
- (23) Coenen MJ, de Jong DJ, van Marrewijk CJ, Derijks LJ*, Vermeulen SH, Wong DR, Klungel OH, Verbeek AL, Hooymans PM, Peters WH, te Morsche RH, Newman WG, Scheffer H, Guchelaar HJ, Franke B, TOPIC Recruitment Team. Identification of Patients With Variants in TPMT and Dose Reduction Reduces Hematologic Events During Thiopurine Treatment of Inflammatory Bowel Disease. *Gastroenterology* 2015 Oct;149(4):907-17.e7.

(24) Coomarasamy A, Williams H, Truchanowicz E, Seed PT, Small R, Quenby S, Gupta P, Dawood F, Koot YE, Bender Atik R, Bloemenkamp KW, Brady R, Briley AL, Cavallaro R, Cheong YC, Chu JJ, Eapen A, Ewies A, Hoek A, Kaaijk EM, Koks CA*, Li TC, MacLean M, Mol BW, Moore J, Ross JA, Sharpe L, Stewart J, Vaithilingam N, Farquharson RG, Kilby MD, Khalaf Y, Goddijn M, Regan L, Rai R. A Randomized Trial of Progesterone in Women with Recurrent Miscarriages. *N Engl J Med* 2015 Nov 26;373(22):2141-2148.

(25) de Bruijn JA*, van Zantvoort AP*, Winkes MB, Raaymakers L, van der Crujisen-Raaijmakers M, Hoogeveen AR*, Scheltinga MR*. Feasibility and Safety of an Operative Tool for Anterior Chronic Exertional Compartment Syndrome Treatment. *Foot Ankle Int* 2015 Jul 28.

(26) de Jong PG, Quenby S, Bloemenkamp KW, Braams-Lisman BA, de Bruin JP, Coomarasamy A, David M, DeSancho MT, van der Heijden OW, Hoek A, Hutten BA, Jochmans K, Koks CA*, Kuchenbecker WK, Mol BW, Torrance HL, Scheepers HC, Stephenson MD, Verhoeve HR, Visser J, de Vries JI, Goddijn M, Middeldorp S. ALIFE2 study: low-molecular-weight heparin for women with recurrent miscarriage and inherited thrombophilia - study protocol for a randomized controlled trial. *Trials* 2015 May 7;16(1):208.

(27) de Meij TG, van der Schee MP, Berkhout DJ, van de Velde ME, Jansen AE, Kramer BW, van Weissenbruch MM, van Kaam AH, Andriessen P*, van Goudoever JB, Niemarkt HJ, de Boer NK. Early Detection of Necrotizing Enterocolitis by Fecal Volatile Organic Compounds Analysis. *J Pediatr* 2015 Sep;167(3):562-7.e1.

(28) Fassnacht M, Berruti A, Baudin E, Demeure MJ, Gilbert J, Haak H*, Kroiss M, Quinn DI, Hesseltine E, Ronchi CL, Terzolo M, Choueiri TK, Poondru S, Fleege T, Rorig R, Chen J, Stephens AW, Worden F, Hammer GD. Linsitinib (OSI-906) versus placebo for patients with locally advanced or metastatic adrenocortical carcinoma: a double-blind, randomised, phase 3 study. *Lancet Oncol* 2015 Apr;16(4):426-435.

(29) H. J. Fokkenrood. Innovative strategies for intermittent claudication : towards a stepped care approach and new outcome measures. Maastricht: Maastricht University; 2015.

(30) Fokkenrood HJ*, van den Houten MM, Houterman S, Breek JC, Scheltinga MR*, Teijink JA. Agreements and discrepancies between the estimated walking distance, nongraded and graded treadmill testing, and outside walking in patients with intermittent claudication. *Ann Vasc Surg* 2015 Aug;29(6):1218-1224.

(31) Fokkenrood HJ, Lauret GJ, Verhofstad N, Bendermacher BL, Scheltinga MR*, Teijink JA. The effect of supervised exercise therapy on physical activity and ambulatory activities in patients with intermittent claudication. *Eur J Vasc Endovasc Surg* 2015 Feb;49(2):184-191.

(32) Freeman LM, Bloemenkamp KW, Franssen MT, Papatsonis DN, Hajenius PJ, Hollmann MW, Woiski MD, Porath M*, van den Berg HJ, van Beek E, Borchert OW, Schuitemaker N, Sikkema JM, Kuipers AH, Logtenberg SL, van der Salm PC, Oude Rengerink K, Lopriore E, van den Akker-van Marle ME, le Cessie S, van Lith JM, Struys MM, Mol BW, Dahan A, Middeldorp JM. Patient controlled analgesia with remifentanyl versus epidural analgesia in labour: randomised multicentre equivalence trial. *BMJ* 2015 Feb 23;350:h846.

(33) Fuchs MC*, Janssen RP*. Clinical evaluation of 292 Genesis II posterior stabilized high-flexion total knee arthroplasty: range of motion and predictors. *Eur J Orthop Surg Traumatol* 2015 Jan;25(1):161-166.

(34) Gommans LN, Scheltinga MR, van Sambeek MR, Maas AH, Bendermacher BL, Teijink JA. Gender differences following supervised exercise therapy in patients with intermittent claudication. *J Vasc Surg* 2015 Sep;62(3):681-688.

(35) Gottgens KW, Janssen PT, Heemskerk J, van Dielen FM*, Konsten JL, Lettinga T, Hoofwijk AG, Belgers HJ, Stassen LP, Breukink SO. Long-term outcome of low perianal fistulas treated by fistulotomy: a multicenter study. *Int J Colorectal Dis* 2014 Nov 25.

(36) Halbertsma FJ*, Mohns T*, Bok LA*, Niemarkt HJ*, Kramer BW. Prevalence of systemic air-embolism after prolonged cardiopulmonary resuscitation in newborns: A pilot study. *Resuscitation* 2015 Aug;93:96-101.

(37) Hennink SD, van der Meulen-de Jong AE, Wolterbeek R, Crobach AS, Becx MC, Crobach WF, van Haastert M, Ten Hove WR, Kleibeuker JH, Meijssen MA, Nagengast FM, Rijk MC, Salemans JM*, Stronkhorst A, Tuynman HA, Vecht J, Verhulst ML*, de Vos Tot Nederveen Cappel, W.H., Walinga H, Weinhardt OK, Westerveld D, Witte AM, Wolters HJ, Cats A, Veenendaal RA, Morreau H, Vasen HF. Randomized Comparison of Surveillance Intervals in Familial Colorectal Cancer. *J Clin Oncol* 2015 Nov 2.

(38) Hermans FJ, Bruijn MM, Vis JY, Wilms FF, Oudijk MA, Porath MM*, Scheepers HC, Bloemenkamp KW, Bax CJ, Cornette JM, Nij Bijvanck BW, Franssen MT, Vandenbussche FP, Kok M, Grobman WA, Van Der Post JA, Bossuyt PM, Opmeer BC, Mol BW, Schuit E, Van Baaren GJ. Risk stratification with cervical length and fetal fibronectin in women with threatened preterm labor before 34 weeks and not delivering within 7 days. *Acta Obstet Gynecol Scand* 2015 Jul;94(7):715-721.

(39) Holtzer-Goor KM, Schaafsma MR, Joosten P, Posthuma EF, Wittebol S, Huijgens PC, Mattijssen EJ, Vreugdenhil G*, Visser H, Peters WG, Erjavec Z, Wijermans PW, Daenen SM, van der Hem KG, van Oers MH, Uyl-de Groot CA. Quality of life of patients with chronic lymphocytic leukaemia in the Netherlands: results of a longitudinal multicentre study. *Qual Life Res* 2015 Dec;24(12):2895-2906.

(40) Homan J, Bokkerink GM, Aarts MJ, Lemmens VE, van Lijnschoten G*, Rutten HJ, Wijsman JH, Nagtegaal ID, de Wilt JH. Variation in circumferential resection margin: Reporting and involvement in the South-Netherlands. *Eur J Surg Oncol* 2015 Jul 29.

(41) Hu J, Lomanto D, Dumanian G, Cheesborough J, Ponten J, Hameeteman M, Nienhuijs S, Zahiri H, Benenati M, Sibia U, Sivak B, Park A, Belyansky I, Huang CS, Verhagen T*, Loos MJ*, Scheltinga MR*, Roumen RM*, Morfesis F, Rose B, Zarrinkhoo E, Towfigh S, Miller J, Campanella AM, Licheri S, Barbarossa M, Porceddu G, Ferraro G, Viridis F, Reccia I, Aresu S, Pisanu A. Rectum Diastasis, Post Partum Floppy Wall & Obscure Groin Pain in Women. *Hernia* 2015 Apr;19 Suppl 1:S73-6.

(42) Husson O, Mols F, Ezendam NP, Schep G*, van de Poll-Franse LV. Health-related quality of life is associated with physical activity levels among colorectal cancer survivors: a longitudinal, 3-year study of the PROFILES registry. *J Cancer Surviv* 2015 Jan 9.

(43) Husson O, Mols F, van de Poll-Franse L, de Vries J, Schep G*, Thong MS. Variation in fatigue among 6011 (long-term) cancer survivors and a normative population: a study from the population-based PROFILES registry. *Support Care Cancer* 2015 Jul;23(7):2165-2174.

(44) Husson O, Oerlemans S, Mols F, Schep G*, Van De Poll-Franse LV. High levels of physical activity are associated with lower levels of fatigue among lymphoma patients: Results from the longitudinal PROFILES registry. *Acta Oncol* 2015 May;54(5):678-684.

(45) Hutten MC, Goos TG, Ophelders D, Nikiforou M, Kuypers E, Willems M, Niemarkt HJ, Dankelman J, Andriessen P*, Mohns T*, Reiss IK, Kramer BW. Fully automated predictive intelligent control of oxygenation (PRICO) in resuscitation and ventilation of preterm lambs. *Pediatr Res* 2015 Dec;78(6):657-663.

(46) Jansen SC*, Groeneveld-Haenen CP*, Klinkhamer PJ*, Roumen RM*. Spontaneous regression and recurrence of stage III Merkel cell carcinoma. *BMJ Case Rep* 2015 Feb 25;2015:10.1136/bcr-2014-208344.

- (47) Janssen RP*, van der Velden MJ, van den Besselaar M, Reijman M. Prediction of length and diameter of hamstring tendon autografts for knee ligament surgery in Caucasians. *Knee Surg Sports Traumatol Arthrosc* 2015 Jun 28.
- (48) Jellema RK, Ophelders DR, Zwanenburg A, Nikiforou M, Delhaas T, Andriessen P*, Mays RW, Deans R, Germeraad WT, Wolfs TG, Kramer BW. Multipotent adult progenitor cells for hypoxic-ischemic injury in the preterm brain. *J Neuroinflammation* 2015 Dec 23;12(1):241-015-0459-5.
- (49) Kaandorp JJ, Benders MJ, Schuit E, Rademaker CM, Oudijk MA, Porath MM*, Oetomo SB*, Wouters MG, van Elburg RM, Franssen MT, Bos AF, de Haan TR, Boon J, de Boer IP, Rijnders RJ, Jacobs CJ, Scheepers LH, Gavilanes DA, Bloemenkamp KW, Rijken M, van Meir CA, von Lindern JS, Huisjes AJ, Bakker SC, Mol BW, Visser GH, Van Bel F, Derks JB. Maternal allopurinol administration during suspected fetal hypoxia: a novel neuroprotective intervention? A multicentre randomised placebo controlled trial. *Arch Dis Child Fetal Neonatal Ed* 2015 May;100(3):F216-23.
- (50) Kampshoff CS, Chinapaw MJ, Brug J, Twisk JW, Schep G*, Nijziel MR*, van Mechelen W, Buffart LM. Randomized controlled trial of the effects of high intensity and low-to-moderate intensity exercise on physical fitness and fatigue in cancer survivors: results of the Resistance and Endurance exercise After ChemoTherapy (REACT) study. *BMC Med* 2015 Oct 29;13:275-015-0513-2.
- (51) Kerkhofs TM*, Derijks LJ*, Ettaieb H*, den Hartigh J, Neef K, Gelderblom H, Guchelaar HJ, Haak HR*. Development of a pharmacokinetic model of mitotane: toward personalized dosing in adrenocortical carcinoma. *Ther Drug Monit* 2015 Feb;37(1):58-65.
- (52) Kerkhofs TM*, Ettaieb MH*, Hermsen IG*, Haak HR*. Developing treatment for adrenocortical carcinoma. *Endocr Relat Cancer* 2015 Dec;22(6):R325-38.
- (53) Kerkhofs TM*, Kerstens MN, Kema IP, Willems TP, Haak HR*. Diagnostic Value of Urinary Steroid Profiling in the Evaluation of Adrenal Tumors. *Horm Cancer* 2015 Aug;6(4):168-175.
- (54) Kerkhofs TM*, Roumen RM*, Demeyere TB*, van der Linden AN*, Haak HR*. Adrenal tumors with unexpected outcome: a review of the literature. *Int J Endocrinol* 2015;2015:710514.
- (55) Thomas Maria Anthonie Kerkhofs . Adrenocortical carcinoma : a study on epidemiology diagnostics and treatment of a rare endocrine malignancy. Maastricht; Maastricht: Maastricht University ; Maastricht University Library [host]; 12 november 2015.
- (56) Kerstens HC*. Dissertations 25 years after date 43. Temporomandibular joint dysfunction and condylar resorption following orthognathic surgery. *Ned Tijdschr Tandheelkd* 2015 Dec;122(12):669-673.
- (57) Kerstjens JM, Nijhuis A, Hulzebos CV, van Imhoff DE, van Wassenaer-Leemhuis AG, van Haastert IC, Lopriore E, Katgert T*, Swarte RM, van Lingen RA, Mulder TL, Laarman CR, Steiner K, Dijk PH. The Ages and Stages Questionnaire and Neurodevelopmental Impairment in Two-Year-Old Preterm-Born Children. *PLoS One* 2015 Jul 20;10(7):e0133087.
- (58) Kim HK, Rutten NB, Besseling-van der Vaart I, Niers LE*, Choi YH, Rijkers GT, van Hemert S. Probiotic supplementation influences faecal short chain fatty acids in infants at high risk for eczema. *Benef Microbes* 2015 Dec;6(6):783-790.
- (59) Koks CA*, Garg AD, Ehrhardt M, Riva M, Vandenberg L, Boon L, Vleeschouwer SD, Agostinis P, Graf N, Van Gool SW. Newcastle disease virotherapy induces long-term survival and tumor-specific immune memory in orthotopic glioma through the induction of immunogenic cell death. *Int J Cancer* 2015 Mar 1;136(5):E313-25.

(60) Kommers D*, Oei G*, Chen W, Feijs L, Bambang Oetomo S*. Suboptimal bonding impairs hormonal, epigenetic and neuronal development in preterm infants, but these impairments can be reversed. *Acta Paediatr* 2015 Oct 30.

(61) Kubota T, Mizuta T, Katagiri H, Shimaguchi M, Okumura K, Sakamoto T, Sakata T, Kunisaki S, Matsumoto R, Nishida K, Schaprynsky V, Vorovsky O, Romanchuk V, Basta M, Fischer J, Wink J, Kovach S, Tan WB, Tang SW, Clara ES, Hu J, Wijerathne S, Cheah WK, Shabbir A, Lomanto D, Siawash M, de Jager-Kieviet JW, Tjon A Ten W*, Roumen RM*, Scheltinga MR*, van Assen T, Boelens OB, van Eerten PV, Perquin C, DeAsis F, Salabat M, Leung D, Schindler N, Robicsek A, Denham W, Ujiki M, Bauder A, Mackay D, Maggiori L, Moszkowicz D, Zappa M, Mongin C, Panis Y, Kohler G, Hofmann A, Lechner M, Mayer F, Emmanuel K, Fortelny R, Gruber-Blum S, May C, Glaser K, Redl H, Petter-Puchner A, Narang S, Alam N, Campain N, McGrath J, Daniels IR, Smart NJ. Complex Cases in Abdominal Wall Repair and Prophylactic Mesh. *Hernia* 2015 Apr;19 Suppl 1:S133-7.

(62) Lange TS, Roos C, Bloemenkamp KW, Bolte AC, Duvekot JJ, Franssen MT, Kok M, Oudijk MA, Porath MM, van der Post JA, Mol BW. Impact of a randomized trial on maintenance tocolysis on length of hospital admission of women with threatened preterm labor in The Netherlands. *Eur J Obstet Gynecol Reprod Biol* 2015 Mar;186:8-11.

(63) Libe R, Borget I, Ronchi CL, Zaggia B, Kroiss M, Kerkhofs T*, Bertherat J, Volante M, Quinkler M, Chabre O, Bala M, Tabarin A, Beuschlein F, Vezzosi D, Deutschbein T, Borson-Chazot F, Hermsen I*, Stell A, Fottner C, Leboulleux S, Hahner S, Mannelli M, Berruti A, Haak H*, Terzolo M, Fassnacht M, Baudin E, ENSAT network. Prognostic factors in stage III-IV adrenocortical carcinomas (ACC): an European Network for the Study of Adrenal Tumor (ENSAT) study. *Ann Oncol* 2015 Oct;26(10):2119-2125.

(64) Lips LM, Cremers PT*, Pickhardt PJ, Cremers SE, Janssen-Heijnen ML, de Witte MT, Simons PC. Sigmoid cancer versus chronic diverticular disease: differentiating features at CT colonography. *Radiology* 2015 Apr;275(1):127-135.

(65) Lips MA, Van Klinken JB, van Harmelen V, Dharuri HK, 't Hoen PA, Laros JF, van Ommen GJ, Janssen IM, Van Ramshorst B, Van Wagenveld BA, Swank DJ, Van Dielen F*, Dane A, Harms A, Vreeken R, Hankemeier T, Smit JW, Pijl H, Willems van Dijk K. Roux-en-Y gastric bypass surgery, but not calorie restriction, reduces plasma branched-chain amino acids in obese women independent of weight loss or the presence of type 2 diabetes. *Diabetes Care* 2014 Dec;37(12):3150-3156.

(66) Lobbezoo DJ*, van Kampen RJ, Voogd AC, Dercksen MW*, van den Berkmortel F, Smilde TJ, van de Wouw AJ, Peters FP, van Riel JM, Peters NA, de Boer M, Peer PG, Tjan-Heijnen VC. Prognosis of metastatic breast cancer: are there differences between patients with de novo and recurrent metastatic breast cancer? *Br J Cancer* 2015 Apr 28;112(9):1445-1451.

(67) Lobbezoo DJ*, van Kampen RJ, Voogd AC, Dercksen MW*, van den Berkmortel F, Smilde TJ, van de Wouw AJ, Peters FP, van Riel JM, Peters NA, de Boer M, Peer PG, Tjan-Heijnen VC. In real life, one-quarter of patients with hormone receptor positive metastatic breast cancer receive chemotherapy as initial palliative therapy A study of the Southeast Netherlands Breast Cancer Consortium. *Ann Oncol* 2015 Nov 16.

(68) Loos MJ*, Scheer M, van der Vliet JA, Warle MC. Ruptured Iliac Artery Aneurysm Presenting as Acute Right Heart Failure and Cardiac Arrest. *Ann Vasc Surg* 2014 Nov 22.

(69) Maas AH*, Rozendaal YJ, van Pul C*, Hilbers PA, Cottaar WJ, Haak HR*, van Riel NA. A physiology-based model describing heterogeneity in glucose metabolism: the core of the Eindhoven Diabetes Education Simulator (E-DES). *J Diabetes Sci Technol* 2015 Mar;9(2):282-292.

- (70) Meems M, Truijens S*, Spek V, Visser LH, Pop VJ. Prevalence, course and determinants of carpal tunnel syndrome symptoms during pregnancy: a prospective study. *BJOG* 2015 Jul;122(8):1112-1118.
- (71) Mol BW, Logtenberg SL, Verhoeven CJ*, Bloemenkamp KW, Papatsonis DN, Bakker JJ, van der Post JA. Does measurement of intrauterine pressure have predictive value during oxytocin-augmented labor? *J Matern Fetal Neonatal Med* 2015 Dec 23:1-4.
- (72) Mol F, van Mello NM, Strandell A, Jurkovic D, Ross JA, Yalcinkaya TM, Barnhart KT, Verhoeve HR, Graziosi GC, Koks CA*, Mol BW, Ankum WM, van der Veen F, Hajenius PJ, van Wely M, European Surgery in Ectopic Pregnancy (ESEP) study group. Cost-effectiveness of salpingotomy and salpingectomy in women with tubal pregnancy (a randomized controlled trial). *Hum Reprod* 2015 Sep;30(9):2038-2047.
- (73) Mols F, Beijers AJ*, Vreugdenhil G*, Verhulst A, Schep G*, Husson O. Chemotherapy-induced peripheral neuropathy, physical activity and health-related quality of life among colorectal cancer survivors from the PROFILES registry. *J Cancer Surviv* 2015 Apr 16.
- (74) Monen L, Kuppens SM, Hasaart TH, Oosterbaan HP, Oei SG*, Wijnen H, Hutton EK, Vader HL*, Pop VJ. Maternal thyrotropin is independently related to small for gestational age neonates at term. *Clin Endocrinol (Oxf)* 2015 Feb;82(2):254-259.
- (75) Monen L, Pop VJ, Hasaart TH, Wijnen H, Oei SG*, Kuppens SM. Increased maternal TSH and decreased maternal FT4 are associated with a higher operative delivery rate in low-risk pregnancies: A prospective cohort study. *BMC Pregnancy Childbirth* 2015 Oct 16;15(1):267-015-0702-1.
- (76) Nicolaije KA, Ezendam NP, Vos MC, Pijnenborg JM, Boll D, Boss EA*, Hermans RH, Engelhart KC, Haartsen JE, Pijlman BM, van Loon-Baelemans IE, Mertens HJ, Nolting WE, van Beek JJ, Roukema JA, Zijlstra WP, Kruitwagen RF, van de Poll-Franse LV. Impact of an Automatically Generated Cancer Survivorship Care Plan on Patient-Reported Outcomes in Routine Clinical Practice: Longitudinal Outcomes of a Pragmatic, Cluster Randomized Trial. *J Clin Oncol* 2015 Nov 1;33(31):3550-3559.
- (77) Niemarkt HJ*, de Meij TG, van de Velde ME, van der Schee MP, van Goudoever JB, Kramer BW, Andriessen P*, de Boer NK. Necrotizing enterocolitis: a clinical review on diagnostic biomarkers and the role of the intestinal microbiota. *Inflamm Bowel Dis* 2015 Feb;21(2):436-444.
- (78) Niemeijer VM*, Spee RF*, Jansen JP, Buskermolen AB, van Dijk T, Wijn PF*, Kemps HM*. Test-retest reliability of skeletal muscle oxygenation measurements during submaximal cycling exercise in patients with chronic heart failure. *Clin Physiol Funct Imaging* 2015 Jul 3.
- (79) Anke Nieuwesteeg. Parent-child interactions and parenting stress in families with a young child with type 1 diabetes University Tilburg; 16 september 2015.
- (80) Nyklicek I, Hoogwegt F*, Westgeest T*. Psychological distress across twelve months in patients with rheumatoid arthritis: the role of disease activity, disability, and mindfulness. *J Psychosom Res* 2015 Feb;78(2):162-167.
- (81) Oerlemans S, Nijziel MR*, van de Poll-Franse LV. Age-related differences in quality of life among patients with diffuse large B-cell lymphoma. *Cancer* 2015 Apr 29.
- (82) M. H. G. M. van der Pas. Novel surgical approaches in colorectal cancer Vrije Universiteit, Amsterdam; 2015.

(83) Penninx JP*, Herman MC*, Kruitwagen RF, Ter Haar AJ, Mol BW, Bongers MY*. Bipolar versus balloon endometrial ablation in the office: a randomized controlled trial. *Eur J Obstet Gynecol Reprod Biol* 2015 Oct 24;196:52-56.

(84) Peters EG, Smeets BJ, Dekkers M, Buise MD, de Jonge WJ, Slooter GD*, Reilingh TS, Wegdam JA, Nieuwenhuijzen GA, Rutten HJ, de Hingh IH, Hilgsmann M, Buurman WA, Luyer MD. The effects of stimulation of the autonomic nervous system via perioperative nutrition on postoperative ileus and anastomotic leakage following colorectal surgery (SANICS II trial): a study protocol for a double-blind randomized controlled trial. *Trials* 2015 Jan 27;16:20-014-0532-x.

(85) Ponten JE, Leenders BJ, Charbon JA, Nienhuijs SW. A consecutive series of 235 epigastric hernias. *Hernia* 2015 Oct;19(5):821-825.

(86) Pop VJ, Truijens SE*, Spek V, Wijnen HA, van Son MJ, Bergink V. A new concept of maternity blues: Is there a subgroup of women with rapid cycling mood symptoms? *J Affect Disord* 2015 May 15;177:74-79.

(87) Richters A, Derks J, Fossion LM*, Kil PJ, Verhoeven RH, Aarts MJ. Presence and Number of Positive Surgical Margins after Radical Prostatectomy for Prostate Cancer: Effect on Oncological Outcome in a Population-Based Cohort. *Urol Int* 2015 Nov 3.

(88) Richters A, Derks J, Husson O, Van Onna IE, Fossion LM*, Kil PJ, Verhoeven RH, Aarts MJ. Effect of surgical margin status after radical prostatectomy on health-related quality of life and illness perception in patients with prostate cancer. *Urol Oncol* 2014 Nov 14.

(89) Roos C, Schuit E, Scheepers HC, Bloemenkamp KW, Bolte AC, Duvekot HJ, van Eyck J, Kok JH, Kwee A, Merien AE, Opmeer BC, Oudijk MA, van Pampus MG, Papatsonis DN, Porath MM*, Sollie KM, Spaanderman ME, Vijgen SM, Willekes C, Lotgering FK, van der Post JA, Mol BW, for APOSTEL-II Study Group. Predictive Factors for Delivery within 7 Days after Successful 48-Hour Treatment of Threatened Preterm Labor. *AJP Rep* 2015 Oct;5(2):e141-9.

(90) Roos C, Vis JY, Scheepers HC, Bloemenkamp KW, Duvekot HJ, van Eyck J, de Groot C, Kok JH, Opmeer BC, Oudijk MA, Papatsonis DN, Porath MM*, Sollie K, Spaanderman ME, Lotgering FK, van der Post JA, Mol BW. Fetal fibronectin status and cervical length in women with threatened preterm labor and the effectiveness of maintenance tocolysis. *J Matern Fetal Neonatal Med* 2016 May;29(10):1556-1561.

(91) Roumen R, Scheltinga M, van den Berg J. Van casus tot expertisecentrum. *Medisch Contact* 2015(21):1006-1009.

(92) Roumen R*, Boelens O*, Van Assen T*, Scheltinga M*, Wijerathne S, Agarwal N, Ramzi A, Liem D, Lomanto D, Simon T, Buechler MW, Koeckerling F, Siawash M, de Jager-Kieviet JW, Roumen RM, Scheltinga MR, Lincourt A, Augenstein V, Kercher K, Heniford B, Andresen K, Burcharth J, Hupfeld L, Fonnes S, Rothman JP, Winther D, Deigaard SL, Sorensen FS, Bjerg J, Therkildsen R, Errebo M, Hauge D, Rosenberg J, Fischer J, Fox J, Basta M, Kovach S, East B, Krejci T, Hoch J, Jorgensen LN, Kullman E, Tollens T, Nienhuijs S, Doerhoff C, Muzi MG, Hopson S, Velanovich V, Muysoms F, Leblanc K, Schwartz M, Berrevoet F, Holihan J, Nguyen DH, Flores-Gonzalez JR, Alawadi ZM, Nguyen MT, Kao LS, Liang MK, Hassan S, Raslan C, Henley N, Van Veenendaal N, Poelman MM, Van den Heuvel B, Schreurs H, Dwars B, Bonjer HJ, Kaufmann R, Halm JA, Nieuwenhuizen J, Klitsie P, Eker HH, van Geldere D, Simons MP, Van't Riet M, Jeekel J, Lange JF, Pathania B. *Trial & Guidelines*. *Hernia* 2015 Apr;19 Suppl 1:S43-9.

(93) Schmitz EM*, van de Kerkhof D, Hamann D, van Dongen JL, Kuijper PH*, Brunsveld L, Scharnhorst V, Broeren MA*. Therapeutic drug monitoring of infliximab: performance evaluation of three commercial ELISA kits. *Clin Chem Lab Med* 2015 Nov 20.

(94) Schols SE, Tick LL*. Recurrent extramedullary plasmacytoma in asymptomatic multiple myeloma: a case report. *J Med Case Rep* 2015 Feb 19;9:37-014-0506-3.

(95) Seferina SC, Lobbezoo DJ, de Boer M, Dercksen MW*, van den Berkmortel F, van Kampen RJ, van de Wouw AJ, de Vries B, Joore MA, Peer PG, Voogd AC, Tjan-Heijnen VC. Real-Life Use and Effectiveness of Adjuvant Trastuzumab in Early Breast Cancer Patients: A Study of the Southeast Netherlands Breast Cancer Consortium. *Oncologist* 2015 Jun 22.

(96) Sevonius D, Montgomery A, Smedberg S, Sandblom G, Zwaans W*, Perquin C*, Roumen R*, Scheltinga M*, Verhagen T*, Loos MJ*, Scheltinga MR*, Roumen RM*, Bokkerink W, Van Laarhoven CJ, Koning GG, Yang ZF, Shen WZ, Lu C, Zheng WH, Xiao WF, Li XR, Narita M, Matsusue R, Hata H, Yamaguchi T, Otani T, Ikai I, Karampinis I, Weiss J, Pilz L, Post S, Herrle F, Murphy J, Yang F, Meng LQ, Meng XZ, Chong YZ, Zhao HY, Liu JG, van Assen T*, Brouns JA*, Scheltinga MR*, Roumen RM*. Inguinal Hernia: Post OP Chronic Pain. *Hernia* 2015 Apr;19 Suppl 1:S99-S103.

(97) Sleutjes BT, Montfoort I, van Doorn PA, Visser GH, Blok JH*. Diagnostic accuracy of electrically elicited multiplet discharges in patients with motor neuron disease. *J Neurol Neurosurg Psychiatry* 2015 Nov;86(11):1234-1239.

(98) Smit JG, Overdijkink S, Mol BW, Kasius JC, Torrance HL, Eijkemans MJ, Bongers M*, Emanuel MH, Vleugels M, Broekmans FJ. The impact of diagnostic criteria on the reproducibility of the hysteroscopic diagnosis of the septate uterus: a randomized controlled trial. *Hum Reprod* 2015 Jun;30(6):1323-1330.

(99) Spaan J*, van Balen VL, Peeters L, Spaanderman M. Prevalence of chronic kidney disease after preeclampsia using KDIGO 2012 criteria. *Pregnancy Hypertens* 2015 Jan;5(1):35-36.

(100) Spee RF*, Niemeijer VM*, Wessels B, Jansen JP*, Wijn PF*, Doevendans PA, Kemps HM*. Characterization of exercise limitations by evaluating individual cardiac output patterns: a prospective cohort study in patients with chronic heart failure. *BMC Cardiovasc Disord* 2015 Jun 23;15:57-015-0057-6.

(101) Sun P, Hu SB, Cheng X, Li M, Guo B, Song ZF, Zhang Y, Zheng QC, Hoyuela C, Vega L, Carvajal F, Blay L, Juvany M, Camps J, Veres A, Besora P, Trias M, Feliu X, Bellanova G, Viel G, Fabris L, Valduga P, Ciarleglio FA, Beltempo P, Prezzi C, Berlanda G, Marcucci S, Bondioli P, Brolese A, Agresta F, Verza LA, Azabdaftari A, Prando D, Roveran MA, Rubinato L, Vacca U, Cesana G, Ciccarese F, Uccelli M, Carrieri D, Castello G, Grava G, Bonfanti G, Legnani G, Olmi S, Chiaretti M, Martinelli A, Carru GA, Fegatelli DA, Chiaretti AM, Consentino P, Chiaretti AI, Procaccianti F, Blair L, Huntington C, Cox T, Lincourt A, Prasad T, Matthews B, Augenstein V, Heniford BT, Verhagen T*, Loos MJ, Scheltinga MR*, Roumen RM*, Magalhaes C, Pereira S, Cardoso G, Flores A, Marcos M, Lionetti R, Cesaro A, Napolitano E, Caruso L, Neola B, Rutigliano M, Ferulano GP, Pecic V, Jovanovic S, Filipovic N, Trenkic M, Pavlovic A, Jovanovic B, Tatic M, Jovanovic A, Khan A, Tansawet A, Lerdsirisopon S, Techapongsatorn S, Kasetsermwirija W, Srimontayamas S, Loapeamthong CU, Teawprasert P, Bellomo MP, Bona A, Borasi A, Borreca D, Filippa C, Manfredi S, De Paolis P, Teng A, Yu JW, Hu Y, Sun CL, Zhou J, Zha XG, Li Y, Wu JZ, Abbonante F, Kosai N, Yussra Y, Sutton PA, Shabbar HF, Razrim R, Mustaffa T, Tamil A, Reynu R, Abusalih A, Shen Y, Chen J, Yang S, Wang MG, Chen FQ, Fenger A, Helvind NM, Pommergaard HC, Burcharth J, Rosenberg J. Inguinal Hernia: Mesh Fixation. *Hernia* 2015 Apr;19 Suppl 1:S157-65.

(102) 't Lam-Boer J, Al Ali C, Verhoeven RH, Roumen RM*, Lemmens VE, Rijken AM, De Wilt JH. Large variation in the utilization of liver resections in stage IV colorectal cancer patients with metastases confined to the liver. *Eur J Surg Oncol* 2015 Jun 9.

(103) Tjon-Kon-Fat RI, Bendsdorp AJ, Bossuyt PM, Koks C*, Oosterhuis GJ, Hoek A, Hompes P, Broekmans FJ, Verhoeve HR, de Bruin JP, van Golde R, Repping S, Cohlen BJ, Lambers MD, van Bommel PF, Slappendel E, Perquin D, Smeenk J, Pelinck MJ, Gianotten J, Hoozemans DA, Maas JW*, Groen H, Eijkemans MJ, van der Veen F, Mol BW, van Wely M. Is IVF-served two different ways-more

cost-effective than IUI with controlled ovarian hyperstimulation? Hum Reprod 2015 Oct;30(10):2331-2339.

(104) Traa MJ, Braeken J, De Vries J, Roukema JA, Slooter GD*, Crolla RM, Borremans MP, Den Oudsten BL. Sexual, marital, and general life functioning in couples coping with colorectal cancer: a dyadic study across time. Psychooncology 2015 Mar 20.

(105) Truijens SE*, Banga FR*, Fransen AF, Pop VJ, van Runnard Heimel PJ*, Oei SG*. The Effect of Multiprofessional Simulation-Based Obstetric Team Training on Patient-Reported Quality of Care: A Pilot Study. Simul Healthc 2015 Aug;10(4):210-216.

(106) Truijens SE*, Boerekamp CA, Spek V, van Son MJ, Oei SG*, Pop VJ. Increased Levels of Depressive Symptoms Among Pregnant Women in The Netherlands After the Crash of Flight MH17. Am J Epidemiol 2015 Jul 14.

(107) Truijens SE*, Boerekamp CA, Spek V, van Son MJ, Oei SG*, Pop VJ. The authors reply. Am J Epidemiol 2015 Nov 15;182(10):896-897.

(108) Truin W*, Roumen RM*, Siesling S, van der Heiden-van der Loo M., Duijm LE, Tjan-Heijnen VC, Voogd AC. Patients with invasive lobular breast cancer are less likely to undergo breast-conserving surgery: a population based study in the Netherlands. Ann Surg Oncol 2015 May;22(5):1471-1478.

(109) Uittenbogaart M*, van Dielen F*, Leclercq W*. Assessment of pouch and stoma size in weight loss failure after Roux-en-Y gastric bypass. Surg Obes Relat Dis 2015 Aug 29.

(110) Vaes RH*, van Loon M, Vaes SM, Cuypers P, Tordoir JH, Scheltinga MR*. One-year efficacy of the RUDI technique for flow reduction in high-flow autologous brachial artery-based hemodialysis vascular access. J Vasc Access 2015;16 Suppl 9:S96-101.

(111) Vaes RH*, Wouda R*, van Loon M, van Hoek F, Tordoir JH, Scheltinga MR*. Effectiveness of surgical banding for high flow in brachial artery-based hemodialysis vascular access. J Vasc Surg 2014 Oct 24.

(112) Vaes RH*, Wouda R, Teijink JA, Scheltinga MR*. Venous Side Branch Ligation as a First Step Treatment for Haemodialysis Access Induced Hand Ischaemia: Effects on Access Flow Volume and Digital Perfusion. Eur J Vasc Endovasc Surg 2015 Dec;50(6):810-814.

(113) T. van Assen. Anterior cutaneous nerve entrapment syndrome : epidemiology and surgical management. Maastricht; Maastricht: Maastricht University ; Maastricht University Library [host]; 2015.

(114) van Assen T*, Boelens OB, van Eerten PV*, Perquin C*, Scheltinga MR*, Roumen RM*. Long-term success rates after an anterior neurectomy in patients with an abdominal cutaneous nerve entrapment syndrome. Surgery 2015 Jan;157(1):137-143.

(115) van Assen T*, Brouns JA*, Scheltinga MR*, Roumen RM*. Incidence of abdominal pain due to the anterior cutaneous nerve entrapment syndrome in an emergency department. Scand J Trauma Resusc Emerg Med 2015 Feb 8;23:19-015-0096-0.

(116) van Assen T, Boelens OB, van Eerten PV, Scheltinga MR, Roumen RM, Prasad T, Huntington C, Blair L, Cox T, Augenstein V, Heniford BT, Gogia B, Alyautdinov R, Chen J, Shen YM, Yang S, Liu SJ, Wang MG. Topic: Abdominal Wall and Inguino Femoral Hernia Repair as a Super Specialization. Hernia 2015 Apr;19 Suppl 1:S195-7.

(117) van Baaren GJ, Bruijn MM, Vis JY, Wilms FF, Oudijk MA, Kwee A, Porath MM*, Oei G*, Scheepers HC, Spaanderman ME, Bloemenkamp KW, Haak MC, Bolte AC, Bax CJ, Cornette JM, Duvekot JJ, Nij Bijvanck BW, van Eijck J, Franssen MT, Sollie KM, Vandenbussche FP, Woiski M, Bossuyt PM, Opmeer BC, Mol BW. Risk factors for preterm delivery: do they add to fetal fibronectin testing and cervical length measurement in the prediction of preterm delivery in symptomatic women? Eur J Obstet Gynecol Reprod Biol 2015 Sep;192:79-85.

(118) van Barreveld M, Rutten J, Vlieger A, Frankenhuis C, George E, Groeneweg M, Norbruis O, Tjon A Ten W*, van Wering H, Merkus M, Benninga M, Dijkgraaf M. Cost-Effectiveness and Cost-Utility of Home-Based Hypnotherapy Using Compact Disc Versus Individual Hypnotherapy By A Therapist for Pediatric Irritable Bowel Syndrome and Functional Abdominal Pain (Syndrome). Value Health 2015 Nov;18(7):A628.

(119) van de Ven J*, van Deursen FJ*, van Runnard Heimel PJ*, Mol BW, Oei SG*. Effectiveness of team training in managing shoulder dystocia: a retrospective study. J Matern Fetal Neonatal Med 2015 Dec 15:1-5.

(120) Van Den Hoven I, Kuijt G*, Roumen R*, Voogd A, Steyerberg EW, Vergouwe Y. A head to head comparison of nine tools predicting non-sentinel lymph node status in sentinel node positive breast cancer women. J Surg Oncol 2015;112(2):133-138.

(121) van den Hoven I*, van Klaveren D, Voogd AC, Vergouwe Y, Tjan-Heijnen V, Roumen RM*. A Dutch Prediction Tool to Assess the Risk of Additional Axillary Non-Sentinel Lymph Node Involvement in Sentinel Node-Positive Breast Cancer Patients. Clin Breast Cancer 2015 Sep 21.

(122) van den Hoven I*, Voogd AC, Roumen RM*. A Paradigm Shift in Axillary Breast Cancer Treatment; From "Treat All-Except," Toward "Treat None-Unless". Clin Breast Cancer 2015 Jul 10.

(123) van den Hurk C, Breed W, Dercksen W*. Nonpegylated liposomal doxorubicin: reduction in cardiotoxicity, although still severe alopecia. Anticancer Drugs 2015 Jul;26(6):687.

(124) van den Wijngaard L, Rodijk IC, van der Veen F, Gooskens-van Erven MH, Koks CA*, Verhoeve HR, Mol BW, van Wely M, Mochtar MH. Patient preference for a long-acting recombinant FSH product in ovarian hyperstimulation in IVF: a discrete choice experiment. Hum Reprod 2015 Feb;30(2):331-337.

(125) van der Heyden JL, Willekes C, van Baar AL, van Wassenaer-Leemhuis AG, Pajkrt E, Oudijk MA, Porath MM*, Duvekot HJ, Bloemenkamp KW, Groenewout M, Woiski M, Nij Bijvank B, Bax CJ, van 't Hooft J, Sikkema MJ, Akerboom BM, Mulder TA, Nijhuis JG, Mol BW, van der Ham DP. Behavioural and neurodevelopmental outcome of 2-year-old children after preterm premature rupture of membranes: follow-up of a randomised clinical trial comparing induction of labour and expectant management. Eur J Obstet Gynecol Reprod Biol 2015 Nov;194:17-23.

(126) van der Ploeg JM, Oude Rengerink K, van der Steen A, van Leeuwen JH, Stekelenburg J, Bongers MY*, Weemhoff M, Mol BW, van der Vaart CH, Roovers JP, Dutch Urogynaecology Consortium. Transvaginal prolapse repair with or without the addition of a midurethral sling in women with genital prolapse and stress urinary incontinence: a randomised trial. BJOG 2015 Jun;122(7):1022-1030.

(127) van Eerden L, Zeeman GG, Christiaens GC, Vandenbussche F, Oei SG*, Scheepers HC, van Eyck J, Middeldorp JM, Pajkrt E, Duvekot JJ, de Groot CJ, Bolte AC. 207-POS]: Termination of pregnancy for hypertensive disorders prior to fetal viability in the Netherlands: A retrospective cohort study in 10 Dutch tertiary care centers. Pregnancy Hypertens 2015 Jan;5(1):104.

- (128) van Gestel YR, de Hingh IH, van Herk-Sukel MP, van Erning FN, Beerepoot LV, Wijsman JH, Slooter GD*, Rutten HJ, Creemers GJ, Lemmens VE. Patterns of metachronous metastases after curative treatment of colorectal cancer. *Cancer Epidemiol* 2014 Aug;38(4):448-454.
- (129) van IJsselmuiden MN, Kerkhof MH, Schellart RP, Bongers MY*, Spaans WA, van Eijndhoven HW. Variation in the practice of laparoscopic sacrohysteropexy and laparoscopic sacrocolpopexy for the treatment of pelvic organ prolapse: a Dutch survey. *Int Urogynecol J* 2015 May;26(5):757-764.
- (130) van Onna M, Ten Cate DF, Tsoi KL, Meier AJ, Jacobs JW, Westgeest AA*, Meijer PB*, van Beek MC, Rensen WH, Bijlsma JW. Assessment of disease activity in patients with rheumatoid arthritis using optical spectral transmission measurements, a non-invasive imaging technique. *Ann Rheum Dis* 2015 Oct 9.
- (131) van Os MA, van der Ven AJ, Kleinrouweler CE, Schuit E, Kazemier BM, Verhoeven CJ*, de Miranda E, van Wassenaer-Leemhuis AG, Sikkema JM, Woiski MD, Bossuyt PM, Pajkrt E, de Groot CJ, Mol BW, Haak MC. Preventing Preterm Birth with Progesterone in Women with a Short Cervical Length from a Low-Risk Population: A Multicenter Double-Blind Placebo-Controlled Randomized Trial. *Am J Perinatol* 2015 Aug;32(10):993-1000.
- (132) van Pul C*, van de Mortel HP*, van de Bogaart JJ*, Mohns T*, Andriessen P*. Safe patient monitoring is challenging but still feasible in a neonatal intensive care unit with single family rooms. *Acta Paediatr* 2015 Jun;104(6):e247-54.
- (133) van Rooij FJ*, Admiraal-van de Pas Y*. Lactic acidosis in the postictal state. *Ned Tijdschr Geneesk* 2015;159(0):A9068.
- (134) van Teeffelen A*, van der Heijden J*, van der Ham D, Schaaf JM, van Kuijk S, Ravelli AC, Pajkrt E, Willekes C, Nijhuis J, Mol BW. The Relation between Duration of Ruptured Membranes and Perinatal Outcome in Patients with Midtrimester Prelabor Rupture of Membranes. *Am J Perinatol* 2015 Oct;32(12):1112-1118.
- (135) van Vliet E, Seinen L, Roos C, Schuit E, Scheepers H, Bloemenkamp K, Duvekot JJ, van Eyck J, Kok JH, Lotgering FK, van Baar A, van Wassenaer-Leemhuis AG, Franssen MT, Porath MM*, van der Post J, Franx A, Mol B, Oudijk MA. Maintenance tocolysis with nifedipine in threatened preterm labour: 2-year follow up of the offspring in the APOSTEL II trial. *BJOG* 2015 Aug 27.
- (136) van Zantvoort AP*, de Bruijn JA*, Winkes MB*, Dielemans JP*, van der Crujisen-Raaijmakers M*, Hoogeveen AR*, Scheltinga MR*. Isolated Chronic Exertional Compartment Syndrome of the Lateral Lower Leg: A Case Series. *Orthop J Sports Med* 2015 Nov 23;3(11):2325967115617728.
- (137) Verhees RA, Besselaar AT*, van Aken MH, Jansen FH, Pelleboer RA. A neonatal supracondylar humeral fracture resembling a plexus injury. *Ned Tijdschr Geneesk* 2015;160(0):A9427.
- (138) Verhulst AL, Savelberg HH, Vreugdenhil G*, Mischi M, Schep G*. Whole-Body Vibration as a Modality for the Rehabilitation of Peripheral Neuropathies: Implications for Cancer Survivors Suffering from Chemotherapy-Induced Peripheral Neuropathy. *Oncol Rev* 2015 Feb 10;9(1):263.
- (139) Vermeulen-Giovagnoli B*, Peters C, van der Hout-van der Jagt M.B., Mischi M, van Pul C*, Cottaar EJ, Oei SG*. The development of an obstetric tele-monitoring system. *Conf Proc IEEE Eng Med Biol Soc* 2015 Aug;2015:177-180.
- (140) Vervoort AJ, Van der Voet LF, Witmer M, Thurkow AL, Radder CM, van Kesteren PJ, Quartero HW, Kuchenbecker WK, Bongers MY*, Geomini PM*, de Vleeschouwer LH, van Hooff MH, van Vliet HA, Veersema S, Renes WB, van Meurs HS, Bosmans J, Oude Rengerink K, Brolmann HA, Mol BW, Huirne JA. The HysNiche trial: hysteroscopic resection of uterine caesarean scar defect (niche) in patients

with abnormal bleeding, a randomised controlled trial. *BMC Womens Health* 2015 Nov 12;15:103-015-0260-8.

(141) Vis JY, van Baaren GJ, Wilms FF*, Oudijk MA, Kwee A, Porath MM*, Scheepers HC, Spaanderman ME, Bloemenkamp KW, van Lith JM, Bolte AC, Bax CJ, Cornette J, Duvekot JJ, Nij Bijvank SW, van Eyck J, Franssen MT, Sollie KM, Woiski M, Vandenbussche FP, van der Post JA, Bossuyt PM, Opmeer BC, Mol BW. Randomized comparison of nifedipine and placebo in fibronectin-negative women with symptoms of preterm labor and a short cervix (APOSTEL-I Trial). *Am J Perinatol* 2015 Apr;32(5):451-460.

(142) Vissenberg R, van Dijk MM, Fliers E, van der Post JA, van Wely M, Bloemenkamp KW, Hoek A, Kuchenbecker WK, H RV, H CJS, Rombout-de Weerd S, Koks C*, Zwart JJ, Broekmans F, Verpoest W, Christiansen O, M P, Papatsonis DN, Verberg MF, Sikkema J, Mol BW, Bisschop PH, Goddijn M. Effect of levothyroxine on live birth rate in euthyroid women with recurrent miscarriage and TPO antibodies (T4-LIFE study). *Contemp Clin Trials* 2015 Aug 5.

(143) Visser NC, Bulten J, van der Wurff AA, Boss EA*, Bronkhorst CM, Feijen HW, Haartsen JE, van Herk HA, de Kievit IM, Klinkhamer PJ, Pijlman BM, Snijders MP, Vandenput I, Vos MC, de Wit PE, van de Poll-Franse LV, Massuger LF, Pijnenborg JM. PIPelle Prospective ENDometrial carcinoma (PIPENDO) study, pre-operative recognition of high risk endometrial carcinoma: a multicentre prospective cohort study. *BMC Cancer* 2015 Jun 30;15:487-015-1487-3.

(144) Vissers PA, Mols F, Thong MS, Pouwer F, Vreugdenhil G*, van de Poll-Franse LV. The impact of diabetes on neuropathic symptoms and receipt of chemotherapy among colorectal cancer patients: results from the PROFILES registry. *J Cancer Surviv* 2015 Sep;9(3):523-531.

(145) Vissers PA, Thong MS, Pouwer F, Creemers GJ*, Slooter GD*, van de Poll-Franse LV. Prospectively measured lifestyle factors and BMI explain differences in health-related quality of life between colorectal cancer patients with and without comorbid diabetes. *Support Care Cancer* 2015 Dec 30.

(146) Vlemminx MW*, de Lau H, Vullings R, Peters CH, Oei SG*. Electrohysterography. A promising alternative for monitoring contractions. *Ned Tijdschr Geneesk* 2015;159:A8535.

(147) Vlemminx MW*, Hoskam H*, Minderhoud NM*, ter Haar-van Eck SA*. A woman with floating spheres in her abdomen. *Ned Tijdschr Geneesk* 2015;159:A8532.

(148) Vosbergen S, Mulder-Wiggers JM, Lacroix JP, Kemps HM*, Kraaijenhagen RA, Jaspers MW, Peek N. Using personas to tailor educational messages to the preferences of coronary heart disease patients. *J Biomed Inform* 2015 Feb;53:100-112.

(149) Vosbergen S, Mulder-Wiggers JM, Lacroix JP, Kemps HM*, Kraaijenhagen RA, Jaspers MW, Peek N. Using personas to tailor educational messages to the preferences of coronary heart disease patients. *J Biomed Inform* 2015 Feb;53:100-112.

(150) Vreugdenhil G, Peerdeman A. Palliative care-oncology ward partnership: improving palliative care and integration of oncologic care. *J Palliat Med* 2015 Mar;18(3):210.

(151) Vreugdenhil GA*, van den Beuken-van Everdingen MH. Starting and stopping palliative tumour treatment: considerations in the context of quality of life and costs. *Ned Tijdschr Geneesk* 2015;159:A8729.

(152) Vugts G, Maaskant-Braat AJ, Voogd AC, van Riet YE, Luiten EJ, Rutgers EJ, Rutten HJ, Roumen RM*, Nieuwenhuijzen GA. Repeat sentinel node biopsy should be considered in patients with locally recurrent breast cancer. *Breast Cancer Res Treat* 2015 Oct;153(3):549-556.

- (153) Warman A*, Straathof JW*, Derijks LJ*. Therapeutic drug monitoring of infliximab in inflammatory bowel disease patients in a teaching hospital setting: results of a prospective cohort study. *Eur J Gastroenterol Hepatol* 2015 Mar;27(3):242-248.
- (154) Westen EH*, Kolk PR, van Velzen CL, Unkels R, Mmuni NS, Hamisi AD, Nakua RE, Vlek AL, van Beekhuizen HJ. Single-dose compared with multiple day antibiotic prophylaxis for cesarean section in low-resource settings, a randomized controlled, noninferiority trial. *Acta Obstet Gynecol Scand* 2015 Jan;94(1):43-49.
- (155) Wilms FF*, Vis JY, de Wit-Zuurendonk L, Porath MM*, Mol BW. What is the risk of preterm delivery after arrested preterm labor? *Am J Perinatol* 2015 Jan;32(1):63-70.
- (156) Wilms FF, van Baaren GJ, Vis JY, Oudijk MA, Kwee A, Porath MM*, Scheepers HC, Spaanderman ME, Bloemenkamp KW, Bolte AC, Bax CJ, Cornette JM, Duvekot JJ, Nij Bijvank BW, van Eyck J, Franssen MT, Sollie KM, Vandenbussche FP, Woiski MD, van der Post JA, Bossuyt PM, Opmeer BC, Mol BW. Prescribing patterns of antenatal corticosteroids in women with threatened preterm labor. *Eur J Obstet Gynecol Reprod Biol* 2015 Jun 17;192:47-53.
- (157) Zanders MM*, Haak H*, van Herk-Sukel MP, Herings RM, van de Poll-Franse LV, Johnson J. Changes In Glucose Lowering Drug Use Before And After A Cancer Diagnosis Among Individuals With Diabetes. *Value Health* 2015 Nov;18(7):A438.
- (158) Zanders MM*, Haak HR*, van Herk-Sukel MP, van de Poll-Franse LV, Johnson JA. Impact of cancer on adherence to glucose-lowering drug treatment in individuals with diabetes. *Diabetologia* 2015 May;58(5):951-960.
- (159) Zanders MM*, van Herk-Sukel MP, Herings RM, van de Poll-Franse LV, Haak H*. Impact Of Cancer Diagnosis And Treatment On Glycaemic Control Among Individuals With Colorectal Cancer Using Glucose Lowering Drugs. *Value Health* 2015 Nov;18(7):A437.
- (160) Zanders MM, Haak HR*, van Herk-Sukel MP, van de Poll-Franse LV, Johnson JA. Impact of cancer on use of glucose-lowering drug treatment in individuals with diabetes: potential mechanisms. Reply to Pouwer F [letter. *Diabetologia* 2015 Jun;58(6):1380-1381.
- (161) Zanders MM, van Herk-Sukel MP, Vissers PA, Herings RM, Haak HR*, van de Poll-Franse LV. Are metformin, statin and aspirin use still associated with overall mortality among colorectal cancer patients with diabetes if adjusted for one another? *Br J Cancer* 2015 Jul 28;113(3):403-410.
- (162) Zwaans WA*, Verhagen T*, Roumen RM*, Scheltinga MR*. Factors Determining Outcome After Surgery for Chronic Groin Pain Following a Lichtenstein Hernia Repair. *World J Surg* 2015 Aug 6.
- (163) Zwaans WA*, Verhagen T*, Roumen RM*, Scheltinga MR*. Factors Determining Outcome After Surgery for Chronic Groin Pain Following a Lichtenstein Hernia Repair. *World J Surg* 2015 Nov;39(11):2652-2662.
- (164) Zwaginga JJ, van der Holt B, Te Boekhorst PA, Biemond BJ, Levin MD, van der Griend R, Brand A, Zweegman S, Pruijt HF, Novotny VM, Vreugdenhil A*, de Groot MR, de Weerd O, van Pampus EC, van Maanen-Lamme TM, Wittebol S, Schipperus MR, Silbermann MH, Huijgens PC, Luten M, Hollestein R, Brakenhoff JA, Schrama JG, Valster FA, Velders GA, Koene HR. Multi-center randomized open label phase II trial on 3 rituximab dosing schemes in immune thrombocytopenia patients. *Haematologica* 2014 Nov 25.

(165) Seehase M, Jennekens W, Zwanenburg A, Andriessen P, Collins JJ, Kuypers E, Zimmermann LJ, Vles JSh, Gavilanes AW, Kramer BW. Propofol administration to the maternal-fetal unit improved fetal EEG and influenced cerebral apoptotic pathway in preterm lambs suffering from severe asphyxia. *Mol Cell Pediatr*. 2015 Dec;2(1):4. doi: 10.1186/s40348-015-0016-4. Epub 2015 Mar 10.

(166) Hütten MC, Goos TG, Ophelders D, Nikiforou M, Kuypers E, Willems M, Niemarkt HJ, Dankelman J, Andriessen P, Mohns T, Reiss IK, Kramer BW. Fully automated predictive intelligent control of oxygenation (PRICO) in resuscitation and ventilation of preterm lambs. *Pediatr Res*. 2015 Dec;78(6):657-63. doi: 10.1038/pr.2015.158. Epub 2015 Aug 31.

(167) Hütten MC, Kuypers E, Ophelders DR, Nikiforou M, Jellema RK, Niemarkt HJ, Fuchs C, Tservistas M, Razetti R, Bianco F, Kramer BW. Nebulization of Poractant alfa via a vibrating membrane nebulizer in spontaneously breathing preterm lambs with binasal continuous positive pressure ventilation. *Pediatr Res*. 2015 Dec;78(6):664-9. doi: 10.1038/pr.2015.165. Epub 2015 Aug 31.

(168) Zwanenburg A, Andriessen P, Jellema RK, Niemarkt HJ, Wolfs TG, Kramer BW, Delhaas T. Using trend templates in a neonatal seizure algorithm improves detection of short seizures in a foetal ovine model. *Physiol Meas*. 2015 Mar;36(3):369-84. doi: 10.1088/0967-3334/36/3/369. Epub 2015 Feb 5.

(169) Klaassens M, Morrogh D, Rosser EM, Jaffer F, Vreeburg M, Bok LA, Segboer T, van Belzen M, Quinlivan RM, Kumar A, Hurst JA, Scott RH. Malan syndrome: Sotos-like overgrowth with de novo NF1X sequence variants and deletions in six new patients and a review of the literature. *Eur J Hum Genet*. 2015 May;23(5):610-5. doi: 10.1038/ejhg.2014.162. Epub 2014 Aug 13.