

ANESTHESIOLOGIE

van Dijk JEW, Dedden SJ, Geomini PMAJ, **Meijer P**, van Hanegem N, Bongers MY. POstLaparoscopic Reduction of pain By combining intraperitoneal normal saline And the pulmonary Recruitment maneuver (POLAR BEAR trial). RCT to estimate reduction in pain after laparoscopic surgery when using a combination therapy of intraperitoneal normal saline and the pulmonary recruitment maneuver. BMC Womens Health 2017 June 13;17(1):8.

Zwaans WA, **le Mair LH**, Scheltinga MR, Roumen RM. Spinal versus general anaesthesia in surgery for inguinodynia (SPINASIA trial): study protocol for a randomised controlled trial. Trials 2017 January 14;18(1):x.

CARDIOLOGIE

Kraal JJ, Vromen T, Spee R, Kemps HMC, Peek N. Comment on: "The influence of training characteristics on the effect of exercise training in patients with coronary artery disease: Systematic review and meta-regression analysis". Int J Cardiol 2017 December 15;249:82.

Brouwers RW, Kraal JJ, Traa SC, Spee RF, Oostveen LM, Kemps HM. Effects of cardiac telerehabilitation in patients with coronary artery disease using a personalised patient-centred web application: protocol for the SmartCare-CAD randomised controlled trial. BMC Cardiovasc Disord 2017 January 31;17(1):6.

Niemeijer VM, Spee RF, Jansen JP, Buskermolen AB, van Dijk T, Wijn PF, Kemps HM. Test-retest reliability of skeletal muscle oxygenation measurements during submaximal cycling exercise in patients with chronic heart failure. Clin Physiol Funct Imaging 2017 January 1;37(1):68-78.

Kraal JJ, Van den Akker-Van Marle, M E, Abu-Hanna A, Stut W, Peek N, Kemps HM. Clinical and cost-effectiveness of home-based cardiac rehabilitation compared to conventional, centre-based cardiac rehabilitation: Results of the FIT@Home study. Eur J Prev Cardiol 2017 January 1;:2047487317710803.

Niemeijer VM, Jansen JP, van Dijk T, Spee RF, Meijer EJ, Kemps HM, Wijn PF. The influence of adipose tissue on spatially resolved near-infrared spectroscopy derived skeletal muscle oxygenation: the extent of the problem. Physiol Meas 2017 March 01;38(3):539-554.

van de Sande, DA, Liem IH, Hoogsteen J, Kemps HM. The diagnostic accuracy of myocardial perfusion scintigraphy in athletes with abnormal exercise test results. Eur J Prev Cardiol 2017 January 1;:2047487317693135.

Papini G, Bonomi AG, Stut W, **Kraal JJ, Kemps HMC, Sartor F**. Proof of concept of a 45-second cardiorespiratory fitness self-test for coronary artery disease patients based on accelerometry. PLoS One 2017 September 06;12(9):e0183740.

Promoties

Ruud Spee

Exercise Hemodynamics in Chronic Heart Failure Physiological and Clinical Aspects
Utrecht: Universiteit Utrecht; 1 november 2017

CHIRURGIE

Verhagen T, Loos MJA, Scheltinga MRM, Roumen RMH. The GroinPain Trial: A Randomized Controlled Trial of Injection Therapy Versus Neurectomy for Postherniorraphy Inguinal Neuralgia. *Ann Surg* 2017 April 26.

Uittenbogaart M, Luijten AA, van Dielen FM, Leclercq WK. Letter to the editor: Long-Term Results of Laparoscopic Sleeve Gastrectomy for Morbid Obesity: 5 to 8-Year Results. *Obes Surg* 2017 Jun;27(6):1624

Maatman RC, Papen-Botterhuis NE, Scheltinga MRM, Roumen RMH. Lateral Cutaneous Nerve Entrapment Syndrome (LACNES): A previously unrecognized cause of intractable flank pain. *Scand J Pain* 2017 October 27;;17:211-217.

Smeets SJM, Kuijt G, van Eerten PV. Z-effect after intramedullary nailing systems for trochanteric femur fractures. *Chin J Traumatol* 2017 September 27.

Truin W, Roumen RM, Siesling S, van de Vijver, K K, Tjan-Heijnen VC, Voogd AC. Estrogen and progesterone receptor expression levels do not differ between lobular and ductal carcinoma in patients with hormone receptor-positive tumors. *Breast Cancer Res Treat* 2017 April 01.

Siawash M, Maatman R, Tjon A Ten W, van Heurn E, **Roumen R, Scheltinga M.** Anterior neurectomy in children with a recalcitrant anterior cutaneous nerve entrapment syndrome is safe and successful. *J Pediatr Surg* 2017 March 01;52(3):478-480.

Hageman D, Lauret GJ, Gommans LNM, Koelemay MJW, van Sambeek, M R H M, **Scheltinga M,** Teijink JAW. Supervised exercise therapy for intermittent claudication is increasingly endorsed by Dutch vascular surgeons. *Ann Vasc Surg* 2017 September 8,.

Mol F, Roumen R. DRG Spinal Cord Stimulation as Solution for Patients With Severe Pain Due to Anterior Cutaneous Nerve Entrapment Syndrome: A Case Series. *Neuromodulation* 2017 September 21,.

van Rijckevorsel DC, Boelens OB, **Roumen RM,** Wilder-Smith OH, van Goor H. Treatment response and central pain processing in Anterior Cutaneous Nerve Entrapment Syndrome: An explorative study. *Scand J Pain* 2017 January 01;14:53-59.

Zwaans WAR, Verhagen T, Wouters L, **Loos MJA, Roumen RMH, Scheltinga MRM.** Groin Pain Characteristics and Recurrence Rates: Three-year Results of a Randomized Controlled

Trial Comparing Self-gripping Progrid Mesh and Sutured Polypropylene Mesh for Open Inguinal Hernia Repair. *Ann Surg* 2017 June 07.

Verheuveel NC, Voogd AC, Tjan-Heijnen VCG, Siesling S, **Roumen RMH**. Different outcome in node-positive breast cancer patients found by axillary ultrasound or sentinel node procedure. *Breast Cancer Res Treat* 2017 June 27,.

Hageman D., Fokkenrood HJP, Essers PPM, Koelemay MJW, Breek JC, Vahl AC, **Scheltinga MRM**, Teijink JAW. Anonymous Improved Adherence to a Stepped-care Model Reduces Costs of Intermittent Claudication Treatment in The Netherlands. 2017 May 20.

Verheuveel NC, Voogd AC, Tjan-Heijnen VC, **Roumen RM**. What to Do with Non-visualized Sentinel Nodes? A Dutch Nationwide Survey Study. *Ann Surg Oncol* 2017 March 03.

Boelens OB, **Maatman RC**, **Scheltinga MR**, van Laarhoven K, **Roumen RM**. Chronic Localized Back Pain Due to Posterior Cutaneous Nerve Entrapment Syndrome (POCNES): A New Diagnosis. *Pain Physician* 2017 March 01;20(3):E458.

van Zantvoort APM, **de Bruijn JA**, **Winkes MB**, Hoogeveen AR, Teijink JAW, **Scheltinga MR**. Role of Repeat Muscle Compartment Pressure Measurements in Chronic Exertional Compartment Syndrome of the Lower Leg. *Orthop J Sports Med* 2017 June 09;5(6):2325967117711121.

Vugts G, **Maaskant-Braat AJ**, de Roos WK, Voogd AC, Nieuwenhuijzen GA. Management of the axilla after neoadjuvant chemotherapy for clinically node positive breast cancer: A nationwide survey study in The Netherlands. *Eur J Surg Oncol* 2016 July 1,;42(7):956-964.

Maatman R, Steegers MAH, Boelens OBA, Lim TC, van den Berg, H J, van den Heuvel, SAS, **Scheltinga M**, **Roumen R**. Pulsed radiofrequency or anterior neurectomy for anterior cutaneous nerve entrapment syndrome (ACNES) (the PULSE trial): study protocol of a randomized controlled trial. *Trials* 2017 August 2,;18(1):5.

Mulders MAM, Kleipool SC, Dingemans SA, **van Eerten PV**, Schepers T, Goslings JC, Schep NWL. Normative data for the Patient-Rated Wrist Evaluation questionnaire. *J Hand Ther* 2017 November 10.

Huiskens J, Olthof PB, van der Stok, E P, Bais T, van Lienden KP, Moelker A, Krumeich J, **Roumen RM**, Grunhagen DJ, Punt CJA, van Amerongen M, de Wilt, J H W, Verhoef C, Van Gulik TM. Does portal vein embolization prior to liver resection influence the oncological outcomes - A propensity score matched comparison. *Eur J Surg Oncol* 2017 September 20.

van Zantvoort A, Cuppen P, **Scheltinga M**. Management and patients perspective regarding a common peroneal nerve schwannoma: a rare cause of lower leg pain in a young individual. *BMJ Case Rep* 2017 October 04;2017:220704.

de Goede B, Wijsmuller AR, van Ramshorst GH, van Kempen BJ, Hop WC, Klitsie PJ, **Scheltinga MR**, de Haan J, Mastboom WJ, van der Harst E, Simons MP, Kleinrensink GJ, Jeekel J, Lange JF, INCA Trialists' Collaboration. Watchful Waiting Versus Surgery of Mildly

Symptomatic or Asymptomatic Inguinal Hernia in Men Aged 50 Years and Older: A Randomized Controlled Trial. *Ann Surg* 2017 March 27.

Stommel MW, Ten Broek RP, Strik C, **Slooter GD**, Verhoef C, Grunhagen DJ, van Duijvendijk P, Bemelmans MH, den Dulk M, Sietses C, van Heek TN, van den Boezem, P B, de Wilt JH, van Goor H. Multicenter Observational Study of Adhesion Formation after Open-and Laparoscopic Surgery for Colorectal Cancer. *Ann Surg* 2017 February 15.

Jairam AP, Timmermans L, Eker HH, Pierik, R E G J M, van Klaveren D, Steyerberg EW, Timman R, van der Ham, A C, Dawson I, **Charbon JA**, Schuhmacher C, Mihaljevic A, Izbicki JR, Fikatas P, Knebel P, Fortelny RH, Kleinrensink GJ, Lange JF, Jeekel HJ, PRIMA Trialist Group. Prevention of incisional hernia with prophylactic onlay and sublay mesh reinforcement versus primary suture only in midline laparotomies (PRIMA): 2-year follow-up of a multicentre, double-blind, randomised controlled trial. *Lancet* 2017 June 20,.

Mommers EH, Leenders BJ, **Leclercq WK**, de Vries Reilingh, T S, **Charbon JA**. A modified Chevrel technique for ventral hernia repair: long-term results of a single centre cohort. *Hernia* 2017 April 13.

Hageman D, Fokkenrood HJP, Essers PPM, Koelemay MJW, Breek JC, Vahl AC, **Scheltinga MRM**, Teijink JAW. Improved Adherence to a Stepped-care Model Reduces Costs of Intermittent Claudication Treatment in The Netherlands. *Eur J Vasc Endovasc Surg* 2017 July 01;54(1):51-57.

Gommans LNM, Smid AT, **Scheltinga MRM**, Cancrinus E, Brooijmans FAM, Meijer K, Teijink JAW. Prolonged stance phase during walking in intermittent claudication. *J Vasc Surg* 2017 May 11.

Vissers PA, Thong MS, Pouwer F, Creemers GJ, **Slooter GD**, van de Poll-Franse, L V. Prospectively measured lifestyle factors and BMI explain differences in health-related quality of life between colorectal cancer patients with and without comorbid diabetes. *Support Care Cancer* 2016 June 1,;24(6):2591-2601.

Wong-Lun-Hing EM, van Dam RM, van Breukelen GJ, Tanis PJ, Ratti F, van Hillegersberg R, **Slooter G**, de Wilt JH, Liem MS, de Boer MT, Klaase JM, Neumann UP, Aldrighetti LA, Dejong CH, ORANGE II Collaborative Group. Randomized clinical trial of open versus laparoscopic left lateral hepatic sectionectomy within an enhanced recovery after surgery programme (ORANGE II study). *Br J Surg* 2017 April 1,;104(5):525-535.

van Rooijen SJ, Engelen MA, Scheede-Bergdahl C, Carli F, **Roumen RMH**, **Slooter GD**, **Schep G**. Systematic review of exercise training in colorectal cancer patients during treatment. *Scand J Med Sci Sports* 2017 May 10,.

de Bruijn JA, van Zantvoort, A P M, van Klaveren D, **Winkes MB**, van der Crujisen-Raaijmakers, M, Hoogeveen AR, Teijink JAW, **Scheltinga MR**. Factors Predicting Lower Leg Chronic Exertional Compartment Syndrome in a Large Population. *Int J Sports Med* 2017 November 10,.

Barendse RM, Musters GD, de Graaf, E J R, **van den Broek, FJC**, Consten ECJ, Doornebosch PG, Hardwick JC, de Hingh, I H J T, Hoff C, Jansen JM, van Milligen de Wit, A W M, van der Schelling, G P, Schoon EJ, Schwartz MP, Weusten, B L A M, Dijkgraaf MG, Fockens P, Bemelman WA, Dekker E, TREND Study group. Randomised controlled trial of transanal endoscopic microsurgery versus endoscopic mucosal resection for large rectal adenomas (TREND Study). *Gut* 2017 June 28,.

van Rooijen S, Carli F, Dalton SO, Johansen C, Dieleman J, **Roumen R, Slooter G**. Preoperative modifiable risk factors in colorectal surgery: an observational cohort study identifying the possible value of prehabilitation. *Acta Oncol* 2017 Jan 09:1-6.

van den Houten, MM, Spruijt S, Fokkenrood HJ, **Scheltinga M**, Teijink JA. User Preferences for Mobile Health Interventions: A Survey Among Intermittent Claudication Patients and Their Physical Therapists. *Ann Vasc Surg* 2017 September 8,.

Mulders MAM, **van Eerten PV**, Goslings JC, Schep NWL. Conservative treatment of displaced distal radius fractures leads to acceptable functional outcomes, however at the expense of 40% subsequent surgeries. *Orthop Traumatol Surg Res* 2017 April 17.

Hageman D, van den Houten, M M, Spruijt S, Gommans LN, **Scheltinga MR**, Teijink JA. Supervised exercise therapy: it does work, but how to set up a program? *J Cardiovasc Surg (Torino)* 2017 April 1,;58(2):305-312.

Roumen RMH, Vening W, Wouda R, **Scheltinga MM**. Acute Appendicitis, Somatosensory Disturbances ("Head Zones"), and the Differential Diagnosis of Anterior Cutaneous Nerve Entrapment Syndrome (ACNES). *J Gastrointest Surg* 2017 April 14.

van Rooijen S, Jongen AC, Wu ZQ, Ji JF, **Slooter G, Roumen R**, Bouvy ND. Definition of colorectal anastomotic leakage: A consensus survey among Dutch and Chinese colorectal surgeons. *World J Gastroenterol* 2017 September 7,;23(33):6172-6180.

Ponten JEH, Leenders BJM, **Leclercq WKG**, Lettinga T, Heemskerk J, Konsten JLM, Castelijns PSS, Nienhuijs SW. Mesh Versus Patch Repair for Epigastric and Umbilical Hernia (MORPHEUS Trial); One-Year Results of a Randomized Controlled Trial. *World J Surg* 2017 October 12,.

Scheltinga MR, Roumen RM. Anterior cutaneous nerve entrapment syndrome (ACNES). *Hernia* 2017 December 21,.

Slooter GD, Zwaans WAR, Perquin CW, Roumen RMH, Scheltinga MRM. Laparoscopic mesh removal for otherwise intractable inguinal pain following endoscopic hernia repair is feasible, safe and may be effective in selected patients. *Surg Endosc* 2017 August 24.

Siawash M, Mol F, Tjon-A-Ten W, **Perquin C, van Eerten P**, van Heurn E, **Roumen R, Scheltinga M**. Anterior rectus sheath blocks in children with abdominal wall pain due to anterior cutaneous nerve entrapment syndrome: a prospective case series of 85 children. *Paediatr Anaesth*. 2017 May;27(5):545-550

Roerink SHPP, Wagenmakers MAEM, Langenhuijsen JF, Ballak DB, Rooijackers HMM, d'Ancona FC, **van Dielen FM**, Smit JWA, Plantinga TS, Netea-Maier RT, Hermus ARMM
Increased Adipocyte Size, Macrophage Infiltration, and Adverse Local Adipokine Profile in Perirenal Fat in Cushing's Syndrome.
Obesity (Silver Spring). 2017 Aug;25(8):1369-1374

Uittenbogaart M, Leclercq WK, Luijten AA, van Dielen FM
Laparoscopic Adjustable Gastric Banding After Failed Roux-En-Y Gastric Bypass.
Obes Surg. 2017 Feb;27(2):381-386.

Zwaans WAR, Koning GG, Gurusamy KS, van Kleef M, **Scheltinga MRM, Roumen RMH**
[Intervention protocol]: Surgical interventions for the management of the management of chronic groin pain after hernia repair (postherniorrhaphy inguinodynia) in adults (protocol)
Cochrane Database of Systematic Reviews 2017(4)

Zwaans WA, le Mair LH, **Scheltinga MR, Roumen RM.**
Spinal versus general anaesthesia in surgery for inguinodynia (SPINASIA trial): study protocol for a randomised controlled trial.
Trials. 2017 Jan 14;18(1):23.

Zwaans WA, Perquin CW, Loos MJ, Roumen RM, Scheltinga MR.
Mesh Removal and Selective Neurectomy for Persistent Groin Pain Following Lichtenstein Repair. World J Surg. 2017 Mar;41(3):701-712.

de Jongh MA, Kruithof N, Gosens T, van de Ree CL, de Munter L, Brouwers L, Polinder S, Lansink KW; BIOS-group. Prevalence, recovery patterns and predictors of quality of life and costs after non-fatal injury: the Brabant Injury Outcome Surveillance (BIOS) study.
Inj Prev. 2017 Feb;23(1):59.

Fuchs MCHW, Dietvorst M, **Vaes R, Loos M**, Somford MP, Janssen RPA.
Arteriovenous Fistula after Anatomic All-Inside Anterior Cruciate Ligament Reconstruction.
Case Rep Orthop. 2017;2017:1034018

van Dijk WA, van Eerten PV, Janssen RPA, **Roumen RMH, Scheltinga MRM.**
[Chronic neuralgia after knee surgery]. Ned Tijdschr Geneeskd. 2017;161(0):D2084.

Pruimboom T, Hubens, **Dercksen, W, Scheltinga M.**
Slecht doorbloede voet. Medisch Contact 2017;14:29

van Alphen TC, Fechner MR, Smit JM, **Slooter GD**, Broekhuysen CL.
Microsurgery. 2017 Sep;37(6):539-545. The laparoscopically harvested omentum as a free flap for autologous breast reconstruction.

Promoties

Willem Zwaans

Strategies for chronic inguinal pain. Maastricht: Universiteit Maastricht; 17 november 2017

Nicole Verheuel

The paradigm shift in axillary management of invasive breast cancer: from “treat all, except...” to “treat none, unless..”. Maastricht: Universiteit Maastricht; 21 juni 2017

Michiel Winkes

Chronic exertional compartment syndrome of the deep posterior lower leg and forearm
Maastricht: Universiteit Maastricht; 5 april 2017

GYNAECOLOGIE EN VERLOSKUNDE

Meems M, **Truijens SE**, Spek V, Visser LH, Pop VJ. Follow-up of pregnancy-related carpal tunnel syndrome symptoms at 12 months postpartum: A prospective study. Eur J Obstet Gynecol Reprod Biol 2017 April 01;211:231-232.

van de Ven, J, Geomini PM. A pregnant woman with acute shoulder pain. Ned Tijdschr Geneeskd 2017;161(0):D1136.

Mischi M, Chen C, Ignatenko T, **de Lau H**, Ding B, **Oei GS**, Rabotti C. Dedicated entropy measures for early assessment of pregnancy progression from single-channel electrohysterography. IEEE Trans Biomed Eng 2017 July 10.

Vroom AJ, Prins MM, **Bongers MY, Geomini PM**, Timmermans A, van Hanegem N. Endometrial sampling before or after saline infusion sonography (ESPRESSO Trial): a national survey and a study protocol of a multicentre RCT. Minerva Ginecol 2017 March 01.

Fransen A, de Boer L, Kienhorst D, **Truijens S, van Runnard Heimel P**, Oei S. Assessing teamwork performance in obstetrics: A systematic search and review of validated tools. Eur J Obstet Gynecol Reprod Biol 2017 July 01;216:184-191.

Coolen AWM, Troost S, Mol BWJ, Roovers, JPWR, **Bongers MY**. Primary treatment of pelvic organ prolapse: pessary use versus prolapse surgery. Int Urogynecol J 2017 June 09.

van Oostwaard MF, van Eerden L, de Laat MW, Duvekot JJ, Erwich J, Bloemenkamp K, Bolte AC, Bosma J, Koenen SV, Kornelisse RF, Rethans B, **van Runnard Heimel, P**, Scheepers H, Ganzevoort W, Mol B, de Groot CJ, Gaugler-Senden I. Maternal and neonatal outcomes in women with severe early onset pre-eclampsia before 26 weeks of gestation, a case series. BJOG 2017 Jan 27.

Herman MC, Mol BW, **Bongers MY**. Authors' reply re: Choice of primary outcomes evaluating treatment for heavy menstrual bleeding. BJOG 2017 March 01;124(4):695-696.

Lier M, Malik RF, van Waesberghe J, **Maas JW**, van Rump-t-van de Geest, D A, Coppus SF, Berger JP, van Rijn BB, Janssen PF, de Boer MA, de Vries J, Jansen FW, Brosens IA, Lambalk CB, Mijatovic V. Spontaneous haemoperitoneum in pregnancy and endometriosis: a case series. BJOG 2017 January 01;124(2):306-312.

Coolen A, van Oudheusden AMJ, Mol BWJ, van Eijndhoven, H W F, Roovers JWR, **Bongers M**. Laparoscopic sacrocolpopexy compared with open abdominal sacrocolpopexy for vault prolapse repair: a randomised controlled trial. *Int Urogynecol J* 2017 April 17

Lemmers M, Verschoor MA, Oude Rengerink K, Naaktgeboren C, Bossuyt PM, Huirne JA, Janssen IA, Radder C, Klinkert ER, Langenveld J, van der Voet L, Siemens FF, **Bongers MY**, van Hooff MH, van der Ploeg M, Sjors FP, Coppus SF, Ankum WM, Mol BW, MisoREST study group. MisoREST: Surgical versus expectant management in women with an incomplete evacuation of the uterus after misoprostol treatment for miscarriage: A cohort study. *Eur J Obstet Gynecol Reprod Biol* 2017 January 27;211:83-89.

van Oers AM, Groen H, Mutsaerts MA, Burggraaff JM, Kuchenbecker WK, Perquin DA, **Koks CA**, van Golde R, Kaaijk EM, Schierbeek JM, Oosterhuis GJ, Broekmans FJ, Vogel NE, Land JA, Mol BW, Hoek A, LIFeStyle study group. Effectiveness of lifestyle intervention in subgroups of obese infertile women: a subgroup analysis of a RCT. *Hum Reprod* 2017 February 01;32(2):482.

van Dijk, J E W, **Dedden SJ, Geomini PMAJ**, Meijer P, van Hanegem N, **Bongers MY**. POstLaparoscopic Reduction of pain By combining intraperitoneal normal saline And the pulmonary Recruitment maneuver (POLAR BEAR trial). RCT to estimate reduction in pain after laparoscopic surgery when using a combination therapy of intraperitoneal normal saline and the pulmonary recruitment maneuver. *BMC Womens Health* 2017 June 13;17(1):8.

Kommers DR, Joshi R, van Pul C, Atallah L, Feijs L, **Oei G**, Bambang Oetomo S, Andriessen P. Features of Heart Rate Variability Capture Regulatory Changes During Kangaroo Care in Preterm Enfants. *J Pediatr* 2017 March 01;182:98.e1.

Konings GF, Cornel KM, Xanthoulea S, Delvoux B, Skowron MA, Kooreman L, Koskimies P, Krakstad C, Salvesen HB, van Kuijk K, Schrooders YJ, Vooijs M, Groot AJ, **Bongers MY**, Kruitwagen RF, ENITEC, Romano A. Blocking 17beta-hydroxysteroid dehydrogenase type 1 in endometrial cancer: a potential novel endocrine therapeutic approach. *J Pathol* 2017 November 16.

Herman MC, Mak N, Geomini PM, Winkens B, Mol BW, **Bongers MY**, International Heavy Menstrual Bleeding IPD Meta-analysis Collaborative Group. Is the Pictorial Blood Loss Assessment Chart (PBAC) score associated with treatment outcome after endometrial ablation for heavy menstrual bleeding? A cohort study. *BJOG* 2017 Jan;124(2):277-282.

Sandberg EM, Hehenkamp WJK, **Geomini P**, Janssen PF, Jansen FW, Twijnstra ARH. Laparoscopic hysterectomy for benign indications: clinical practice guideline. *Arch Gynecol Obstet* 2017 July 26,.

Vlemminx MWC, Thijssen KMJ, Bajlekov GI, Dieleman JP, **van der Hout-Van der Jagt MB**, Oei SG. Electrohysterography for uterine monitoring during term labour compared to external tocodynamometry and intra-uterine pressure catheter. *Eur J Obstet Gynecol Reprod Biol* 2017 June 1;215:197-205.

van de Ven J, Fransen AF, Schuit E, van **Runnard Heimel P**, Mol BW, Oei S. Does the effect of one-day simulation team training in obstetric emergencies decline within one year? A post-hoc analysis of a multicentre cluster randomised controlled trial. *Eur J Obstet Gynecol Reprod Biol* 2017 July 14;;216:79-84.

van Oers AM, Mutsaerts MAQ, Burggraaff JM, Kuchenbecker WKH, Perquin DAM, **Koks CAM**, van Golde R, Kaaijk EM, Schierbeek JM, Klijn NF, van Kasteren YM, Land JA, Mol BWJ, Hoek A, Groen H, LIFEstyle study group. Cost-effectiveness analysis of lifestyle intervention in obese infertile women. *Hum Reprod* 2017 May 9,;1-9.

Velzel J, Vlemmix F, Opmeer BC, Molkenboer JF, **Verhoeven CJ**, van Pampus MG, Papatsonis DN, Bais JM, Vollebregt KC, van der Esch L, Van der Post, J A, Mol BW, Kok M. Atosiban versus fenoterol as a uterine relaxant for external cephalic version: randomised controlled trial. *BMJ* 2017 Jan 26;356:i6773.

Hooker AB, de Leeuw R, van de Ven, P M, Bakkum EA, Thurkow AL, Vogel NEA, van Vliet, H A A M, **Bongers MY**, Emanuel MH, Verdonkschot AEM, Brolmann HAM, Huirne JAF. Prevalence of intrauterine adhesions after the application of hyaluronic acid gel after dilatation and curettage in women with at least one previous curettage: short-term outcomes of a multicenter, prospective randomized controlled trial. *Fertil Steril* 2017 May 1,;107(5):1231.e3.

Vullings R, **Verdurmen KMJ, Hulsenboom ADJ, Scheffer S, de Lau H**, Kwee A, Wijn PFF, Amer-Wahlin I, **van Laar, JOEH, Oei SG**. The electrical heart axis and ST events in fetal monitoring: A post-hoc analysis following a multicentre randomised controlled trial. *PLoS One* 2017 April 14;12(4):e0175823.

Verdurmen KMJ, Hulsenboom ADJ, van Laar JOEH, Oei SG. Effect of tocolytic drugs on fetal heart rate variability: a systematic review. *J Matern Fetal Neonatal Med*. 2017 Oct;30(20):2387-2394.

Reinders I, Geomini P, Timmermans A, de Lange ME, Bongers MY*. Local anaesthesia during endometrial ablation: a systematic review. *BJOG* 2017 Jan;124(2):190-199.

Danhof NA, van Wely M, **Koks C**, Gianotten J, de Bruin JP, Cohlen BJ, van der Ham, D P, Klijn NF, van Hooff M, Broekmans F, Fleischer K, Janssen C, Rijn van Weert, J M, van Disseldorp J, Twisk M, Traas M, Verberg M, Pelinck MJ, Visser J, Perquin D, Boks D, Verhoeve HR, van Heteren CF, Mol B, Repping S, van der Veen F, Mochtar MH. The SUPER study: protocol for a randomised controlled trial comparing follicle-stimulating hormone and clomiphene citrate for ovarian stimulation in intrauterine insemination. *BMJ Open* 2017 May 25,;7(5):015680.

Perdok H, Cronie D, van der Speld C, van Dillen J, de Jonge A, Rijnders M, de Graaf I, Schellevis FG, **Verhoeven C**. Experienced job autonomy among maternity care professionals in The Netherlands. *Midwifery* 2017 July 20;54:67-72.

van IJsselmuiden MN, Detollenaere RJ, Gerritse MBE, Kluivers KB, **Bongers MY**, van Eijndhoven, H W F. Dutch women's attitudes towards hysterectomy and uterus preservation

in surgical treatment of pelvic organ prolapse. Eur J Obstet Gynecol Reprod Biol 2017 November 21;;220:79-83.

Visser NC, Sparidaens EM, van den Brink, J W, Breijer MC, **Boss EA**, Veersema S, Siebers AG, Bulten J, Pijnenborg JM, Bekkers RL. Long-term risk of endometrial cancer following postmenopausal bleeding and reassuring endometrial biopsy. Acta Obstet Gynecol Scand 2016 December 01;95(12):1418-1424.

van de Ven J, van Baaren GJ, Fransen A, van **Runnard Heimeel P**, Mol BW, **Oei SG**. Cost-effectiveness of simulation-based team training in obstetric emergencies (TOSTI study). Eur J Obstet Gynecol Reprod Biol 2017 July 23;216:130-137.

Mak N, Reinders IMA, **Slockers SA**, Westen E, **Maas J**, **Bongers M**. The effect of music in gynaecological office procedures on pain, anxiety and satisfaction: a randomized controlled trial. Gynecol Surg 2017;14(1):2. Epub 2017 Aug 9.

Theunissen M, Peters ML, Schepers J, **Maas JW**, Tournois F, van Suijlekom HA, Gramke HF, Marcus MA. Recovery 3 and 12 months after hysterectomy: epidemiology and predictors of chronic pain, physical functioning, and global surgical recovery. Medicine (Baltimore) 2016 June 01;95(26):e3980.

Grooten IJ, Koot MH, van der Post, J A, Bais JM, Ris-Stalpers C, Naaktgeboren C, Bremer HA, van der Ham, D P, Heidema WM, Huisjes A, Kleiverda G, Kuppens S, **van Laar JO**, Langenveld J, van der Made F, van Pampus MG, Papatsonis D, Pelinck MJ, Pernet PJ, van Rheeën L, Rijnders RJ, Scheepers HC, Vogelvang TE, Mol BW, Roseboom TJ, Painter RC. Early enteral tube feeding in optimizing treatment of hyperemesis gravidarum: the Maternal and Offspring outcomes after Treatment of HyperEmesis by Refeeding (MOTHER) randomized controlled trial. Am J Clin Nutr 2017 August 9,.

de Rooij BH, Ezendam NP, Nicolaije KA, Caroline Vos M, Pijnenborg JM, Boll D, **Boss EA**, Hermans RH, Engelhart KC, Haartsen JE, Pijlman BM, van Loon-Baelemans IE, Mertens HJ, Nolting WE, van Beek JJ, Roukema JA, Kruitwagen RF, van de Poll-Franse, L V. Effects of Survivorship Care Plans on patient reported outcomes in ovarian cancer during 2-year follow-up - The ROGY care trial. Gynecol Oncol 2017 March 07.

Jongen GJ, **van der Hout-van der Jagt, MB**, **Oei SG**, van de Vosse, F N, Bovendeerd PH. Simulation of fetal heart rate variability with a mathematical model. Med Eng Phys 2017 April 01;42:55-64.

Visser L, de Boer MA, de Groot, C J M, Nijman TAJ, Hemels MAC, Bloemenkamp KWM, Bosmans JE, Kok M, **van Laar JO**, Sueters M, Scheepers H, van Drongelen J, Franssen MTM, Sikkema JM, Duvekot HJJ, Bekker MN, van der Post, J A M, Naaktgeboren C, Mol BWJ, Oudijk MA. Low dose aspirin in the prevention of recurrent spontaneous preterm labour - the APRIL study: a multicenter randomized placebo controlled trial. BMC Pregnancy Childbirth 2017 July 14;;17(1):0.

Fransen AF, van de Ven J, Schuit E, van Tetering A, Mol BW, Oei SG. Simulation-based team training for multi-professional obstetric care teams to improve patient outcome: a multicentre, cluster randomised controlled trial. *BJOG* 2017 March 1;;124(4):641-650.

Dedden S, Geomini P, Huirne JAF, Bongers M. Vaginal and Laparoscopic hysterectomy as an outpatient procedure: A systematic review. *Eur J Obstet Gynecol Reprod Biol* 2017 July 22;;216:212-223.

Cornel KM, Krakstad C, Delvoux B, Xanthoulea S, Jori B, **Bongers MY**, Konings GF, Kooreman LF, Kruitwagen RF, Salvesen HB, ENITEC, Romano A. High mRNA levels of 17beta-hydroxysteroid dehydrogenase type 1 correlate with poor prognosis in endometrial cancer. *Mol Cell Endocrinol* 2017 February 15;;442:51-57.

de Lau H, Yang KT, Rabotti C, Vlemminx M, Bajlekov G, Mischì M, Oei SG. Toward a new modality for detecting a uterine rupture: electrohysterogram propagation analysis during trial of labor after cesarean. *J Matern Fetal Neonatal Med* 2017 March 1;;30(5):574-579.

Coolen AWM, van IJsselmuiden MN, van Oudheusden, AMJ, Veen J, van Eijndhoven, H W F, Mol BWJ, Roovers JP, Bongers MY. Laparoscopic sacrocolpopexy versus vaginal sacrospinous fixation for vaginal vault prolapse, a randomized controlled trial: SALTO-2 trial, study protocol. *BMC Womens Health* 2017 July 26;;17(1):2.

Weiss NS, Nahuis MJ, Bordewijk E, Oosterhuis JE, Smeenk JM, Hoek A, Broekmans FJ, Fleischer K, de Bruin JP, Kaaijk EM, Laven JS, Hendriks DJ, Gerards MH, van Rooij IA, Bourdrez P, Gianotten J, **Koks C**, Lambalk CB, Hompes PG, van der Veen F, Mol BWJ, van Wely M. Gonadotrophins versus clomifene citrate with or without intrauterine insemination in women with normogonadotropic anovulation and clomifene failure (M-OVIN): a randomised, two-by-two factorial trial. *Lancet* 2017 December 19,.

van de Vrie R, van Meurs HS, Rutten MJ, Naaktgeboren CA, Opmeer BC, Gaarenstroom KN, van Gorp T, Ter Brugge HG, Hofhuis W, Schreuder HWR, Arts HJG, Zusterzeel PLM, Pijnenborg JMA, van Haaften M, Engelen MJA, **Boss EA**, Vos MC, Gerestein KG, Schutter EMJ, Kenter GG, Bossuyt PMM, Mol BW, Buist MR. Cost-effectiveness of laparoscopy as diagnostic tool before primary cytoreductive surgery in ovarian cancer. *Gynecol Oncol* 2017 June 20,.

Truijens SEM, Spek V, van Son, M J M, Guid Oei S, Pop VJM. Different patterns of depressive symptoms during pregnancy. *Arch Womens Ment Health* 2017 June 8,.

van der Heijden, P, Geomini P, Herman MC, Veersema S, Bongers MY. Timing of insertion of levonorgestrel-releasing intrauterine system: a randomised controlled trial. *BJOG* 2017 Jan;124(2):299-305.

Tjon-Kon-Fat RI, Tajik P, Zafarmand MH, Bendsorp AJ, Bossuyt PMM, Oosterhuis GJE, van Golde R, Repping S, Lambers MDA, Slappendel E, Perquin D, Pelinck MJ, Gianotten J, **Maas J**, Eijkemans MJC, van der Veen F, Mol BW, van Wely M, INeS study groupdagger. IVF or IUI as first-line treatment in unexplained subfertility: the conundrum of treatment selection markers. *Hum Reprod* 2017 May 01;32(5):1028-1032.

van Baaren GJ, Vis JY, Wilms FF, Oudijk MA, Kwee A, **Porath MM**, Scheepers HC, Spaanderman ME, Bloemenkamp KW, Haak MC, Bax CJ, Cornette JM, Duvekot JJ, Nij Bijvanck BW, van Eyck J, Franssen MT, Sollie KM, Vandenbussche FP, Woiski M, Bolte AC, van der Post, J A, Bossuyt PM, Opmeer BC, Mol BW. Cost-effectiveness of diagnostic testing strategies including cervical length measurement and fibronectin testing in women with symptoms of preterm labor. *Ultrasound Obstet Gynecol* 2017 March 31,.

Hermans FJR, Koullali B, van Os MA, van der Ven, JEM, Kazemier BM, Woiski MD, Willekes C, Kuiper PN, Roumen, F J M E, de Groot CM, de Miranda E, **Verhoeven C**, Haak MC, Pajkrt E, Schuit E, Mol BWJ, Triple P group. Repeated cervical length measurements for the verification of short cervical length. *Int J Gynaecol Obstet* 2017 September 8,.

Hamelmann P, Vullings R, Schmitt L, Kolen AF, Mischi M, **van Laar, JOEH**, Bergmans JWM. Improved ultrasound transducer positioning by fetal heart location estimation during Doppler based heart rate measurements. *Physiol Meas* 2017 September 21,;38(10):1821-1836.

Mischi M, Chen C, Ignatenko T, de Lau H, Ding B, **Oei GS**, Rabotti C. Dedicated entropy measures for early assessment of pregnancy progression from single-channel electrohysterography. *IEEE Trans Biomed Eng* 2017 July 10,.

Kersten FAM, Nelen, W L D M, van den Boogaard, N M, van Rumste MM, **Koks CA**, IntHout J, Verhoeve HR, Pelinck MJ, Boks DES, Gianotten J, Broekmans FJM, Goddijn M, Braat DDM, Mol BWJ, Hermens, R P G M, Improvement study group. Implementing targeted expectant management in fertility care using prognostic modelling: a cluster randomized trial with a multifaceted strategy. *Hum Reprod* 2017 June 7,;1-10.

Perdok H, Jans S, **Verhoeven C**, van Dillen J, Batenburg R, Mol BW, Schellevis F, de Jonge A. Opinions of professionals about integrating midwife- and obstetrician-led care in The Netherlands. *Midwifery* 2016 June 1,;37:9-18.

Tasma ML, Louwense MD, Hehenkamp WJ, **Geomini PM, Bongers MY**, Veersema S, van Kesteren PJ, Tromp E, Huirne JA, Graziosi GC. Misoprostol for cervical priming prior to hysteroscopy in postmenopausal and premenopausal nulliparous women; a multicentre randomised placebo controlled trial. *BJOG* 2017 January 21.

van Seeters JA, Chua SJ, Mol BW, **Koks CA**. Tubal anastomosis after previous sterilization: a systematic review. *Hum Reprod Update* 2017 February 22:1-13.

Coolen A, Bui BN, Dietz V, Wang R, van Montfoort, A P A, Mol BWJ, Roovers JWR, **Bongers M**. The treatment of post-hysterectomy vaginal vault prolapse: a systematic review and meta-analysis. *Int Urogynecol J* 2017 October 16,.

van Eerden L, de Groot, C J M, Zeeman GG, Page-Christiaens GCM, Pajkrt E, Duvekot JJ, Vandenbussche FP, **Oei SG**, Scheepers HCJ, van Eyck J, Middeldorp JM, Bolte AC. Subsequent pregnancy outcome after mid-trimester termination of pregnancy for preeclampsia. *Aust N Z J Obstet Gynaecol* 2017 August 29,.

Goossens, SMTA, Ensing S, van der Hoeven, MAHBM, Roumen, FJME, Nijhuis JG, Mol BW. Comparison of planned caesarean delivery and planned vaginal delivery in women with a twin pregnancy: A nation wide cohort study. Eur J Obstet Gynecol Reprod Biol 2017 December 15;;221:97-104.

Lemmers M, Verschoor MAC, Bossuyt PM, Huirne JAF, Spinder T, Nieboer TE, **Bongers MY**, Janssen IAH, van Hooff, M H A, Mol BWJ, Ankum WM, Bosmans JE, MisoREST study group. Cost- effectiveness of curettage versus expectant management in women with an incomplete evacuation after misoprostol treatment for first trimester miscarriage: a randomized controlled trial and cohort study. Acta Obstet Gynecol Scand 2017 December 20

Kommers DR, Broeren M, Andriessen P, **Oei SG**, Feijs L, Bambang Oetomo S. Pilot study demonstrates that salivary oxytocin can be measured unobtrusively in preterm infants. Acta Paediatr. 2017 Jan;106(1):34-42.

van Hoogenhuijze NE, Torrance HL, Mol F, Laven JSE, Scheenjes E, Traas MAF, Janssen C, Cohlen B, Teklenburg G, de Bruin JP, van Oppenraaij R, **Maas JWM**, Moll E, Fleischer K, van Hooff MH, de Koning C, Cantineau A, Lambalk CB, Verberg M, Nijs M, Manger AP(20), van Rumste M, van der Voet LF, Preys-Bosman A, Visser J, Brinkhuis E, den Hartog JE, Sluijmer A, Jansen FW, Hermes W, Bandell ML, Pelinck MJ, van Disseldorp J, van Wely M, Smeenk J, Pieterse QD, Boxmeer JC, Groenewoud ER, Eijkemans MJC, Kasius JC, Broekmans FJM. Endometrial scratching in women with implantation failure after a first IVF/ICSI cycle; does it lead to a higher live birth rate? The SCRaTCH study: a randomized controlled trial (NTR 5342).

van de Vrie R, van Meurs HS, Rutten MJ, Naaktgeboren CA, Opmeer BC, Gaarenstroom KN, van Gorp T, Ter Brugge HG, Hofhuis W, Schreuder HWR, Arts HJG, Zusterzeel PLM, Pijnenborg JMA, van Haaften M, Engelen MJA, **Boss EA**, Vos MC, Gerestein KG, Schutter EMJ, Kenter GG, Bossuyt PMM, Mol BW, Buist MR. Cost-effectiveness of laparoscopy as diagnostic tool before primary cytoreductive surgery in ovarian cancer. Gynecol Oncol. 2017 Sep;146(3):449-456. doi: 10.1016/j.ygyno.2017.06.019. Epub 2017 Jun 20.

Promoties

Anne-Lotte Coolen

Treatment of vaginal vault prolapse

Maastricht: Universiteit Maastricht; 20 september 2017

Simone Goossens

Twin pregnancies: planning the mode of delivery

Maastricht: Universiteit Maastricht; 20 september 2017

Kim Verdurmen

The prospectsof fetal electrocardiography during pregnancy and labour.

Eindhoven: Technische Universiteit Eindhoven; 5 juli 2017

Joost van de Ven

Effectiveness of technology-enhanced medical team training in obstetrics
Eindhoven: Technische Universiteit Eindhoven; 27 juni 2017

INTERNE GENEESKUNDE

van der Molen, P, Maas AH, Chen W, van Pul C, Cottaar EJE, van Riel, N A W, Hilbers PAJ, **Haak HR**. Identifying User Preferences for a Digital Educational Solution for Young Seniors With Diabetes. *Diabetes Spectr* 2017 August 01;30(3):182-187.

Osinski A, Vreugdenhil G. Cardiopulmonary resuscitation in cancer patients: still some problems to solve. *Support Care Cancer* 2017 Aug;25(8):2367-2369

de Kort S, Masclee AAM, Sanduleanu S, Weijenberg MP, van Herk-Sukel, M P P, Oldenhof NJJ, van den Bergh, J P W, **Haak HR**, Janssen-Heijnen ML. Higher risk of colorectal cancer in patients with newly diagnosed diabetes mellitus before the age of colorectal cancer screening initiation. *Sci Rep* 2017 April 24;7:46527.

Madani A, Thomassen I, van Gestel YR, van der Bilt, J D, **Haak HR**, de Hingh IH, Lemmens VE. Peritoneal Metastases from Gastroenteropancreatic Neuroendocrine Tumors: Incidence, Risk Factors and Prognosis. *Ann Surg Oncol* 2017 Aug;24(8):2199-2205

Galen LV, **Wachelder J**. Cruising through the journey without getting drowned: The saga of a PhD student in the Netherlands. *Acute Med* 2017;16(1):43-45.

Seferina SC, Ramaekers BL, de Boer M, **Dercksen MW**, van den Berkmortel F, van Kampen RJ, van de Wouw, A J, Voogd AC, Tjan Heijnen VC, Joore MA. Cost and cost-effectiveness of adjuvant trastuzumab in the real world setting: A study of the Southeast Netherlands Breast Cancer Consortium. *Oncotarget* 2017 Apr 9;8(45):79223-79233

Kwakman JJM, **Simkens LHJ**, van Rooijen JM, van de Wouw, A J, Ten Tije AJ, Creemers GJM, Hendriks MP, Los M, van Alphen RJ, Polee MB, Muller EW, van der Velden, A M T, van Voorthuizen T, Koopman M, Mol L, van Werkhoven E, Punt CJA. Randomized phase III trial of S-1 versus capecitabine in the first-line treatment of metastatic colorectal cancer: SALTO study by the Dutch Colorectal Cancer Group. *Ann Oncol* 2017 June 01;28(6):1288-1293.

van Galen LS, Brabrand M, Cooksley T, van de Ven, PM, Merten H, So RK, van Hooff L, **Haak H**, Kidney RM, Nickel CH, Soong JT, Weichert I, Kramer MH, Subbe CP, Nanayakkara PW, Safer@home consortium. Patients' and providers' perceptions of the preventability of hospital readmission: a prospective, observational study in four European countries. *BMJ Qual Saf* 2017 Dec;26(12):958-969

de Jong RG, Burden AM, de Kort S, van Herk-Sukel M, Vissers PA, Janssen PK, **Haak HR**, Masclee AA, de Vries F, Janssen-Heijnen ML. No decreased risk of gastrointestinal cancers in users of metformin in The Netherlands; a time-varying analysis of metformin exposure. *Cancer Prev Res (Phila)* 2017 May;10(5):290-297

van Abbema D, van Vuuren A, van den Berkmortel F, van den Akker M, Deckx L, Buntinx F, van Kampen R, **Lambooij E**, de Boer M, de Vos-Geelen J, Tjan-Heijnen VC. Functional status decline in older patients with breast and colorectal cancer after cancer treatment: A prospective cohort study. *J Geriatr Oncol* 2017 May;8(3):176-184

Huyard C, Derijks L, **Haak H, Lieverse L**. Intentional Nonadherence as a Means to Exert Control. *Qual Health Res* 2017 July 1;;27(8):1215-1224.

Kwakman JJ, **Simkens L**, Mol L, Kok WE, Koopman M, Punt CJ. Incidence of capecitabine-related cardiotoxicity in different treatment schedules of metastatic colorectal cancer: A retrospective analysis of the CAIRO studies of the Dutch Colorectal Cancer Group. *Eur J Cancer* 2017 May 1;;76:93-99.

Beijers AJ, Oerlemans S, Mols F, Eurelings M, Minnema MC, **Vreugdenhil A**, van de Poll-Franse, L V. The magnitude of neurotoxicity in patients with multiple myeloma and the impact of dose modifications: results from the population-based PROFILES registry. *Ann Hematol* 2017 Apr;96(4):653-663

Wachelder JJH, van Drunen I, Stassen PM, **Brouns SHA, Lambooij SLE**, Aarts MJ, **Haak HR**. Association of socioeconomic status with outcomes in older adult community-dwelling patients after visiting the emergency department: a retrospective cohort study. *BMJ Open* 2017 December 26;;7(12):019318.

Cirkel GA, Hamberg P, Sleijfer S, Loosveld OJL, **Dercksen MW**, Los M, Polee MB, van den Berkmortel F, Aarts MJ, Beerepoot LV, Groenewegen G, Lolkema MP, Tascilar M, Portielje JEA, Peters FPJ, Klumpen HJ, van der Noort V, Haanen, J B A G, Voest EE, Dutch WIN-O Consortium. Alternating Treatment With Pazopanib and Everolimus vs Continuous Pazopanib to Delay Disease Progression in Patients With Metastatic Clear Cell Renal Cell Cancer: The ROPETAR Randomized Clinical Trial. *JAMA Oncol* 2017 April 01;3(4):501-508.

Hiatt WR, Fowkes FG, Heizer G, Berger JS, Baumgartner I, Held P, Katona BG, Mahaffey KW, Norgren L, Jones WS, Blomster J, Millegård M, Reist C, Patel MR; EUCLID Trial Steering Committee and Investigators. Ticagrelor versus Clopidogrel in Symptomatic Peripheral Artery Disease. *N Engl J Med*. 2017 Jan 5;376(1):32-40. (**L. Lieverse** lid van EUCLID Trial Steering Committee and Investigators)

Arts LPJ, van de Poll-Franse, L V, van den Berg, S W, Prins JB, Husson O, Mols F, Brands-Nijenhuis AVM, **Tick L**, Oerlemans S. Lymphoma InterVENTion (LIVE) - patient-reported outcome feedback and a web-based self-management intervention for patients with lymphoma: study protocol for a randomised controlled trial. *Trials* 2017 April 28;18(1):2.

van Kampen RJ, Ramaekers BL, **Lobbezoo DJ**, de Boer M, **Dercksen MW**, van den Berkmortel F, Smilde TJ, van de Wouw, A J, Peters FP, van Riel JM, Peters NA, Tjan-Heijnen VC, Joore MA. Real-world and trial-based cost-effectiveness analysis of bevacizumab in HER2-negative metastatic breast cancer patients: a study of the Southeast Netherlands Breast Cancer Consortium. *Eur J Cancer* 2017 Jul;79:238-246

de Jong, R G P J, Burden AM, de Kort S, van Herk-Sukel, M P P, Vissers PAJ, Janssen PKC, **Haak HR**, Masclee AAM, de Vries F, Janssen-Heijnen MLG. Impact of detection bias on the risk of gastrointestinal cancer and its subsites in type 2 diabetes mellitus. *Eur J Cancer* 2017 July 1,;79:61-71.

Brouns SH, van der Schuit, K C, Stassen PM, **Lambooij SL**, Dieleman J, Vanderfeesten IT, **Haak HR**. Applicability of the modified Emergency Department Work Index (mEDWIN) at a Dutch emergency department. *PLoS One* 2017 March 10,;12(3):e0173387.

Jochems A, Schouwenburg MG, Leeneman B, Franken MG, van den Eertwegh, A J, Haanen JB, Gelderblom H, Uyl-de Groot CA, Aarts MJ, van den Berkmortel, F W, Blokx WA, Cardous-Ubbink MC, Groenewegen G, de Groot JW, Hospers GA, Kapiteijn E, Koornstra RH, Kruit WH, Louwman MW, Piersma D, van Rijn RS, Ten Tije AJ, **Vreugdenhil G**, Wouters MW, van der Hoeven, J J. Dutch Melanoma Treatment Registry: Quality assurance in the care of patients with metastatic melanoma in the Netherlands. *Eur J Cancer* 2017 February 1,;72:156-165.

Maas RJ, Deegens JK, Beukhof JR, Reichert LJ, Ten Dam MA, Beutler JJ, **van den Wall Bake, A WL**, Rensma PL, Konings CJ, Geerse DA, Feith GW, Van Kuijk WH, Wetzels JF. The Clinical Course of Minimal Change Nephrotic Syndrome With Onset in Adulthood or Late Adolescence: A Case Series. *Am J Kidney Dis* 2017 May 01;69(5):637-646.

chiVreugdenhil G. Electric vehicles. A small step towards improving air quality and mortality? *Eur J Intern Med* 2017 January 1,;37:e10.

Zanders MMJ, **Haak HR**, van Herk-Sukel, M P P, Herings RMC, van de Poll-Franse, L V, Johnson JA. Changes in glucose-lowering drug use before and after cancer diagnosis in patients with diabetes. *Diabetes Metab* 2017 October 21,.

Osinski A, **Vreugdenhil G**, de Koning J, van der Hoeven, J G. Do-not-resuscitate orders in cancer patients: a review of literature. *Support Care Cancer* 2017 February 1,;25(2):677-685.

Wachelder JJH, Stassen PM, **Hubens, LPAM**, **Brouns SHA**, **Lambooij SLE**, Dieleman JP, **Haak HR**. Elderly emergency patients presenting with non-specific complaints: Characteristics and outcomes. *PLoS One* 2017 November 30;12(11):e0188954.

van Herpt, TTW, **Lemmers RFH**, van Hoek M, Langendonk JG, **Erdtsieck RJ**, Bravenboer B, Lucas A, Mulder MT, **Haak HR**, **Lieverse AG**, Sijbrands EJG. Introduction of the DiaGene study: clinical characteristics, pathophysiology and determinants of vascular complications of type 2 diabetes. *Diabetol Metab Syndr* 2017 June 19,;9:x. eCollection 2017.

Lemmers RFH, Vilaj M, Urda D, Agakov F, Simurina M, Klaric L, Rudan I, Campbell H, Hayward C, Wilson JF, **Lieverse AG**, Gornik O, Sijbrands EJG, Lauc G, van Hoek M. IgG glycan patterns are associated with type 2 diabetes in independent European populations. *Biochim Biophys Acta* 2017 Sep;1861(9):2240-2249

Lemmers RFH, van Hoek M, **Lieverse AG**, Verhoeven AJM, Sijbrands EJG, Mulder MT. The anti-inflammatory function of high-density lipoprotein in type II diabetes: A systematic review. *J Clin Lipidol* 2017 March 31.

Nabben M, Schmitz JP, Ciapaite J, Le Clercq CM, van Riel NA, **Haak HR**, Nicolay K, de Coo IF, Smeets HJ, Praet SF, van Loon LJ, Prompers JJ. Dietary nitrate does not reduce oxygen cost of exercise or improve muscle mitochondrial function in mitochondrial myopathy patients. *Am J Physiol Regul Integr Comp Physiol* 2017 May 1;312(5):R689-R701

Neutrophil Recovery in Breast Cancer Patients Receiving Docetaxel-Containing Chemotherapy with and without Granulocyte Colony-Stimulating Factor Prophylaxis. Aarts MJ, Vriens BE, de Boer M, Peters FP, Mandigers CM, **Dercksen MW**, Stouthard JM, Tol J, van Warmerdam LJ, van de Wouw AJ, Jacobs EM, van der Rijt CCD, Smilde TJ, van der Velden AW, Peer N, Tjan-Heijnen VCG. *Oncology*. 2017 Aug 22.

Gligorov J, Ataseven B, Verrill M, De Laurentiis M, Jung KH, Azim HA, Al-Sakaff N, Lauer S, Shing M, Pivot X; SafeHer Study Group. Safety and tolerability of subcutaneous trastuzumab for the adjuvant treatment of human epidermal growth factor receptor 2-positive early breast cancer: SafeHer phase III study's primary analysis of 2573 patients. *Eur J Cancer*. 2017 Sep;82:237-246. (**M. Dercksen** maakt deel uit van de AafeHer Study Group)

Promoties

Anne Maas

'Playing with numbers; The development of an educational diabetes game'.
Eindhoven: 6 september 2017; Technische Universiteit Eindhoven

KINDERGENEESKUNDE EN NEONATOLOGIE

Thielen M, Joshi R, Delbressine F, Feijs L, **Bambang Oetomo S**. An innovative design for cardiopulmonary resuscitation manikins based on a human-like thorax and embedded flow sensors. *Proc Inst Mech Eng H* 2017 March 01;231(3):243-249.

van den Wijngaart, L S, Kievit W, Roukema J, Boehmer ALM, Brouwer ML, Huguenot CAC, **Niers LEM**, Sprij AJ, Rikkers-Mutsaerts, ERVM, Rottier BL, Verhaak CM, Pijnenburg MW, Merkus, PJFM. Online asthma management for children is cost-effective. *Eur Respir J* 2017 October 05;50(4):2017. Print 2017 Oct.

Evering VH, **Andriessen P**, **Duijsters CE**, Brogtrop J, Derijks LJ. The Effect of Individualized Versus Standardized Parenteral Nutrition on Body Weight in Very Preterm Infants. *J Clin Med Res* 2017 April 01;9(4):339-344.

Eijsvoogel NB, Hollegien MI, **Bok VLA**, Derksen Lubsen AG, Dikken FPJ, Leenders, SACAP, Pijning A, Post E, Wojciechowski M, Hilbink M, de Vries E. Declining antibody levels after hepatitis B vaccination in Down syndrome: A need for booster vaccination? *J Med Virol* 2017 March 21.

Zegers SH, Dieleman J, van der Bruggen T, Kimpen J, de Jong-de Vos van Steenwijk, C. Erratum to: The influence of antibiotic prophylaxis on bacterial resistance in urinary tract infections in children with spina bifida. *BMC Infect Dis* 2017 February 27;17(1):1.

Eijsvoogel NB, Hollegien MI, **Bok L**, Derksen-Lubsen G, Dikken FPJ, Leenders, A C A P, Pijning A, Post EDM, Wojciechowski M, Schmitz R, Hilbink M, de Vries E. Lower percentage of allergic sensitization in children with Down syndrome. *Pediatr Allergy Immunol* 2017 September 07.

Jansen EJ, **Dijkman KP**, van Lingen RA, de Vries WB, Vijlbrief DC, de Boode WP, **Andriessen P** Using benchmarking to identify inter-centre differences in persistent ductus arteriosus treatment: can we improve outcome? *Cardiol Young* 2017 April 12;:1-9.

Siawash M, Mol F, **Tjon-A-Ten W**, Perquin C, van Eerten P, van Heurn E, Roumen R, Scheltinga M. Anterior rectus sheath blocks in children with abdominal wall pain due to anterior cutaneous nerve entrapment syndrome: a prospective case series of 85 children. *Paediatr Anaesth* 2017 May 1;:27(5):545-550.

Siawash M, Maatman R, **Tjon A Ten W**, van Heurn E, Roumen R, Scheltinga M. Anterior neurectomy in children with a recalcitrant anterior cutaneous nerve entrapment syndrome is safe and successful. *J Pediatr Surg* 2017 March 01;52(3):478-480.

Theeuwes H, van der Sluijs, J, Nanlohy-Manuhutu M. Delayed umbilical cord separation. *Ned Tijdschr Geneeskd* 2017;161(0):D1890.

van Ganzewinkel CJ, Andriessen P. We need to change how we deal with continuous pain in neonates. *Acta Paediatr* 2017 August 1;:106(8):1212-1214.

Berkhout DJC, **Niemarkt HJ**, Benninga MA, Budding AE, van Kaam AH, Kramer BW, Pantophlet CM, van Weissenbruch MM, de Boer, N K H, de Meij, T G J. Development of severe bronchopulmonary dysplasia is associated with alterations in fecal volatile organic compounds. *Pediatr Res* 2017 November 22.

van den Wijngaart, LS, Roukema J, Boehmer ALM, Brouwer ML, Huguen CAC, **Niers L**, Sprij AJ, Rijkers-Mutsaerts, ERVM, Rottier BL, Donders ART, Verhaak CM, Pijnenburg MW, Merkus, P JFM. A virtual asthma clinic for children: fewer routine outpatient visits, same asthma control. *Eur Respir J* 2017 October 05;50(4):2017. Print 2017 Oct.

Kommers DR, Joshi R, van Pul C, Atallah L, Feijs L, Oei G, **Bambang Oetomo S, Andriessen P**. Features of Heart Rate Variability Capture Regulatory Changes During Kangaroo Care in Preterm Infants. *J Pediatr* 2017 March 01;182:98.e1.

Zegers SH, Dieleman J, van der Bruggen T, Kimpen J, de Jong-de Vos van Steenwijk, C, **Zegers B**. The influence of antibiotic prophylaxis on bacterial resistance in urinary tract infections in children with spina bifida. *BMC Infect Dis* 2017 January 12;17(1):y.

van Ganzewinkel, CJLM, Been JV, Verbeek I, van der Loo, TB, van der Pal, SM, Kramer BW, **Andriessen P**. Pain threshold, tolerance and intensity in adolescents born very preterm or with low birth weight. *Early Hum Dev* 2017 July 01;110:31-38.

Rutten JM, Vlieger AM, Frankenhuis C, George EK, Groeneweg M, Norbruis OF, **Tjon A Ten, W**, van Wering HM, Dijkgraaf MG, Merkus MP, Benninga MA. Home-Based Hypnotherapy

Self-exercises vs Individual Hypnotherapy With a Therapist for Treatment of Pediatric Irritable Bowel Syndrome, Functional Abdominal Pain, or Functional Abdominal Pain Syndrome: A Randomized Clinical Trial. *JAMA Pediatr* 2017 March 27.

Reijnders MRF, Janowski R, Alvi M, Self JE, van Essen TJ, Vreeburg M, Rouhl RPW, Stevens SJC, Stegmann APA, Schieving J, Pfundt R, van Dijk K, Smeets E, Stumpel, CTRM, **Bok LA**, Cobben JM, Engelen M, Mansour S, Whiteford M, Chandler KE, Douzgou S, Cooper NS, Tan EC, Foo R, Lai AHM, Rankin J, Green A, Lonqvist T, Isohanni P, Williams S, Ruhoy I, Carvalho KS, Dowling JJ, Lev DL, Sterbova K, Lassuthova P, Neupauerova J, Waugh JL, Keros S, Clayton-Smith J, Smithson SF, Brunner HG, van Hoeckel C, Anderson M, Clowes VE, Siu VM, Ddd Study T, Selber P, Leventer RJ, Nellaker C, Niessing D, Hunt D, Baralle D. PURA syndrome: clinical delineation and genotype-phenotype study in 32 individuals with review of published literature. *J Med Genet* 2017 November 02.

de Lange IH, van Oploo AM, **Halbertsma FJ**, Roos FG, **Bok LA**. Parry Romberg syndrome presenting with a giant intracranial aneurysm: a case report. *Oxf Med Case Reports* 2017 May 30;2017(5):omx017.

Elders PND, In 't Veld J, Termote J, de Vries LS, Hemels MAC, van Straaten, H L M, **van der Sluijs J**, Kornelisse RF, Wolthers KC, van de Loo M, Pajkrt D. Congenital Cytomegalovirus Infection and the Occurrence of Cystic Periventricular Leukomalacia. *Pediatr Neurol* 2017 November 02.

Minkels TJM, Jeukens, CRLPN, **Andriessen P**, van der Linden, AN, Dam AJ, van Straaten, HLM, Cottaar EJE, van Pul C. Dose Evaluation for Digital X-Ray Imaging of Premature Neonates. *Radiat Prot Dosimetry* 2017 December 1,;177(4):440-449.

Straub J, Konrad EDH, Gruner J, Toutain A, **Bok LA**, Cho MT, Crawford HP, Dubbs H, Douglas G, Jobling R, Johnson D, Krock B, Mikati MA, Nesbitt A, Nicolai J, Phillips M, Poduri A, Ortiz-Gonzalez XR, Powis Z, Santani A, Smith L, Stegmann APA, Stumpel C, Vreeburg M, Deciphering Developmental Disorders Study, Fliedner A, Gregor A, Sticht H, Zweier C. Missense Variants in RHOBTB2 Cause a Developmental and Epileptic Encephalopathy in Humans, and Altered Levels Cause Neurological Defects in *Drosophila*. *Am J Hum Genet* 2017 December 13.

Schrauwen L, Kommers D, Oetomo SB. Viewpoints of Parents and Nurses on How to Design Products to Enhance Parent-Infant Bonding at Neonatal Intensive Care Units: A Qualitative Study Based on Existing Designs. *HERD* 2017 January 1,;1937586717728483.

Joshi R, **van de Mortel H**, Feijs L, **Andriessen P**, Pul C. The heuristics of nurse responsiveness to critical patient monitor and ventilator alarms in a private room neonatal intensive care unit. *PLoS One* 2017 October 5,;12(10):e0184567.

Goedegebuure WJ, Jonkers F*, Boot AM, Bakker-van Waarde WM, van Tellingen V, Heeg M, **Odink RJ**, van Douveren F*, Besselaar AT, van der Steen, M C. Long-term follow-up after bilateral percutaneous epiphysiodesis around the knee to reduce excessive predicted final height. *Arch Dis Child* 2017 October 13,.

Celen C, Chuang JC, Luo X, Nijem N, Walker AK, Chen F, Zhang S, Chung AS, Nguyen LH, Nassour I, Budhipramono A, Sun X, **Bok L**, McEntagart M, Gevers EF, Birnbaum SG, Eisch AJ, Powell CM, Ge WP, Santen GW, Chahrour M, Zhu H. Arid1b haploinsufficient mice reveal neuropsychiatric phenotypes and reversible causes of growth impairment. *Elife* 2017 July 11,;6:10.7554/eLife.25730.

de Kort, EHM, Halbmeijer NM, Reiss IKM, Simons SHP. Assessment of sedation level prior to neonatal intubation: A systematic review. *Paediatr Anaesth* 2017 November 20,.

de Kort EHM, Simons SHP. *Neonatology*. 2017;112(4):374-375.

Reply to the Letter to the Editor "Does Remifentanyl Have a Place for Sedation in the Case of Endotracheal Intubation or Minimally Invasive Surfactant Therapy in Neonates?"

Fountain MD, Aten E, Cho MT, Juusola J, Walkiewicz MA, Ray JW, Xia F, Yang Y, Graham BH, Bacino CA, Potocki L, van Haeringen A, Ruivenkamp CA, Mancias P, Northrup H, Kukulich MK, Weiss MM, van Ravenswaaij-Arts CM, Mathijssen IB, Levesque S, Meeks N, Rosenfeld JA, Lemke D, Hamosh A, Lewis SK, Race S, Stewart LL, Hay B, Lewis AM, Guerreiro RL, Bras JT, Martins MP, Derksen-Lubsen G, Peeters E, Stumpel C, Stegmann S, **Bok LA**, Santen GW, Schaaf CP. The phenotypic spectrum of Schaaf-Yang syndrome: 18 new affected individuals from 14 families. *Genet Med* 2017 Jan;19(1):45-52.

Kansen HM, van Rheeën PF, Houwen RHJ, **Tjon A Ten, W**, Damen GM, Kindermann A, Escher JC, Wolters VM, Kids with Crohn's, Colitis (KiCC) Working Group for Collaborative Paediatric IBD Research in the Netherlands. Less Anti-infliximab Antibody Formation in Paediatric Crohn Patients on Concomitant Immunomodulators. *J Pediatr Gastroenterol Nutr* 2017 October 1,;65(4):425-429.

Bennis FC, Van der Ster B, Van Lieshout J, **Andriessen P**, Delhaas T. A machine-learning based analysis for the recognition of progressive central hypovolemia. *Physiol Meas* 2017 July 3,.

Bekkali NLH, Hoekman DR, Liem O, Bongers M, van Wijk MP, **Zegers B**, Pelleboer RA, Verwijs W, Koot BGP, Voropaiev M, Benninga MA. Polyethylene Glycol 3350 With Electrolytes vs Polyethylene Glycol 4000 for Constipation: A Randomized, Controlled Trial. *J Pediatr Gastroenterol Nutr* 2017 September 12,.

Kaafarani M, **Schroer C**, Takken T. Reference values for blood pressure response to cycle ergometry in the first two decades of life: comparison with patients with a repaired coarctation of the aorta. *Expert Rev Cardiovasc Ther* 2017 October 8,;1-7.

van Dooijeweert B, van Ommen CH, Smiers FJ, Tamminga RYJ, Te Loo MW, **Donker AE**, Peters M, Granzen B, Gille, H J J P, Bierings MB, MacInnes AW, Bartels M. Pediatric Diamond-Blackfan anemia in the Netherlands: An overview of clinical characteristics and underlying molecular defects. *Eur J Haematol* 2017 November 7,.

Joshi R, van Pul C, Sanders A, Weda H, Bikker JW, Feijs L, **Andriessen P**. A Strategy to Reduce Critical Cardiorespiratory Alarms due to Intermittent Enteral Feeding of Preterm Neonates in Intensive Care. *Interact J Med Res* 2017 October 20,;6(2):e20.

Koemans TS, Kleefstra T, Chubak MC, Stone MH, Reijnders MRF, de Munnik S, Willemsen MH, Fenckova M, Stumpel, C T R M, **Bok LA**, Sifuentes Saenz M, Byerly KA, Baughn LB, Stegmann APA, Pfundt R, Zhou H, van Bokhoven H, Schenck A, Kramer JM. Functional convergence of histone methyltransferases EHMT1 and KMT2C involved in intellectual disability and autism spectrum disorder. *PLoS Genet* 2017 October 25;;13(10):e1006864.

Aarnoudse-Moens CSH, Rijken M, Swarte RM, **Andriessen P**, Ter Horst HJ, Mulder-de Tollenaer SM, Koopman-Esseboom C, Laarman ARC, Steiner K, van der Hoeven AHBM, Kornelisse RF, Duvekot JJ, Weisglas-Kuperus N. [Two-year follow-up of infants born at 24 weeks gestation; first outcomes following implementation of the new 'Guideline for perinatal policy in cases of extreme prematurity']. [Article in Dutch] *Ned Tijdschr Geneeskd.* 2017;161(0):D1168.

Weeke LC, Dix LML, Groenendaal F, Lemmers PMA, **Dijkman KP, Andriessen P**, de Vries LS, Toet MC. *Arch Dis Child Fetal Neonatal Ed.* 2017 Sep;102(5):F383-F388. Severe hypercapnia causes reversible depression of aEEG background activity in neonates: an observational study.

Berkhout DJC, **Niemarkt HJ**, Buijck M, van Weissenbruch MM, Brinkman P, Benninga MA, van Kaam AH, Kramer BW, **Andriessen P**, de Boer NKH, de Meij TGJ. Detection of Sepsis in Preterm Infants by Fecal Volatile Organic Compounds Analysis: A Proof of Principle Study. *J Pediatr Gastroenterol Nutr.* 2017 Sep;65(3):e47-e52.

Kommers DR, Broeren M, **Andriessen P**, Oei SG, Feijs L, **Bambang Oetomo S**. Pilot study demonstrates that salivary oxytocin can be measured unobtrusively in preterm infants. *Acta Paediatr.* 2017 Jan;106(1):34-42.

Werth J, Long X, Zwartkruis-Pelgrim E, **Niemarkt H**, Chen W, Aarts RM, **Andriessen P**. Unobtrusive assessment of neonatal sleep state based on heart rate variability retrieved from electrocardiography used for regular patient monitoring. *Early Hum Dev.* 2017 Oct;113:104-113.

Platzer K, Yuan H, Schütz H, Winschel A, Chen W, Hu C, Kusumoto H, Heyne HO, Helbig KL, Tang S, Willing MC, Tinkle BT, Adams DJ, Depienne C, Keren B, Mignot C, Frengen E, Strømme P, Biskup S, Döcker D, Strom TM, Mefford HC, Myers CT, Muir AM, LaCroix A, Sadleir L, Scheffer IE, Brilstra E, van Haelst MM, van der Smagt JJ, **Bok LA**, Møller RS, Jensen UB, Millichap JJ, Berg AT, Goldberg EM, De Bie I, Fox S, Major P, Jones JR, Zackai EH, Abou Jamra R, Rolfs A, Leventer RJ, Lawson JA, Roscioli T, Jansen FE, Ranza E, Korff CM, Lehesjoki AE, Courage C, Linnankivi T, Smith DR, Stanley C, Mintz M, McKnight D, Decker A, Tan WH, Tarnopolsky MA, Brady LI, Wolff M, Dondit L, Pedro HF, Parisotto SE, Jones KL, Patel AD, Franz DN, Vanzo R, Marco E, Ranells JD, Di Donato N, Dobyns WB, Laube B, Traynelis SF, Lemke JR. GRIN2B encephalopathy: novel findings on phenotype, variant clustering, functional consequences and treatment aspects.. *J Med Genet.* 2017 Jul;54(7):460-470.

Bijleveld YA, Mathôt R, van der Lee JH, Groenendaal F, Dijk PH, van Heijst A, Simons S, **Dijkman KP**, van Straaten H, Rijken M, Zonnenberg IA, Cools F, Zecic A, Nuytemans D, van Kaam AH, de Haan TR; PharmaCool Study Group. Population Pharmacokinetics of Amoxicillin in Term Neonates Undergoing Moderate Hypothermia. *Clin Pharmacol Ther.* 2017 May 27.

Stocker M, van Herk W, El Helou S, Dutta S, Fontana MS, Schuerman FAB, van den Tooren-de Groot RK, Wieringa JW, Janota J, van der Meer-Kappelle LH, Moonen R, Sie SD, de Vries E, **Donker AE**, Zimmerman U, Schlapbach LJ, de Mol AC, Hoffman-Haringsma A, Roy M, Tomaske M, Kornelisse RF, van Gijssel J, Visser EG, Willemsen SP, van Rossum AMC; NeoPInS Study Group. Procalcitonin-guided decision making for duration of antibiotic therapy in neonates with suspected early-onset sepsis: a multicentre, randomised controlled trial (NeoPInS). *Lancet*. 2017 Aug 26;390(10097):871-881.

Niemarkt HJ, Hütten MC, Kramer BW.

Surfactant for Respiratory Distress Syndrome: New Ideas on a Familiar Drug with Innovative Applications. *Neonatology*. 2017;111(4):408-414.

Promoties

Bas Zeegers

Urological care for children with spina bifida : individual, tailored and without antibiotic prophylaxis
Utrecht: 19 oktober 2017; Universiteit Utrecht

KLINISCHE CHEMIE

Korevaar TI, Steegers EA, Pop VJ, **Broeren MA**, Chaker L, de Rijke YB, Jaddoe VW, Medici M, Visser TJ, Tiemeier H, Peeters RP. Thyroid Autoimmunity Impairs the Thyroidal Response to Human Chorionic Gonadotropin: Two Population-Based Prospective Cohort Studies. *J Clin Endocrinol Metab* 2017 January 1,;102(1):69-77.

Schmitz EMH, Boekema PJ, Straathof JWA, van Renswouw DC, Brunsveld L, Scharnhorst V, van de Poll, MEC, **Broeren MAC**, Derijks LJJ. Switching from infliximab innovator to biosimilar in patients with inflammatory bowel disease: a 12-month multicentre observational prospective cohort study. *Aliment Pharmacol Ther* 2017 December 05.

Kommers DR, **Broeren M**, Andriessen P, Oei SG, Feijs L, Bambang Oetomo S. Pilot study demonstrates that salivary oxytocin can be measured unobtrusively in preterm infants. *Acta Paediatr*. 2017 Jan;106(1):34-42.

KLINISCHE FYSICA EN KLINISCHE GENETICA

van der Molen, P, Maas AH, Chen W, **van Pul C**, Cottaar EJE, van Riel, NAW, Hilbers PAJ, Haak HR. Identifying User Preferences for a Digital Educational Solution for Young Seniors With Diabetes. *Diabetes Spectr* 2017 August 01;30(3):182-187.

Joshi R, Mortel H, Feijs L, Andriessen P, **van Pul C**. The heuristics of nurse responsiveness to critical patient monitor and ventilator alarms in a private room neonatal intensive care unit. *PLoS One* 2017 October 5,;12(10):e0184567.

Minkels TJM, Jeukens, CRLPN, Andriessen P, van der Linden, AN, Dam AJ, van Straaten, H L M, Cottaar EJE, **van Pul C**. Dose Evaluation for Digital X-Ray Imaging of Premature Neonates. *Radiat Prot Dosimetry* 2017 December 1;;177(4):440-449.

Niemeijer VM, Jansen JP, **van Dijk T**, Spee RF, Meijer EJ, Kemps HM, Wijn PF. The influence of adipose tissue on spatially resolved near-infrared spectroscopy derived skeletal muscle oxygenation: the extent of the problem. *Physiol Meas* 2017 March 01;38(3):539-554.

Joshi R, van Pul C, Sanders A, Weda H, Bikker JW, Feijs L, Andriessen P. A Strategy to Reduce Critical Cardiorespiratory Alarms due to Intermittent Enteral Feeding of Preterm Neonates in Intensive Care. *Interact J Med Res* 2017 October 20;;6(2):e20.

Berisha S, **van Dijk T**, Bhargava R, Carney PS, Mayerich D. BIM-Sim: Interactive Simulation of Broadband Imaging Using Mie Theory. *Front Phys.* 2017;5. pii: 5.

LONGZIEKTEN

Peters S, Stahel RA, Dafni U, Ponce Aix S, Massutí B, Gautschi O, Coate L, López Martín A, van Heemst R, Berghmans T, Meldgaard P, Cobo Dols M, Garde Noguera J, Curioni-Fontecedro A, Rauch D, Mark MT, Cuffe S, Biesma B, **van Henten AMJ**, Juan Vidal Ó, Palmero Sanchez R, Villa Guzmán JC, Collado Martin R, Peralta S, Insa A, Summers Y, Láng I, Horgan A, Ciardiello F, de Hosson S, Pieterman R, Groen HJM, van den Berg PM, Zielinski CC, Chittazhathu Kurian Kuruvilla Y, Gasca-Ruchti A, Kassapian M, Novello S, Torri V, Tsourti Z, Gregorc V, Smit EF; EMPHASIS-lung Collaborative Group. Randomized Phase III Trial of Erlotinib versus Docetaxel in Patients with Advanced Squamous Cell Non-Small Cell Lung Cancer Failing First-Line Platinum-Based Doublet Chemotherapy Stratified by VeriStrat Good versus VeriStrat Poor. The European Thoracic Oncology Platform (ETOP) EMPHASIS-lung Trial. *J Thorac Oncol.* 2017 Apr;12(4):752-762.

MAAG DARM LEVERZIEKTEN

Schmitz EMH, Boekema PJ, **Straathof JWA**, van Renswouw DC, Brunsveld L, Scharnhorst V, van de Poll, MEC, Broeren MAC, Derijks LJJ. Switching from infliximab innovator to biosimilar in patients with inflammatory bowel disease: a 12-month multicentre observational prospective cohort study. *Aliment Pharmacol Ther* 2017 December 05.

van Brunschot S, van Grinsven J, van Santvoort HC, Bakker OJ, Besselink MG, Boermeester MA, Bollen TL, Bosscha K, Bouwense SA, Bruno MJ, Cappendijk VC, Consten EC, Dejong CH, van Eijck CH, Erkelens WG, van Goor H, van Grevenstein, W M U, Haveman JW, Hofker SH, Jansen JM, Lameris JS, van Lienden KP, Meijssen MA, Mulder CJ, Nieuwenhuijs VB, Poley JW, Quispel R, de Ridder RJ, Romkens TE, Scheepers JJ, Schepers NJ, Schwartz MP, Seerden T, Spanier BWM, **Straathof JWA**, Strijker M, Timmer R, Venneman NG, Vleggaar FP, Voermans RP, Witteman BJ, Gooszen HG, Dijkgraaf MG, Fockens P, Dutch Pancreatitis Study Group. Endoscopic or surgical step-up approach for infected necrotising pancreatitis: a multicentre randomised trial. *Lancet* 2017 November 3

MEDISCHE MICROBIOLOGIE

Fonville JM, van Herk CMC, Das, PHAC, van de Bovenkamp JHB, van Dommelen L. Single negative van qPCR on enrichment broth can replace five rectal swab cultures for the screening of vancomycin-resistant Enterococci. *J Clin Microbiol* 2017 May 10.

van Zoggel, DMGI, Bosman SJ, Kusters M, Nieuwenhuijzen GAP, Cnossen JS, **Creemers GJ**, van Lijnschoten G, Rutten HJT. Preliminary results of a cohort study of induction chemotherapy-based treatment for locally recurrent rectal cancer. *Br J Surg* 2017 November 23

MEDISCHE PSYCHOLOGIE

van de Wal M, Langenberg S, Gielissen M, Thewes B, van Oort I, Prins J. Fear of cancer recurrence: a significant concern among partners of prostate cancer survivors. *Psychooncology*. 2017 Dec;26(12):2079-2085.

Promoties

Marieke van der Wal

Understanding and Managing Fear of Cancer Recurrence
Nijmegen: 12 juni 2017;Radboud Universiteit Nijmegen

MMC ACADEMIE

Zegers SH, **Dieleman J**, van der Bruggen T, Kimpen J, de Jong-de Vos van Steenwijk, C. Erratum to: The influence of antibiotic prophylaxis on bacterial resistance in urinary tract infections in children with spina bifida. *BMC Infect Dis* 2017 February 27;17(1):1.

van Tetering A, van de Ven, J, Fransen AF, **Dieleman J**, van Runnard Heimel P, Oei S. Risk factors of incomplete Apgar score and umbilical cord blood gas analysis: a retrospective observational study. *J Matern Fetal Neonatal Med* 2017 November 1;30(21):2539-2544.

Wachelder JJH, Stassen PM, Hubens, LPAM, Brouns SHA, Lambooy SLE, **Dieleman JP**, Haak HR. Elderly emergency patients presenting with non-specific complaints: Characteristics and outcomes. *PLoS One* 2017 November 30;12(11):e0188954.

Vlemminx MWC, Thijssen KMJ, Bajlekov GI, **Dieleman JP**, Van Der Hout-Van Der Jagt, MB, Oei SG. Electrohysterography for uterine monitoring during term labour compared to external tocodynamometry and intra-uterine pressure catheter. *Eur J Obstet Gynecol Reprod Biol* 2017 June 1;215:197-205.

Nieuwesteeg A, Hartman E, Emons W, van Bakel H, Aanstoot HJ, van Mil E, Pouver F. Paediatric parenting stress in fathers and mothers of young children with Type 1 diabetes: a longitudinal study. *Diabet Med*. 2017 Jun;34(6):821-827.

ORTHOPEDIE

Roerdink RL, **Dietvorst M**. Prognostic factors associated with mortality in patients with arthritis: a descriptive cohort study - comments on the article by Andreasen et al. Scand J Rheumatol 2017 May 18:1-2.

van Dijk WA, van Eerten PV, **Janssen RPA**, Roumen RMH, Scheltinga MRM. Chronic neuralgia after knee surgery. Ned Tijdschr Geneeskd 2017;161(0):D2084.

Janssen RPA, van der Velden, M J F, van den Besselaar M, Reijman M*. Prediction of length and diameter of hamstring tendon autografts for knee ligament surgery in Caucasians. Knee Surg Sports Traumatol Arthrosc 2017 April 01;25(4):1199-1204.

Dietvorst M, Reijman M, van Groningen B, van der Steen, MC, Janssen R. PROMs in paediatric knee ligament injury: use the Pedi-IKDC and avoid using adult PROMs. Knee Surg Sports Traumatol Arthrosc 2017 September 19,.

van der Velden, CA, Tolk JJ, Janssen RPA, Reijman M. When is it safe to resume driving after total hip and total knee arthroplasty? a meta-analysis of literature on post-operative brake reaction times. Bone Joint J 2017 May 01;99-B(5):566-576.

Rademacher WMH, Walenkamp, G H I M, Moojen DJF, **Hendriks J**, Goedendorp TA, Rozema FR. Antibiotic prophylaxis is not indicated prior to dental procedures for prevention of periprosthetic joint infections. Acta Orthop 2017 October 1,;88(5):568-574.

Janssen RPA, Engelen-Melick van N, **Mourik van JBA, Reijman M**, Rhijn v LW. Similar clinical outcome between patellar tendon and hamstring tendon autograft after anterior cruciate ligament reconstruction with accelerated brace-free rehabilitation. A systematic review. JISAKOS 2017;september 15:1-10.

Goedegebuure WJ, **Jonkers F**, Boot AM, Bakker-van Waarde WM, van Tellingen V, Heeg M, Odink RJ, **van Douveren F**, Besselaar AT, van der Steen, MC. Long-term follow-up after bilateral percutaneous epiphysiodesis around the knee to reduce excessive predicted final height. Arch Dis Child 2017 October 13,.

Tolk JJ, Janssen RPA, Prinsen CAC, **Latijnhouwers, DAJM**, van der Steen, MC, Bierma-Zeinstra SMA, **Reijman M**. The OARSI core set of performance-based measures for knee osteoarthritis is reliable but not valid and responsive. Knee Surg Sports Traumatol Arthrosc 2017 November 11

Fuchs MCHW, Dietvorst M, Vaes R, Loos M, Somford MP, **Janssen RPA**. Arteriovenous Fistula after Anatomic All-Inside Anterior Cruciate Ligament Reconstruction. Case Rep Orthop. 2017;2017:1034018

PLASTISCHE CHIRURGIE

van Alphen TC, Fechner MR, Smit JM, Slooter GD, Broekhuysen CL.

Microsurgery. 2017 Sep;37(6):539-545. The laparoscopically harvested omentum as a free flap for autologous breast reconstruction.

RADIOLOGIE

de Lange IH, van Oploo AM, Halbertsma FJ, **Roos FG**, Bok LA. Parry Romberg syndrome presenting with a giant intracranial aneurysm: a case report. *Oxf Med Case Reports* 2017 May 30;2017(5):omx017.

Minkels TJM, Jeukens, CRLPN, Andriessen P, **van der Linden, AN**, Dam AJ, van Straaten, HLM, Cottaar EJE, van Pul C. Dose Evaluation for Digital X-Ray Imaging of Premature Neonates. *Radiat Prot Dosimetry* 2017 December 1,;177(4):440-449.

van Bommel, RMG, Weber R, Voogd AC, Nederend J, Louwman MWJ, Venderink D, Strobbe LJA, Rutten MJC, **Plaisier ML**, Lohle PN, Hooijen MJH, Tjan-Heijnen VCG, Duijm LEM. Interval breast cancer characteristics before, during and after the transition from screen-film to full-field digital screening mammography. *BMC Cancer* 2017 May 5,;17(1):5.

Lambregts DM, van Heeswijk MM, Delli Pizzi A, van Elderen SG, Andrade L, Peters NH, Kint PA, Osinga-de Jong M, Bipat S, **Ooms R**, Lahaye MJ, Maas M, Beets GL, Bakers FC, Beets-Tan RG. Diffusion-weighted MRI to assess response to chemoradiotherapy in rectal cancer: main interpretation pitfalls and their use for teaching. *Eur Radiol* 2017 April 13.

REUMATOLOGIE

Schmitz EMH, Benoy-De Keuster S, Meier AJL, Scharnhorst V, **Traksel RAM**, Broeren MAC, **Derijks LJJ**. Therapeutic drug monitoring (TDM) as a tool in the switch from infliximab innovator to biosimilar in rheumatic patients: results of a 12-month observational prospective cohort study. *Clin Rheumatol* 2017 June 7

SPORTGENEESKUNDE

Stuiver MM, Kampshoff CS, Persoon S, Groen W, van Mechelen W, Chinapaw MJM, Brug J, Nollet F, Kersten MJ, **Schep G**, Buffart LM. Validation and Refinement of Prediction Models to Estimate Exercise Capacity in Cancer Survivors Using the Steep Ramp Test. *Arch Phys Med Rehabil* 2017 March 18,.

van Zantvoort, APM, de Bruijn JA, Winkes MB, **Hoogeveen AR**, Teijink JAW, Scheltinga MR. Role of Repeat Muscle Compartment Pressure Measurements in Chronic Exertional Compartment Syndrome of the Lower Leg. *Orthop J Sports Med* 2017 June 09;5(6):2325967117711121.

de Bruijn JA, van Zantvoort, A P M, van Klaveren D, Winkes MB, **van der Crujisen-Raaijmakers M**, **Hoogeveen AR**, Teijink JAW, Scheltinga MR. Factors Predicting Lower Leg Chronic Exertional Compartment Syndrome in a Large Population. *Int J Sports Med* 2017 November 10,.

van Rooijen SJ, Engelen MA, Scheede-Bergdahl C, Carli F, Roumen RMH, Slooter GD, **Schep G**. Systematic review of exercise training in colorectal cancer patients during treatment. *Scand J Med Sci Sports* 2017 May 10

Posthuma JJ, Reesink KD, Schütten M, Ghossein C, Spaanderman ME, Ten Cate H, **Schep G**. A Rare Case of Intermittent Claudication Associated with Impaired Arterial Vasodilation. *Case Rep Vasc Med*. 2017;2017:4868123.

UROLOGIE

Theeuwen H, van der Sluijs, J, **Nanlohy-Manuhutu M**. Delayed umbilical cord separation. *Ned Tijdschr Geneesk* 2017;161(0):D1890.

Huibertse LJ, van Eenbergen M, de Rooij BH, Bastiaens MT, **Fossion LM**, de la Fuente, R B, Kil PJ, Koldewijn EL, Meier AH, Mommers RJ, Niemer AQ, Oddens JR, Oomens EH, Prins M, de Roos KP, Thissen MR, Timmermans MW, Wijsman BP, van de Poll-Franse, L V, Ezendam NP. Cancer survivors' preference for follow-up care providers: a cross-sectional study from the population-based PROFILES-registry. *Acta Oncol* 2017 Jan 09:1-10.

ZIEKENHUISFARMACIE

Evering VH, Andriessen P, Duijsters CE, **Brogdrop J**, **Derijks LJ**. The Effect of Individualized Versus Standardized Parenteral Nutrition on Body Weight in Very Preterm Infants. *J Clin Med Res* 2017 April 01;9(4):339-344.

Coolen AWM, **Troost S**, Mol BWJ, Roovers, JPWR, Bongers MY. Primary treatment of pelvic organ prolapse: pessary use versus prolapse surgery. *Int Urogynecol J* 2017 June 09.

van Sloten T, **de Klaver P**, van den Wall Bake, AWL. Co-administration of cyclosporine and ticagrelor may lead to a higher exposure to cyclosporine: a case report of a 49-year old man. *Br J Clin Pharmacol* 2017 September 11.

Broekman MM, Wong DR, Wanten GJ, Roelofs HM, van Marrewijk CJ, Klungel OH, Verbeek AL, Hooymans PM, Guchelaar HJ, Scheffer H, **Derijks LJ**, Coenen MJ, de Jong DJ. The glutathione transferase Mu null genotype leads to lower 6-MMPR levels in patients treated with azathioprine but not with mercaptopurine. *Pharmacogenomics J* 2017 January 03.

Broekman, MMTJ, Coenen MJH, van Marrewijk CJ, Wanten GJA, Wong DR, Verbeek ALM, Klungel OH, Hooymans PM, Guchelaar HJ, Scheffer H, **Derijks LJJ**, de Jong DJ, TOPIC Recruitment Team. More Dose-dependent Side Effects with Mercaptopurine over Azathioprine in IBD Treatment Due to Relatively Higher Dosing. *Inflamm Bowel Dis* 2017 June 20

Broekman, M M T J, Coenen MJH, Wanten GJ, van Marrewijk CJ, Klungel OH, Verbeek ALM, Hooymans PM, Guchelaar HJ, Scheffer H, **Derijks L**, Wong DR, de Jong DJ. Risk factors for thiopurine-induced myelosuppression and infections in inflammatory bowel disease patients with a normal TPMT genotype. *Aliment Pharmacol Ther* 2017 September 15.

Schmitz EMH, Benoy-De Keuster S, Meier AJL, Scharnhorst V, Traksel RAM, Broeren MAC, **Derijks LJJ**. Therapeutic drug monitoring (TDM) as a tool in the switch from infliximab innovator to biosimilar in rheumatic patients: results of a 12-month observational prospective cohort study. *Clin Rheumatol* 2017 June 7,.

Huyard C, **Derijks L**, Haak H, Lieverse L. Intentional Nonadherence as a Means to Exert Control. *Qual Health Res* 2017 July 1;27(8):1215-1224.

Taks M, Pijls PA, **Derijks LJ**, Ten Broeke R, Grouls RJ, Curvers J, Gilissen LP. Short article: The effect of implementation of a treatment algorithm for infliximab on remission rates and drug costs in inflammatory bowel disease patients. *Eur J Gastroenterol Hepatol* 2017 Feb;29(2):169-173.

Broekman, MMTJ, Coenen MJH, Wanten GJ, van Marrewijk CJ, Kievit W, Klungel OH, Verbeek ALM, Wong DR, Hooymans PM, Guchelaar HJ, Scheffer H, **Derijks LJJ**, Bouvy ML, de Jong DJ. Patients' beliefs about medicine are associated with early thiopurine discontinuation in patients with inflammatory bowel diseases. *Eur J Gastroenterol Hepatol* 2017 November 8

Wong DR, Coenen MJ, Vermeulen SH, **Derijks LJ**, van Marrewijk CJ, Klungel OH, Scheffer H, Franke B, Guchelaar HJ, de Jong DJ, Engels LG, Verbeek AL, Hooymans PM, TOPIC recruitment team. Early Assessment of Thiopurine Metabolites Identifies Patients at Risk of Thiopurine-induced Leukopenia in Inflammatory Bowel Disease. *J Crohns Colitis* 2017 February 1;11(2):175-184.

Schmitz EMH, Boekema PJ, Straathof JWA, van Renswouw DC, Brunsveld L, Scharnhorst V, **van de Poll MEC**, Broeren MAC, Derijks LJJ. Switching from infliximab innovator to biosimilar in patients with inflammatory bowel disease: a 12-month multicentre observational prospective cohort study. *Aliment Pharmacol Ther* 2017 December 05.